

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM013024\
 Data File : BM043928.D
 Acq On : 30 Jan 2024 16:43
 Operator : MA/JU
 Sample : PB158491BL
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB158491BL

Quant Time: Jan 31 02:26:39 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM013024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 31 00:42:42 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.922	152	477696	20.000	ng	0.00
21) Naphthalene-d8	10.722	136	1872929	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	1031533	20.000	ng	0.00
64) Phenanthrene-d10	17.315	188	2029332	20.000	ng	0.00
76) Chrysene-d12	21.515	240	1464482	20.000	ng	0.00
86) Perylene-d12	23.927	264	1488094	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	4010400	125.533	ng	0.00
7) Phenol-d6	7.087	99	5072923	119.883	ng	0.00
23) Nitrobenzene-d5	9.092	82	3011775	80.420	ng	0.00
42) 2,4,6-Tribromophenol	16.057	330	1459862	125.838	ng	0.00
45) 2-Fluorobiphenyl	13.192	172	6403306	80.196	ng	0.00
79) Terphenyl-d14	19.962	244	8242377	95.982	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM013024\
Data File : BM043928.D
Acq On : 30 Jan 2024 16:43
Operator : MA/JU
Sample : PB158491BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB158491BL

Quant Time: Jan 31 02:26:39 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM013024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 31 00:42:42 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.922 min Scan# 81
Delta R.T. -0.000 min
Lab File: BM043928.D
Acq: 30 Jan 2024 16:43




Instrument :
BNA_M
ClientSampleId :
PB158491BL


Tgt Ion:152 Resp: 477696
Ion Ratio Lower Upper
152 100
150 156.9 124.3 186.5
115 59.7 46.9 70.3



#5
2-Fluorophenol
Concen: 125.533 ng
RT: 5.493 min Scan# 409
Delta R.T. 0.006 min
Lab File: BM043928.D
Acq: 30 Jan 2024 16:43

Tgt Ion:112 Resp: 4010400
Ion Ratio Lower Upper
112 100
64 57.9 47.1 70.7
63 30.2 24.8 37.2









#7
Phenol-d6
Concen: 119.883 ng
RT: 7.087 min Scan# 61
Delta R.T. 0.001 min
Lab File: BM043928.D
Acq: 30 Jan 2024 16:43

Instrument :
BNA_M
ClientSampleId :
PB158491BL

Tgt Ion: 99 Resp: 5072923




Ion	Ratio	Lower	Upper
99	100		
42	18.1	15.2	22.8
71	32.3	27.1	40.7




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.722 min Scan# 1298
Delta R.T. -0.005 min
Lab File: BM043928.D
Acq: 30 Jan 2024 16:43

Tgt Ion: 136 Resp: 1872929

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.4	12.6
54	8.2	6.6	9.8
68	6.2	4.8	7.2









#23
Nitrobenzene-d5
Concen: 80.420 ng
RT: 9.092 min Scan# 1021
Delta R.T. 0.000 min
Lab File: BM043928.D
Acq: 30 Jan 2024 16:43




Instrument :
BNA_M
ClientSampleId :
PB158491BL


Tgt Ion: 82 Resp: 3011775
Ion Ratio Lower Upper
82 100
128 42.7 33.7 50.5
54 50.4 41.0 61.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.563 min Scan# 1951
Delta R.T. 0.001 min
Lab File: BM043928.D
Acq: 30 Jan 2024 16:43

Tgt Ion: 164 Resp: 1031533
Ion Ratio Lower Upper
164 100
162 100.7 80.4 120.6
160 45.9 36.6 55.0





#42

2,4,6-Tribromophenol

Concen: 125.838 ng

RT: 16.057 min Scan# 21

Delta R.T. 0.000 min

Lab File: BM043928.D

Acq: 30 Jan 2024 16:43

Instrument :

BNA_M

ClientSampleId :

PB158491BL





Tgt Ion:330 Resp: 1459862

Ion Ratio Lower Upper

330 100

332 96.2 77.2 115.8

141 38.2 31.8 47.6



#45

2-Fluorobiphenyl

Concen: 80.196 ng

RT: 13.192 min Scan# 1718

Delta R.T. 0.000 min

Lab File: BM043928.D

Acq: 30 Jan 2024 16:43




Tgt Ion:172 Resp: 6403306


Ion Ratio Lower Upper

172 100

171 35.0 27.7 41.5

170 23.5 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.315 min Scan# 24

Delta R.T. -0.006 min

Lab File: BM043928.D

Acq: 30 Jan 2024 16:43

Instrument :

BNA_M

ClientSampleId :

PB158491BL





Tgt Ion:188 Resp: 2029332

Ion Ratio Lower Upper

188 100

94 10.1 7.6 11.4

80 10.5 8.2 12.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.515 min Scan# 3133

Delta R.T. -0.006 min

Lab File: BM043928.D

Acq: 30 Jan 2024 16:43




Tgt Ion:240 Resp: 1464482


Ion Ratio Lower Upper

240 100

120 11.7 9.3 13.9

236 25.4 20.4 30.6









#79
 Terphenyl-d14
 Concen: 95.982 ng
 RT: 19.962 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BM043928.D
 Acq: 30 Jan 2024 16:43

Instrument :
 BNA_M
 ClientSampleId :
 PB158491BL

Tgt Ion:244 Resp: 8242377
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.4 8.0
 122 10.7 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.927 min Scan# 3543
 Delta R.T. -0.006 min
 Lab File: BM043928.D
 Acq: 30 Jan 2024 16:43

Tgt Ion:264 Resp: 1488094
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.0 28.6
 265 21.6 17.5 26.3

