

Data Path : Z:\HPCHEM1\BNA M\DATA\BM013118\
 Data File : BM014059.D
 Acq On : 01 Feb 2018 06:27
 Operator : SJ/JU
 Sample : J1317-09
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F6D03

Quant Time: Feb 01 07:21:33 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM013118.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Feb 01 03:26:19 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	116584	20.00	ng/ul	0.00
18) Naphthalene-d8	10.33	136	481729	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.22	164	313334	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.97	188	718630	20.00	ng/ul	0.00
75) Chrysene-d12	21.17	240	803281	20.00	ng/ul	0.00
83) Perylene-d12	23.36	264	781266	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.12	96	16180	6.37	ng/uL	0.00
5) Phenol-d5	6.75	99	307135	35.05	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.90	67	207243	39.21	ng/ul	0.00
9) 2-Chlorophenol-d4	7.09	132	261612	37.70	ng/ul	0.00
13) 4-Methylphenol-d8	8.27	113	283209	38.60	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	140674	40.45	ng/ul	0.00
22) 2-Nitrophenol-d4	9.43	143	154601	40.17	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.97	165	285680	35.29	ng/ul	0.00
29) 4-Chloroaniline-d4	10.49	131	342843	48.85	ng/ul	0.00
43) Dimethylphthalate-d6	13.63	166	1028587	39.56	ng/ul	0.00
46) Acenaphthylene-d8	13.90	160	1279322	40.55	ng/ul	0.00
51) 4-Nitrophenol-d4	14.46	143	100789	28.13	ng/ul	0.00
57) Fluorene-d10	15.22	176	875948	37.64	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.36	200	129820	29.42	ng/ul	0.00
70) Anthracene-d10	17.07	188	1409046	40.38	ng/ul	0.00
76) Pyrene-d10	19.37	212	1583513	40.94	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.22	264	1488593	38.82	ng/ul	0.00
Target Compounds						
6) Phenol	6.77	94	44863	5.118	ng/ul	91
15) N-Nitroso-di-n-propylamine	8.27	70	9674	1.527	ng/ul#	1
44) Dimethylphthalate	13.68	163	242325	9.667	ng/ul#	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM013118\
Data File : BM014059.D
Acq On : 01 Feb 2018 06:27
Operator : SJ/JU
Sample : J1317-09
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F6D03

Quant Time: Feb 01 07:21:33 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM013118.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Feb 01 03:26:19 2018
Response via : Initial Calibration









#6

Phenol

Concen: 5.118 ng/ul
 RT: 6.77 min Scan# 644
 Delta R.T. -0.00 min
 Lab File: BM014059.D
 Acq: 01 Feb 2018 06:27

Instrument :
 BNA_M
 ClientSampleId :
 F6D03

Tot Ion: 94 Resp: 44863
 Ion Ratio Lower Upper
 94 100
 65 36.6 28.2 42.4
 66 49.0 47.2 70.8







#15

N-Nitroso-di-n-propylamine

Concen: 1.527 ng/ul
 RT: 8.27 min Scan# 899
 Delta R.T. -0.09 min
 Lab File: BM014059.D
 Acq: 01 Feb 2018 06:27

Tgt Ion: 70 Resp: 9674
 Ion Ratio Lower Upper
 70 100
 42 367.4 76.0 114.0#
 101 0.0 6.7 10.1#
 130 0.0 14.6 22.0#





#44

Dimethylphthalate

Concen: 9.667 ng/ul

RT: 13.68 min Scan# 1818

Delta R.T. -0.00 min

Lab File: BM014059.D

Acq: 01 Feb 2018 06:27

Instrument :

BNA_M

ClientSampleId :

F6D03


Tot Ion:163 Resp: 242325

Ion Ratio Lower Upper

163 100

194 5.3 3.5 5.3#

164 9.1 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

