

Data Path : Z:\HPCHEM1\BNA M\DATA\BM013118\
 Data File : BM014047.D
 Acq On : 31 Jan 2018 22:53
 Operator : SJ/JU
 Sample : J1315-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F6C61

Manual Integrations
 APPROVED

Sohil
 2/1/2018 6:04:55 PM

Quant Time: Feb 01 02:01:26 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM013118.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Feb 01 01:00:18 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	93660	20.00	ng/ul	0.00
18) Naphthalene-d8	10.33	136	388323	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.22	164	250121	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.97	188	591335	20.00	ng/ul	0.00
75) Chrysene-d12	21.18	240	651639	20.00	ng/ul	0.00
83) Perylene-d12	23.36	264	631804	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.12	96	9227	4.52	ng/uL	0.00
5) Phenol-d5	6.75	99	174152	24.74	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.91	67	113655	26.76	ng/ul	0.00
9) 2-Chlorophenol-d4	7.10	132	142899	25.63	ng/ul	0.00
13) 4-Methylphenol-d8	8.28	113	155757	26.42	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	80864	28.85	ng/ul	0.00
22) 2-Nitrophenol-d4	9.43	143	90172	29.07	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.97	165	159417	24.43	ng/ul	0.00
29) 4-Chloroaniline-d4	10.49	131	201769m	35.67	ng/ul	0.00
43) Dimethylphthalate-d6	13.64	166	621345	29.93	ng/ul	0.00
46) Acenaphthylene-d8	13.90	160	738051	29.30	ng/ul	0.00
51) 4-Nitrophenol-d4	14.46	143	63333m	22.14	ng/ul	0.00
57) Fluorene-d10	15.22	176	544386	29.30	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.36	200	76402	21.04	ng/ul	0.00
70) Anthracene-d10	17.07	188	855889	29.81	ng/ul	0.00
76) Pyrene-d10	19.38	212	952957	30.37	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.23	264	929567	29.98	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.69	163	77527	3.874	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM013118\
Data File : BM014047.D
Acq On : 31 Jan 2018 22:53
Operator : SJ/JU
Sample : J1315-04
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
F6C61

Manual Integrations
APPROVED

Sohil
2/1/2018 6:04:55 PM

Quant Time: Feb 01 02:01:26 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM013118.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Feb 01 01:00:18 2018
Response via : Initial Calibration





#44
 Dimethylphthalate
 Concen: 3.874 ng/ul
 RT: 13.69 min Scan# 1819
 Delta R.T. 0.00 min
 Lab File: BM014047.D
 Acq: 31 Jan 2018 22:53

Instrument :
 BNA_M
 ClientSampleId :
 F6C61

Tot Ion	Ratio	Resp	Lower	Upper
163	100	77527		
194	4.5		3.5	5.3
164	9.9		8.2	12.4

Manual Integrations
 APPROVED

Sohil
 2/1/2018 6:04:55 PM

