

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM020217\
 Data File : BM008956.D
 Acq On : 02 Feb 2017 11:29
 Operator : SJ/MA
 Sample : I1449-04
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 H0FG7

Quant Time: Feb 02 17:40:04 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM013017.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Feb 02 17:33:49 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.92	152	46743	20.00	ng/ul	0.00
18) Naphthalene-d8	10.72	136	182762	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.55	164	122345	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.30	188	264865	20.00	ng/ul	0.00
75) Chrysene-d12	21.47	240	315401	20.00	ng/ul	0.00
83) Perylene-d12	23.82	264	393896	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.38	96	3879	3.32	ng/uL	0.00
5) Phenol-d5	7.06	99	56423	12.92	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.24	67	52816	14.77	ng/ul	0.00
9) 2-Chlorophenol-d4	7.44	132	37165	13.79	ng/ul	0.00
13) 4-Methylphenol-d8	8.61	113	41830	12.67	ng/ul	0.00
19) Nitrobenzene-d5	9.08	128	17925	13.58	ng/ul	0.00
22) 2-Nitrophenol-d4	9.80	143	21285	14.51	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.33	165	40296	13.04	ng/ul	0.00
29) 4-Chloroaniline-d4	10.85	131	35132	12.41	ng/ul	0.00
43) Dimethylphthalate-d6	13.96	166	140041	15.62	ng/ul	0.00
46) Acenaphthylene-d8	14.24	160	150427	14.80	ng/ul	0.00
51) 4-Nitrophenol-d4	14.73	143	16957	11.59	ng/ul	0.00
57) Fluorene-d10	15.54	176	116926	14.13	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.65	200	22089	12.88	ng/ul	0.00
70) Anthracene-d10	17.40	188	187622	14.83	ng/ul	0.00
76) Pyrene-d10	19.68	212	231143	16.62	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.67	264	275277	15.39	ng/ul	0.00


Target Compounds						Qvalue
6) Phenol	7.09	94	14060	3.04	ng/ul#	85
44) Dimethylphthalate	14.00	163	19087	2.18	ng/ul#	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM020217\
Data File : BM008956.D
Acq On : 02 Feb 2017 11:29
Operator : SJ/MA
Sample : I1449-04
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
H0FG7

Quant Time: Feb 02 17:40:04 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM013017.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Feb 02 17:33:49 2017
Response via : Initial Calibration





#6

Phenol

Concen: 3.04 ng/ul

RT: 7.09 min Scan# 766

Delta R.T. -0.00 min

Lab File: BM008956.D

Acq: 02 Feb 2017 11:29

Instrument :

BNA_M

ClientSampleId :

H0FG7





Tgt Ion: 94 Resp: 14060

Ion Ratio Lower Upper

94 100

65 63.1 39.8 59.6#

66 98.5 69.9 104.9



#44

Dimethylphthalate

Concen: 2.18 ng/ul

RT: 14.00 min Scan# 1941

Delta R.T. -0.00 min

Lab File: BM008956.D

Acq: 02 Feb 2017 11:29

Tgt Ion:163 Resp: 19087

Ion Ratio Lower Upper

163 100

194 0.0 3.0 4.6#

164 12.3 8.6 12.8

