

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020221\
 Data File : BM028631.D
 Acq On : 02 Feb 2021 20:24
 Operator : CG/JU
 Sample : M1286-23
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JJ BH 03_6-7

Quant Time: Feb 02 23:42:40 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 29 16:19:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.928	152	28210	20.00	ng	0.00
21) Naphthalene-d8	10.739	136	108850	20.00	ng	# 0.00
39) Acenaphthene-d10	14.580	164	59897	20.00	ng	0.00
64) Phenanthrene-d10	17.315	188	116748	20.00	ng	# 0.00
76) Chrysene-d12	21.456	240	111543	20.00	ng	#-0.01
86) Perylene-d12	23.715	264	114663	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	150532	84.29	ng	-0.01
7) Phenol-d6	7.104	99	189519	77.94	ng	-0.02
23) Nitrobenzene-d5	9.098	82	116465	50.75	ng	-0.01
42) 2,4,6-Tribromophenol	16.068	330	63513	80.03	ng	0.00
45) 2-Fluorobiphenyl	13.198	172	244872	51.29	ng	-0.01
79) Terphenyl-d14	19.915	244	288960	46.78	ng	0.00


Target Compounds	Qvalue
-----	-----


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020221\
Data File : BM028631.D
Acq On : 02 Feb 2021 20:24
Operator : CG/JU
Sample : M1286-23
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JJ_BH_03_6-7

Quant Time: Feb 02 23:42:40 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 29 16:19:07 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.928 min Scan# 806
Delta R.T. -0.006 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24




Instrument :
BNA_M
ClientSampleId :
JJ_BH_03_6-7


Tgt Ion:152 Resp: 28210
Ion Ratio Lower Upper
152 100
150 156.9 120.6 181.0
115 56.8 47.2 70.8



#5
2-Fluorophenol
Concen: 84.29 ng
RT: 5.469 min Scan# 388
Delta R.T. -0.012 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24

Tgt Ion:112 Resp: 150532
Ion Ratio Lower Upper
112 100
64 59.1 50.6 76.0
63 31.4 31.0 46.6









#7
Phenol-d6
Concen: 77.94 ng
RT: 7.104 min Scan# 666
Delta R.T. -0.018 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24




Instrument :
BNA_M
ClientSampleId :
JJ_BH_03_6-7


Tgt Ion: 99 Resp: 189519
Ion Ratio Lower Upper
99 100
42 19.5 13.5 20.3
71 33.0 39.4 59.0#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.739 min Scan# 1284
Delta R.T. -0.006 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24

Tgt Ion: 136 Resp: 108850
Ion Ratio Lower Upper
136 100
137 11.1 8.6 12.8
54 8.4 4.6 7.0#
68 5.9 4.1 6.1









#23
Nitrobenzene-d5
Concen: 50.75 ng
RT: 9.098 min Scan# 1005
Delta R.T. -0.012 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24




Instrument :
BNA_M
ClientSampleId :
JJ_BH_03_6-7


Tgt Ion: 82 Resp: 116465
Ion Ratio Lower Upper
82 100
128 43.1 27.4 41.0#
54 55.1 31.4 47.0#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.580 min Scan# 1937
Delta R.T. -0.006 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24

Tgt Ion:164 Resp: 59897
Ion Ratio Lower Upper
164 100
162 101.9 80.4 120.6
160 44.8 35.9 53.9








#42
2,4,6-Tribromophenol
Concen: 80.03 ng
RT: 16.068 min Scan# 2190
Delta R.T. -0.006 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24




Instrument :
BNA_M
ClientSampleId :
JJ_BH_03_6-7


Tgt Ion:330 Resp: 63513
Ion Ratio Lower Upper
330 100
332 97.0 77.8 116.8
141 35.3 28.4 42.6



#45
2-Fluorobiphenyl
Concen: 51.29 ng
RT: 13.198 min Scan# 1702
Delta R.T. -0.012 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24

Tgt Ion:172 Resp: 244872
Ion Ratio Lower Upper
172 100
171 35.0 27.8 41.8
170 22.7 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.315 min Scan# 2402
Delta R.T. -0.006 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24




Instrument :
BNA_M
ClientSampleId :
JJ_BH_03_6-7


Tgt Ion:188 Resp: 116748
Ion Ratio Lower Upper
188 100
94 9.9 6.2 9.4#
80 10.4 7.5 11.3



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.456 min Scan# 3106
Delta R.T. -0.012 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24

Tgt Ion:240 Resp: 111543
Ion Ratio Lower Upper
240 100
120 12.7 6.4 9.6#
236 24.0 20.1 30.1









#79
Terphenyl-d14
Concen: 46.78 ng
RT: 19.915 min Scan# 2844
Delta R.T. -0.006 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24

Instrument :
BNA_M
ClientSampleId :
JJ_BH_03_6-7

Tgt Ion:244 Resp: 288960
Ion Ratio Lower Upper
244 100
212 6.9 5.8 8.8
122 12.3 6.5 9.7#



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.715 min Scan# 3490
Delta R.T. -0.012 min
Lab File: BM028631.D
Acq: 02 Feb 2021 20:24

Tgt Ion:264 Resp: 114663
Ion Ratio Lower Upper
264 100
260 22.3 19.0 28.4
265 22.3 17.7 26.5

