

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020421\
 Data File : BM028654.D
 Acq On : 04 Feb 2021 15:03
 Operator : CG/JU
 Sample : M1291-21
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 OU421-005-0002

Manual Integrations
 APPROVED

mohammad
 2/8/2021 12:16:45 PM

Quant Time: Feb 04 15:38:46 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 29 16:19:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.922	152	29300	20.00	ng	-0.01
21) Naphthalene-d8	10.733	136	111036	20.00	ng	#-0.01
39) Acenaphthene-d10	14.574	164	60213	20.00	ng	-0.01
64) Phenanthrene-d10	17.310	188	117279	20.00	ng	#-0.01
76) Chrysene-d12	21.456	240	110881	20.00	ng	#-0.01
86) Perylene-d12	23.715	264	114846	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.463	112	128002	69.01	ng	-0.02
7) Phenol-d6	7.098	99	158748	62.86	ng	-0.02
23) Nitrobenzene-d5	9.098	82	97475	41.64	ng	-0.01
42) 2,4,6-Tribromophenol	16.063	330	53041	66.48	ng	-0.01
45) 2-Fluorobiphenyl	13.198	172	209320	43.61	ng	-0.01
79) Terphenyl-d14	19.915	244	245593	40.00	ng	0.00
Target Compounds						Qvalue
49) Acenaphthylene	14.298	152	33526	5.38	ng	99
71) Phenanthrene	17.351	178	17267	2.39	ng	98
72) Anthracene	17.445	178	15883	2.28	ng	98
75) Fluoranthene	19.356	202	82519	10.19	ng	97
78) Pyrene	19.715	202	88124	11.08	ng	98
81) Benzo(a)anthracene	21.439	228	39079	5.10	ng	97
83) Chrysene	21.492	228	48453	6.55	ng	99
87) Indeno(1,2,3-cd)pyrene	26.003	276	57765m	6.75	ng	
88) Benzo(b)fluoranthene	23.033	252	90974m	11.67	ng	
89) Benzo(k)fluoranthene	23.074	252	31386m	4.12	ng	
90) Benzo(a)pyrene	23.615	252	57927	8.02	ng	# 93
92) Benzo(g,h,i)perylene	26.709	276	60258	8.65	ng	# 87

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020421\
Data File : BM028654.D
Acq On : 04 Feb 2021 15:03
Operator : CG/JU
Sample : M1291-21
Misc :
ALS Vial : 8 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
OU421-005-0002

Manual Integrations
APPROVED


mohammad
2/8/2021 12:16:45 PM

Quant Time: Feb 04 15:38:46 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 29 16:19:07 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.922 min Scan# 805
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03





Tgt Ion:152 Resp: 29300
Ion Ratio Lower Upper
152 100
150 159.1 120.6 181.0
115 58.9 47.2 70.8



#5
2-Fluorophenol
Concen: 69.01 ng
RT: 5.463 min Scan# 387
Delta R.T. -0.018 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03




Tgt Ion:112 Resp: 128002
Ion Ratio Lower Upper
112 100
64 57.9 50.6 76.0
63 30.6 31.0 46.6#



Instrument :
BNA_M
ClientSampleId :
OU421-005-0002

Manual Integrations
APPROVED

mohammad
2/8/2021 12:16:45 PM







#7
Phenol-d6
Concen: 62.86 ng
RT: 7.098 min Scan# 665
Delta R.T. -0.024 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03

Tgt Ion: 99 Resp: 158748
Ion Ratio Lower Upper
99 100
42 19.7 13.5 20.3
71 32.8 39.4 59.0#

Instrument :
BNA_M
ClientSampleId :
OU421-005-0002




Manual Integrations
APPROVED


mohammad
2/8/2021 12:16:45 PM




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.733 min Scan# 1283
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03

Tgt Ion: 136 Resp: 111036
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 8.9 4.6 7.0#
68 6.5 4.1 6.1#









#23
Nitrobenzene-d5
Concen: 41.64 ng
RT: 9.098 min Scan# 1005
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03





Tgt Ion: 82 Resp: 97475
Ion Ratio Lower Upper
82 100
128 45.9 27.4 41.0#
54 53.8 31.4 47.0#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.574 min Scan# 1936
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03




Tgt Ion: 164 Resp: 60213
Ion Ratio Lower Upper
164 100
162 99.7 80.4 120.6
160 43.3 35.9 53.9



Instrument :
BNA_M
ClientSampleId :
OU421-005-0002


Manual Integrations
APPROVED

mohammad
2/8/2021 12:16:45 PM



#42
2,4,6-Tribromophenol
Concen: 66.48 ng
RT: 16.063 min Scan# 2189
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03




Instrument :
BNA_M
ClientSampleId :
OU421-005-0002




Tgt Ion:330 Resp: 53041
Ion Ratio Lower Upper
330 100
332 96.7 77.8 116.8
141 34.7 28.4 42.6

Manual Integrations
APPROVED



mohammad
2/8/2021 12:16:45 PM




#45
2-Fluorobiphenyl
Concen: 43.61 ng
RT: 13.198 min Scan# 1702
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03




Tgt Ion:172 Resp: 209320
Ion Ratio Lower Upper
172 100
171 34.0 27.8 41.8
170 22.4 18.6 27.8





#49
Acenaphthylene
Concen: 5.38 ng
RT: 14.298 min Scan# 1889
Delta R.T. -0.018 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03




Instrument :
BNA_M
ClientSampleId :
OU421-005-0002




Tgt Ion:152 Resp: 33526
Ion Ratio Lower Upper
152 100
151 19.6 15.8 23.6
153 12.5 10.4 15.6

Manual Integrations
APPROVED



mohammad
2/8/2021 12:16:45 PM




#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.310 min Scan# 2401
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03




Tgt Ion:188 Resp: 117279
Ion Ratio Lower Upper
188 100
94 10.2 6.2 9.4#
80 10.9 7.5 11.3





#71
Phenanthrene
Concen: 2.39 ng
RT: 17.351 min Scan# 2408
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03




Instrument :
BNA_M
ClientSampleId :
OU421-005-0002




Tgt Ion:178 Resp: 17267
Ion Ratio Lower Upper
178 100
176 17.6 15.0 22.6
179 15.0 12.2 18.4

Manual Integrations
APPROVED



mohammad
2/8/2021 12:16:45 PM




#72
Anthracene
Concen: 2.28 ng
RT: 17.445 min Scan# 2424
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03



Tgt Ion:178 Resp: 15883
Ion Ratio Lower Upper
178 100
176 18.3 15.0 22.4
179 14.5 12.5 18.7









#75
Fluoranthene
Concen: 10.19 ng
RT: 19.356 min Scan# 2749
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03

Tgt Ion:	202	Resp:	82519
Ion Ratio	Lower	Upper	
202	100		
101	11.3	0.0	28.5
203	17.8	0.0	37.3

Instrument :
BNA_M
ClientSampleId :
OU421-005-0002




Manual Integrations
APPROVED


mohammad
2/8/2021 12:16:45 PM



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.456 min Scan# 3106
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03

Tgt Ion:	240	Resp:	110881
Ion Ratio	Lower	Upper	
240	100		
120	12.2	6.4	9.6#
236	24.0	20.1	30.1









#78
Pyrene
Concen: 11.08 ng
RT: 19.715 min Scan# 2810
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03

Tgt Ion:	202	Resp:	88124
Ion Ratio	Lower	Upper	
202	100		
200	20.1	16.6	24.8
203	18.1	13.8	20.6

Instrument :
BNA_M
ClientSampleId :
OU421-005-0002




Manual Integrations
APPROVED


mohammad
2/8/2021 12:16:45 PM




#79
Terphenyl-d14
Concen: 40.00 ng
RT: 19.915 min Scan# 2844
Delta R.T. -0.006 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03

Tgt Ion:	244	Resp:	245593
Ion Ratio	Lower	Upper	
244	100		
212	6.8	5.8	8.8
122	11.4	6.5	9.7#









#81
Benzo(a)anthracene
Concen: 5.10 ng
RT: 21.439 min Scan# 3103
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03





Tgt Ion:228 Resp: 39079
Ion Ratio Lower Upper
228 100
226 28.6 21.1 31.7
229 20.4 15.7 23.5



#83
Chrysene
Concen: 6.55 ng
RT: 21.492 min Scan# 3112
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03




Tgt Ion:228 Resp: 48453
Ion Ratio Lower Upper
228 100
226 29.0 23.4 35.0
229 21.1 15.7 23.5



Instrument :
BNA_M
ClientSampleId :
OU421-005-0002


Manual Integrations
APPROVED

mohammad
2/8/2021 12:16:45 PM



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.715 min Scan# 3490
Delta R.T. -0.012 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03




Instrument :
BNA_M
ClientSampleId :
OU421-005-0002




Tgt Ion:264 Resp: 114846
Ion Ratio Lower Upper
264 100
260 22.0 19.0 28.4
265 21.9 17.7 26.5

Manual Integrations
APPROVED



mohammad
2/8/2021 12:16:45 PM




#87
Indeno(1,2,3-cd)pyrene
Concen: 6.75 ng m
RT: 26.003 min Scan# 3879
Delta R.T. -0.030 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03



Tgt Ion:276 Resp: 57765
Ion Ratio Lower Upper
276 100
138 1.9 14.2 21.4#
277 2.8 19.8 29.8#









#88
Benzo(b)fluoranthene
Concen: 11.67 ng m
RT: 23.033 min Scan# 3374
Delta R.T. -0.018 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03

Tgt Ion:252 Resp: 90974
Ion Ratio Lower Upper
252 100
253 23.0 17.4 26.0
125 13.6 5.7 8.5#

Instrument :
BNA_M
ClientSampleId :
OU421-005-0002




Manual Integrations
APPROVED


mohammad
2/8/2021 12:16:45 PM



#89
Benzo(k)fluoranthene
Concen: 4.12 ng m
RT: 23.074 min Scan# 3381
Delta R.T. -0.018 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03


Tgt Ion:252 Resp: 31386
Ion Ratio Lower Upper
252 100
253 25.9 17.4 26.0
125 15.7 5.6 8.4#





#90
Benzo(a)pyrene
Concen: 8.02 ng
RT: 23.615 min Scan# 3473
Delta R.T. -0.018 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03




Instrument :
BNA_M
ClientSampleId :
OU421-005-0002



Tgt Ion:252 Resp: 57927
Ion Ratio Lower Upper
252 100
253 22.9 17.4 26.2
125 15.0 6.6 9.8#

Manual Integrations
APPROVED

mohammad
2/8/2021 12:16:45 PM



#92
Benzo(g,h,i)perylene
Concen: 8.65 ng
RT: 26.709 min Scan# 3999
Delta R.T. -0.024 min
Lab File: BM028654.D
Acq: 04 Feb 2021 15:03

Tgt Ion:276 Resp: 60258
Ion Ratio Lower Upper
276 100
277 25.1 18.6 28.0
138 26.5 12.2 18.2#

