

Data Path : U:\HPCHEM1\BNA M\DATA\BM020618\  
 Data File : BM014151.D  
 Acq On : 06 Feb 2018 18:02  
 Operator : SJ/JU  
 Sample : J1452-10  
 Misc :  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :

Quant Time: Feb 06 19:28:19 2018  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM013118.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sat Feb 03 04:17:00 2018  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.55  | 152  | 35720    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.32 | 136  | 165221   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.20 | 164  | 132328   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 16.96 | 188  | 360254   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.17 | 240  | 543483   | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.34 | 264  | 648326   | 20.00 | ng/ul | 0.00     |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 0.00  | 96   | 0        | 0.00  | ng/uL |          |
| 5) Phenol-d5                   | 0.00  | 99   | 0        | 0.00  | ng/ul |          |
| 7) Bis-(2-Chloroethyl)ether-d  | 0.00  | 67   | 0        | 0.00  | ng/ul |          |
| 9) 2-Chlorophenol-d4           | 0.00  | 132  | 0        | 0.00  | ng/ul |          |
| 13) 4-Methylphenol-d8          | 0.00  | 113  | 0        | 0.00  | ng/ul |          |
| 19) Nitrobenzene-d5            | 0.00  | 128  | 0        | 0.00  | ng/ul |          |
| 22) 2-Nitrophenol-d4           | 0.00  | 143  | 0        | 0.00  | ng/ul |          |
| 26) 2,4-Dichlorophenol-d3      | 0.00  | 165  | 0        | 0.00  | ng/ul |          |
| 29) 4-Chloroaniline-d4         | 0.00  | 131  | 0        | 0.00  | ng/ul |          |
| 43) Dimethylphthalate-d6       | 0.00  | 166  | 0        | 0.00  | ng/ul |          |
| 46) Acenaphthylene-d8          | 0.00  | 160  | 0        | 0.00  | ng/ul |          |
| 51) 4-Nitrophenol-d4           | 0.00  | 143  | 0        | 0.00  | ng/ul |          |
| 57) Fluorene-d10               | 0.00  | 176  | 0        | 0.00  | ng/ul |          |
| 62) 4,6-Dinitro-2-methylphenol | 0.00  | 200  | 0        | 0.00  | ng/ul |          |
| 70) Anthracene-d10             | 16.96 | 188  | 360254   | 20.60 | ng/ul | -0.10    |
| 76) Pyrene-d10                 | 0.00  | 212  | 0        | 0.00  | ng/ul |          |
| 87) Benzo(a)pyrene-d12         | 23.34 | 264  | 631341   | 19.84 | ng/ul | 0.14     |

| Target Compounds | Ovalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : U:\HPCHEM1\BNA M\DATA\BM020618\  
Data File : BM014151.D  
Acq On : 06 Feb 2018 18:02  
Operator : SJ/JU  
Sample : J1452-10  
Misc :  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :

Quant Time: Feb 06 19:28:19 2018  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM013118.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Sat Feb 03 04:17:00 2018  
Response via : Initial Calibration

