

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM021115\
 Data File : BM000489.D
 Acq On : 11 Feb 2015 22:45
 Operator : TP/IZ
 Sample : G1249-05
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4FL3

Manual Integrations
 APPROVED

apatel
 2/12/2015 4:10:29 PM

Quant Time: Feb 12 01:35:26 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM01.2-EPA-SIM-BM021115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 11 23:58:48 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	3535	0.40	ng/ul	0.00
2) Naphthalene-d8	10.50	136	12643	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.37	164	8423	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.10	188	17086m	0.40	ng/ul	0.00
16) Chrysene-d12	21.30	240	12845	0.40	ng/ul	0.00
20) Perylene-d12	23.53	264	14575m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.10	152	6719	0.40	ng/ul	0.00
14) Fluoranthene-d10	19.14	212	14327m	0.38	ng/ul	0.00
Target Compounds						
15) Fluoranthene	19.16	202	724	0.01	ng/ul	79
18) Benzo(a)anthracene	21.28	228	1310	0.03	ng/ul#	91
19) Chrysene	21.33	228	1456	0.03	ng/ul#	92
24) Indeno(1,2,3-cd)pyrene	25.78	276	905	0.02	ng/ul	99
25) Dibenzo(a,h)anthracene	25.79	278	682	0.02	ng/ul#	28
26) Benzo(g,h,i)perylene	26.46	276	739	0.02	ng/ul#	61

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM021115\
Data File : BM000489.D
Acq On : 11 Feb 2015 22:45
Operator : TP/IZ
Sample : G1249-05
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4FL3

Manual Integrations
APPROVED

apatel
2/12/2015 4:10:29 PM

Quant Time: Feb 12 01:35:26 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM01.2-EPA-SIM-BM021115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 11 23:58:48 2015
Response via : Initial Calibration

