

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM021115\
 Data File : BM000495.D
 Acq On : 12 Feb 2015 02:18
 Operator : TP/IZ
 Sample : G1249-16
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4FM9

Manual Integrations
 APPROVED

apatel
 2/12/2015 4:10:53 PM

Quant Time: Feb 12 03:18:28 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM01.2-EPA-SIM-BM021115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 11 23:58:48 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	3695	0.40	ng/ul	0.00
2) Naphthalene-d8	10.50	136	13306	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.37	164	8305	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.10	188	17876m	0.40	ng/ul	0.00
16) Chrysene-d12	21.30	240	11704	0.40	ng/ul	0.00
20) Perylene-d12	23.53	264	10350m	0.40	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Methylnaphthalene-d10	12.10	152	6787	0.38	ng/ul	0.00
14) Fluoranthene-d10	19.15	212	15354m	0.39	ng/ul	0.01

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
3) Naphthalene	10.55	128	2391	0.07	ng/ul#	92
5) 2-Methylnaphthalene	12.17	142	142	0.01	ng/ul	92
8) Acenaphthene	14.41	153	351	0.01	ng/ul#	86
9) Fluorene	15.42	166	443m	0.01	ng/ul	
12) Phenanthrene	17.15	178	1554m	0.03	ng/ul	
15) Fluoranthene	19.18	202	2887	0.05	ng/ul	83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM021115\
Data File : BM000495.D
Acq On : 12 Feb 2015 02:18
Operator : TP/IZ
Sample : G1249-16
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4FM9

Manual Integrations
APPROVED

apatel
2/12/2015 4:10:53 PM

Quant Time: Feb 12 03:18:28 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM01.2-EPA-SIM-BM021115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 11 23:58:48 2015
Response via : Initial Calibration

