

Data Path : Z:\HPCHEM1\BNA M\DATA\BM021216\
 Data File : BM004243.D
 Acq On : 13 Feb 2016 00:14
 Operator : SJ/IZ
 Sample : H1414-18
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9QE1

Quant Time: Feb 15 07:16:15 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM021216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Feb 12 22:29:16 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	25575	20.00	ng/ul	0.00
18) Naphthalene-d8	10.43	136	111042	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.30	164	61958	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.06	188	131534	20.00	ng/ul	0.00
78) Chrysene-d12	21.27	240	138894	20.00	ng/ul	0.00
86) Perylene-d12	23.50	264	141342	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.11	96	1596	3.14	ng/uL	0.00
5) Phenol-d5	6.82	99	31662	15.41	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	17987	16.21	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	28830	15.82	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	25160	14.38	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	13316	15.60	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	14931	15.64	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	26382	15.33	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	33982	16.59	ng/ul	0.00
44) Dimethylphthalate-d6	13.72	166	88194	17.11	ng/ul	0.00
47) Acenaphthylene-d8	13.99	160	105575	16.85	ng/ul	0.00
52) 4-Nitrophenol-d4	14.53	143	9936	11.91	ng/ul	0.00
58) Fluorene-d10	15.30	176	77205	17.77	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.44	200	9037	11.28	ng/ul	0.00
71) Anthracene-d10	17.16	188	111677	17.37	ng/ul	0.00
79) Pyrene-d10	19.46	212	125283	16.99	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.35	264	135763	18.00	ng/ul	-0.01

Target Compounds

						Ovalue
45) Dimethylphthalate	13.76	163	33431	6.21	ng/ul	99
70) Phenanthrene	17.10	178	10772	1.35	ng/ul	97
77) Fluoranthene	19.13	202	20283	2.43	ng/ul	98
80) Pyrene	19.49	202	19466	1.94	ng/ul	98
83) Benzo(a)anthracene	21.25	228	10115	1.13	ng/ul	97
85) Chrysene	21.30	228	10523	1.25	ng/ul	97
88) Benzo(b)fluoranthene	22.83	252	16702	1.79	ng/ul	100
91) Benzo(a)pyrene	23.40	252	10836	1.22	ng/ul	97
94) Benzo(a,h,i)perylene	26.42	276	8887	1.04	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM021216\
Data File : BM004243.D
Acq On : 13 Feb 2016 00:14
Operator : SJ/IZ
Sample : H1414-18
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9QE1

Quant Time: Feb 15 07:16:15 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM021216.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Feb 12 22:29:16 2016
Response via : Initial Calibration

