

Data Path : Z:\HPCHEM1\BNA M\DATA\BM021216\
 Data File : BM004248.D
 Acq On : 13 Feb 2016 03:51
 Operator : SJ/IZ
 Sample : H1414-09
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9QD4

Quant Time: Feb 13 05:44:56 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM021216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Feb 13 05:01:22 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	28124	20.00	ng/ul	0.00
18) Naphthalene-d8	10.43	136	118525	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.30	164	63375	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.06	188	133958	20.00	ng/ul	0.00
78) Chrysene-d12	21.27	240	142433	20.00	ng/ul	0.00
86) Perylene-d12	23.50	264	142967	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.11	96	1359	2.43	ng/uL	0.00
5) Phenol-d5	6.83	99	29931	13.25	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	16700	13.69	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	27423	13.69	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	25755	13.38	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	12802	14.05	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	14272	14.01	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	24872	13.54	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	26534	12.13	ng/ul	0.00
44) Dimethylphthalate-d6	13.72	166	78695	14.92	ng/ul	0.00
47) Acenaphthylene-d8	14.00	160	96918	15.13	ng/ul	0.00
52) 4-Nitrophenol-d4	14.53	143	9341	10.95	ng/ul	0.00
58) Fluorene-d10	15.30	176	68927	15.51	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.44	200	8555	10.49	ng/ul	0.00
71) Anthracene-d10	17.16	188	98983	15.11	ng/ul	0.00
79) Pyrene-d10	19.46	212	108282	14.32	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.36	264	116409	15.26	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.76	163	33178	6.02	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM021216\
Data File : BM004248.D
Acq On : 13 Feb 2016 03:51
Operator : SJ/IZ
Sample : H1414-09
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9QD4

Quant Time: Feb 13 05:44:56 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM021216.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Feb 13 05:01:22 2016
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 6.02 ng/ul

RT: 13.76 min Scan# 1883

Delta R.T. 0.00 min

Lab File: BM004248.D

Acq: 13 Feb 2016 03:51

Instrument :

BNA_M

ClientSampleId :

D9QD4


Tot Ion:163 Resp: 33178

Ion Ratio Lower Upper

163 100

194 3.9 3.2 4.8

164 10.1 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

