

Data Path : Z:\HPCHEM1\BNA M\DATA\BM021216\
 Data File : BM004251.D
 Acq On : 13 Feb 2016 05:39
 Operator : SJ/IZ
 Sample : H1414-13
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9QD6

Quant Time: Feb 15 01:04:48 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM021216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Feb 13 05:01:22 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	33007	20.00	ng/ul	0.00
18) Naphthalene-d8	10.43	136	146525	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.30	164	77282	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.06	188	150405	20.00	ng/ul	0.00
78) Chrysene-d12	21.27	240	138142	20.00	ng/ul	0.00
86) Perylene-d12	23.50	264	138126	20.00	ng/ul	0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.11	96	2010	3.07	ng/uL	0.00
5) Phenol-d5	6.83	99	48333	18.23	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	27501	19.21	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	45631	19.41	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	40865	18.10	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	22246	19.75	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	24926	19.79	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	41665	18.35	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	35320	13.06	ng/ul	0.00
44) Dimethylphthalate-d6	13.72	166	131588	20.46	ng/ul	0.00
47) Acenaphthylene-d8	14.00	160	163231	20.89	ng/ul	0.00
52) 4-Nitrophenol-d4	14.53	143	10081	9.69	ng/ul	0.00
58) Fluorene-d10	15.30	176	109610	20.22	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.44	200	12551	13.70	ng/ul	0.00
71) Anthracene-d10	17.16	188	151011	20.54	ng/ul	0.00
79) Pyrene-d10	19.46	212	147126	20.06	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.36	264	149537	20.29	ng/ul	0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.76	163	65482	9.75	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM021216\
Data File : BM004251.D
Acq On : 13 Feb 2016 05:39
Operator : SJ/IZ
Sample : H1414-13
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9QD6

Quant Time: Feb 15 01:04:48 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM021216.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Feb 13 05:01:22 2016
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 9.75 ng/ul

RT: 13.76 min Scan# 1883

Delta R.T. -0.00 min

Lab File: BM004251.D

Acq: 13 Feb 2016 05:39

Instrument :

BNA_M

ClientSampleId :

D9QD6


Tot Ion:163 Resp: 65482

Ion Ratio Lower Upper

163 100

194 3.9 3.2 4.8

164 10.1 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

