

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021219\
 Data File : BM018771.D
 Acq On : 12 Feb 2019 14:05
 Operator : JU/SJ
 Sample : PB116995BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB116995BL

Quant Time: Feb 13 02:35:50 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	333902	20.00	ng	0.00
21) Naphthalene-d8	10.50	136	1296901	20.00	ng	0.00
39) Acenaphthene-d10	14.36	164	722177	20.00	ng	0.00
64) Phenanthrene-d10	17.12	188	1673270	20.00	ng	0.00
76) Chrysene-d12	21.31	240	1463577	20.00	ng	0.00
87) Perylene-d12	23.57	264	1193515	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.31	112	2482150	121.80	ng	0.00
7) Phenol-d6	6.89	99	3335476	116.18	ng	0.00
23) Nitrobenzene-d5	8.88	82	2138538	76.25	ng	0.00
42) 2,4,6-Tribromophenol	15.86	330	1222049	117.39	ng	0.00
45) 2-Fluorobiphenyl	12.98	172	4275685	78.59	ng	0.00
79) Terphenyl-d14	19.75	244	6503293	91.66	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021219\
Data File : BM018771.D
Acq On : 12 Feb 2019 14:05
Operator : JU/SJ
Sample : PB116995BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB116995BL

Quant Time: Feb 13 02:35:50 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.72 min Scan# 787
Delta R.T. -0.00 min
Lab File: BM018771.D
Acq: 12 Feb 2019 14:05

Instrument :
BNA_M
ClientSampled :
PB116995BL

Tot Ion:152 Resp: 333902
Ion Ratio Lower Upper
152 100
150 157.1 127.3 190.9
115 63.1 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 121.800 ng
RT: 5.31 min Scan# 378
Delta R.T. 0.01 min
Lab File: BM018771.D
Acq: 12 Feb 2019 14:05

Tgt Ion:112 Resp: 2482150
Ion Ratio Lower Upper
112 100
64 63.2 50.6 75.8
63 32.3 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 116.183 ng

RT: 6.89 min Scan# 647

Delta R.T. 0.01 min

Lab File: BM018771.D

Acq: 12 Feb 2019 14:05

Instrument :

BNA_M

ClientSampleId :

PB116995BL


Tot Ion: 99 Resp: 3335476

Ion Ratio Lower Upper

99 100

42 13.8 11.0 16.6




71 39.1 31.3 46.9



Abundance Ion 99.00 (98.70 to 99.70): BM018771.D (-629) (-)

Ion 42.00 (41.70 to 42.70): BM018771.D (-629) (-)

Ion 71.00 (70.70 to 71.70): BM018771.D (-629) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.50 min Scan# 1261

Delta R.T. -0.00 min

Lab File: BM018771.D

Acq: 12 Feb 2019 14:05

Tgt Ion: 136 Resp: 1296901


Ion Ratio Lower Upper

136 100

137 10.9 8.8 13.2

54 6.5 5.0 7.6

68 7.2 5.5 8.3





Abundance Ion 136.00 (135.70 to 136.70): BM018771.D (-1244) (-)

Ion 137.00 (136.70 to 137.70): BM018771.D (-1244) (-)

Ion 54.00 (53.70 to 54.70): BM018771.D (-1244) (-)

Ion 68.00 (67.70 to 68.70): BM018771.D (-1244) (-)









#23
Nitrobenzene-d5
Concen: 76.246 ng
RT: 8.88 min Scan# 985
Delta R.T. -0.01 min
Lab File: BM018771.D
Acq: 12 Feb 2019 14:05

Instrument :
BNA_M
ClientSampleId :
PB116995BL

Tot Ion: 82 Resp: 2138538
Ion Ratio Lower Upper
82 100
128 35.8 29.9 44.9
54 36.5 29.1 43.7




Abundance Ion 82.00 (81.70 to 82.70): BM018771.D (-969) (-)
Ion 128.00 (127.70 to 128.70): BM018771.D (-969) (-)
Ion 54.00 (53.70 to 54.70): BM018771.D (-969) (-)






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.36 min Scan# 1917
Delta R.T. -0.00 min
Lab File: BM018771.D
Acq: 12 Feb 2019 14:05

Tgt Ion:164 Resp: 722177
Ion Ratio Lower Upper
164 100
162 106.1 83.4 125.0
160 47.3 36.6 55.0



Abundance Ion 164.00 (163.70 to 164.70): BM018771.D (-1900) (-)
Ion 162.00 (161.70 to 162.70): BM018771.D (-1900) (-)
Ion 160.00 (159.70 to 160.70): BM018771.D (-1900) (-)









#42
 2,4,6-Tribromophenol
 Concen: 117.392 ng
 RT: 15.86 min Scan# 2172
 Delta R.T. -0.00 min
 Lab File: BM018771.D
 Acq: 12 Feb 2019 14:05

Instrument :
 BNA_M
 ClientSampled :
 PB116995BL

Tot Ion:330 Resp: 1222049
 Ion Ratio Lower Upper
 330 100
 332 95.9 76.9 115.3
 141 36.1 28.7 43.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 78.594 ng
 RT: 12.98 min Scan# 1682
 Delta R.T. -0.00 min
 Lab File: BM018771.D
 Acq: 12 Feb 2019 14:05

Tgt Ion:172 Resp: 4275685
 Ion Ratio Lower Upper
 172 100
 171 36.2 29.0 43.6
 170 23.8 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.12 min Scan# 2385
Delta R.T. -0.00 min
Lab File: BM018771.D
Acq: 12 Feb 2019 14:05

Instrument :
BNA_M
ClientSampleId :
PB116995BL

Tot Ion:188 Resp: 1673270
Ion Ratio Lower Upper
188 100
94 9.8 8.2 12.2
80 11.8 9.7 14.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM
Ion 80.00 (79.70 to 80.70): BM






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.31 min Scan# 3098
Delta R.T. -0.00 min
Lab File: BM018771.D
Acq: 12 Feb 2019 14:05

Tgt Ion:240 Resp: 1463577
Ion Ratio Lower Upper
240 100
120 11.0 8.9 13.3
236 26.4 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 91.663 ng

RT: 19.75 min Scan# 2833

Delta R.T. 0.01 min

Lab File: BM018771.D

Acq: 12 Feb 2019 14:05

Instrument :

BNA_M

ClientSampleId :

PB116995BL


Tot Ion:244 Resp: 6503293

Ion Ratio Lower Upper

244 100

212 7.0 5.6 8.4




122 10.3 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.57 min Scan# 3482

Delta R.T. -0.00 min

Lab File: BM018771.D

Acq: 12 Feb 2019 14:05


Tgt Ion:264 Resp: 1193515

Ion Ratio Lower Upper

264 100

260 24.0 18.9 28.3

265 21.9 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

