

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021219\
 Data File : BM018794.D
 Acq On : 13 Feb 2019 04:16
 Operator : JU/SJ
 Sample : K1462-16
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-2-D

Quant Time: Feb 13 06:43:53 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	292689	20.00	ng	0.00
21) Naphthalene-d8	10.50	136	1146538	20.00	ng	0.00
39) Acenaphthene-d10	14.36	164	636582	20.00	ng	0.00
64) Phenanthrene-d10	17.12	188	1465288	20.00	ng	0.00
76) Chrysene-d12	21.30	240	1392552	20.00	ng	0.00
87) Perylene-d12	23.57	264	1198405	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.31	112	2639107	147.74	ng	0.00
7) Phenol-d6	6.89	99	3259158	129.51	ng	0.00
23) Nitrobenzene-d5	8.88	82	2606032	105.10	ng	0.00
42) 2,4,6-Tribromophenol	15.86	330	1447434	157.74	ng	0.00
45) 2-Fluorobiphenyl	12.98	172	4975885	103.76	ng	0.00
79) Terphenyl-d14	19.75	244	8228629	121.90	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021219\
Data File : BM018794.D
Acq On : 13 Feb 2019 04:16
Operator : JU/SJ
Sample : K1462-16
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-2-D

Quant Time: Feb 13 06:43:53 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.71 min Scan# 786
Delta R.T. -0.01 min
Lab File: BM018794.D
Acq: 13 Feb 2019 04:16

Instrument :
BNA_M
ClientSampleId :
TP-2-D

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.3	127.3	190.9
115	63.4	50.8	76.2






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 147.737 ng
RT: 5.31 min Scan# 378
Delta R.T. 0.01 min
Lab File: BM018794.D
Acq: 13 Feb 2019 04:16

Tgt Ion	Ratio	Lower	Upper
112	100		
64	63.3	50.6	75.8
63	32.0	25.7	38.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 129.510 ng

RT: 6.89 min Scan# 647

Delta R.T. 0.01 min

Lab File: BM018794.D

Acq: 13 Feb 2019 04:16

Instrument :


BNA_M

ClientSampled :

TP-2-D

Tot Ion: 99 Resp: 3259158

Ion	Ratio	Lower	Upper
99	100		
42	14.1	11.0	16.6
71	39.9	31.3	46.9






Abundance

Ion 99.00 (98.70 to 99.70): BM018755.D (-637) (-)

Ion 42.00 (41.70 to 42.70): BM018755.D (-637) (-)

Ion 71.00 (70.70 to 71.70): BM018755.D (-637) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.50 min Scan# 1260



Delta R.T. -0.01 min

Lab File: BM018794.D

Acq: 13 Feb 2019 04:16

Tgt Ion: 136 Resp: 1146538

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.8	13.2
54	7.1	5.0	7.6
68	7.5	5.5	8.3




Abundance


Ion 136.00 (135.70 to 136.70): BM018755.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM018755.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM018755.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM018755.D (-1252) (-)









#23
 Nitrobenzene-d5
 Concen: 105.098 ng
 RT: 8.88 min Scan# 985
 Delta R.T. -0.01 min
 Lab File: BM018794.D
 Acq: 13 Feb 2019 04:16




Instrument :
 BNA_M
 ClientSampleId :
 TP-2-D


Tot Ion: 82 Resp: 2606032
 Ion Ratio Lower Upper
 82 100
 128 36.3 29.9 44.9
 54 36.7 29.1 43.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.36 min Scan# 1917
 Delta R.T. -0.00 min
 Lab File: BM018794.D
 Acq: 13 Feb 2019 04:16

Tgt Ion:164 Resp: 636582
 Ion Ratio Lower Upper
 164 100
 162 104.0 83.4 125.0
 160 46.8 36.6 55.0









#42
 2,4,6-Tribromophenol
 Concen: 157.739 ng
 RT: 15.86 min Scan# 2172
 Delta R.T. -0.00 min
 Lab File: BM018794.D
 Acq: 13 Feb 2019 04:16

Instrument :
 BNA_M
 ClientSampleId :
 TP-2-D

Tot Ion:330 Resp: 1447434
 Ion Ratio Lower Upper
 330 100
 332 96.6 76.9 115.3
 141 36.9 28.7 43.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 103.763 ng
 RT: 12.98 min Scan# 1682
 Delta R.T. -0.00 min
 Lab File: BM018794.D
 Acq: 13 Feb 2019 04:16

Tgt Ion:172 Resp: 4975885
 Ion Ratio Lower Upper
 172 100
 171 35.8 29.0 43.6
 170 23.8 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.12 min Scan# 2385
Delta R.T. -0.00 min
Lab File: BM018794.D
Acq: 13 Feb 2019 04:16




Instrument :
BNA_M
ClientSampled :
TP-2-D


Tot Ion:188 Resp: 1465288
Ion Ratio Lower Upper
188 100
94 9.6 8.2 12.2
80 12.0 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.30 min Scan# 3097
Delta R.T. -0.01 min
Lab File: BM018794.D
Acq: 13 Feb 2019 04:16

Tgt Ion:240 Resp: 1392552
Ion Ratio Lower Upper
240 100
120 11.4 8.9 13.3
236 26.0 20.9 31.3





#79

Terphenyl-d14

Concen: 121.897 ng

RT: 19.75 min Scan# 2833

Delta R.T. 0.01 min

Lab File: BM018794.D

Acq: 13 Feb 2019 04:16

Instrument :

BNA_M

ClientSampleId :

TP-2-D


Tot Ion:244 Resp: 8228629

Ion Ratio Lower Upper




244 100

212 7.1 5.6 8.4

122 10.7 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.57 min Scan# 3482

Delta R.T. -0.00 min

Lab File: BM018794.D

Acq: 13 Feb 2019 04:16


Tgt Ion:264 Resp: 1198405

Ion Ratio Lower Upper

264 100

260 24.0 18.9 28.3

265 22.4 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

