

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM021224\
 Data File : BM044062.D
 Acq On : 12 Feb 2024 18:19
 Operator : MA/JU
 Sample : P1187-03
 Misc : MDL-MDL-SOIL-4PPM
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MDL-SOIL-03-QT1-2024

Quant Time: Feb 13 00:47:44 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 09 02:42:01 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Yogesh Patel 02/14/2024
 Supervised By :mohammad ahmed 02/14/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.904	152	419462	20.000	ng	0.00
21) Naphthalene-d8	10.710	136	2031908	20.000	ng	0.00
39) Acenaphthene-d10	14.551	164	1242301	20.000	ng	0.00
64) Phenanthrene-d10	17.298	188	2405845	20.000	ng	0.00
76) Chrysene-d12	21.498	240	1975095	20.000	ng	0.00
86) Perylene-d12	23.897	264	2182249	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	4011337	139.088	ng	0.00
7) Phenol-d6	7.075	99	5605000	152.746	ng	0.00
23) Nitrobenzene-d5	9.075	82	3096682	80.870	ng	0.00
42) 2,4,6-Tribromophenol	16.045	330	1770321	131.615	ng	0.00
45) 2-Fluorobiphenyl	13.175	172	6846235	77.777	ng	0.00
79) Terphenyl-d14	19.945	244	8652375	76.796	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.387	88	48883	4.271	ng	99
3) Pyridine	3.793	79	118004	3.905	ng	94
4) n-Nitrosodimethylamine	3.710	42	45939	4.007	ng	# 89
6) Aniline	7.240	93	188227	5.217	ng	97
8) 2-Chlorophenol	7.463	128	118532	3.936	ng	96
9) Benzaldehyde	7.051	77	107118m	5.680	ng	
10) Phenol	7.098	94	170517	4.604	ng	93
11) bis(2-Chloroethyl)ether	7.340	93	131017	4.272	ng	99
12) 1,3-Dichlorobenzene	7.793	146	123481	3.611	ng	99
13) 1,4-Dichlorobenzene	7.940	146	126583	3.673	ng	99
14) 1,2-Dichlorobenzene	8.251	146	121770	3.708	ng	98
15) Benzyl Alcohol	8.151	79	110621	4.630	ng	94
16) 2,2'-oxybis(1-Chloropr...	8.440	45	177032	4.554	ng	99
17) 2-Methylphenol	8.351	107	103971	4.277	ng	97
18) Hexachloroethane	8.975	117	44802	3.472	ng	97
19) n-Nitroso-di-n-propyla...	8.722	70	104158	4.623	ng	98
20) 3+4-Methylphenols	8.675	107	139080	4.157	ng	99
22) Acetophenone	8.734	105	210193	4.075	ng	# 98
24) Nitrobenzene	9.116	77	155133	3.956	ng	96
25) Isophorone	9.640	82	273104	3.704	ng	100
26) 2-Nitrophenol	9.828	139	55143	3.033	ng	98
27) 2,4-Dimethylphenol	9.887	122	98674	4.245	ng	97
28) bis(2-Chloroethoxy)met...	10.134	93	190400	3.993	ng	98
29) 2,4-Dichlorophenol	10.351	162	106449	3.478	ng	97
30) 1,2,4-Trichlorobenzene	10.569	180	120626	3.505	ng	98
31) Naphthalene	10.757	128	412335	3.677	ng	98
32) Benzoic acid	9.945	122	46223m	1.974	ng	
33) 4-Chloroaniline	10.875	127	170532	4.016	ng	99
34) Hexachlorobutadiene	11.034	225	67566	3.430	ng	99
35) Caprolactam	11.651	113	29260	2.971	ng	95
36) 4-Chloro-3-methylphenol	11.998	107	110731	3.341	ng	98
37) 2-Methylnaphthalene	12.369	142	282642	3.784	ng	96
38) 1-Methylnaphthalene	12.586	142	274819	3.744	ng	99
40) 1,2,4,5-Tetrachloroben...	12.733	216	133495	3.697	ng	99
41) Hexachlorocyclopentadiene	12.704	237	59571	3.780	ng	96
43) 2,4,6-Trichlorophenol	12.980	196	74158	3.018	ng	93

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM021224\
 Data File : BM044062.D
 Acq On : 12 Feb 2024 18:19
 Operator : MA/JU
 Sample : P1187-03
 Misc : MDL-MDL-SOIL-4PPM
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MDL-SOIL-03-QT1-2024


Quant Time: Feb 13 00:47:44 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 09 02:42:01 2024
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/14/2024
 Supervised By :mohammad ahmed 02/14/2024


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.045	196	83793	3.107	ng	96
46) 1,1'-Biphenyl	13.386	154	375504	3.831	ng	99
47) 2-Chloronaphthalene	13.422	162	284568	3.665	ng	97
48) 2-Nitroaniline	13.639	65	68071	3.116	ng	90
49) Acenaphthylene	14.269	152	451927	3.901	ng	99
50) Dimethylphthalate	14.016	163	337565	3.665	ng	99
51) 2,6-Dinitrotoluene	14.139	165	62102	3.056	ng	95
52) Acenaphthene	14.610	154	262703	3.664	ng	100
53) 3-Nitroaniline	14.469	138	63181	2.893	ng	98
54) 2,4-Dinitrophenol	14.669	184	19416	7.068	ng	92
55) Dibenzofuran	14.951	168	432989	3.902	ng	100
56) 4-Nitrophenol	14.769	139	40503	2.281	ng	# 86
57) 2,4-Dinitrotoluene	14.922	165	73512	2.768	ng	93
58) Fluorene	15.598	166	330491	3.854	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.174	232	71071	3.359	ng	97
60) Diethylphthalate	15.380	149	327581	3.441	ng	99
61) 4-Chlorophenyl-phenyle...	15.598	204	161917	3.897	ng	96
62) 4-Nitroaniline	15.627	138	60560	2.755	ng	92
63) Azobenzene	15.892	77	315833	3.536	ng	98
65) 4,6-Dinitro-2-methylph...	15.680	198	30931	2.158	ng	97
66) n-Nitrosodiphenylamine	15.816	169	265845	3.637	ng	98
67) 4-Bromophenyl-phenylether	16.498	248	78263	3.290	ng	98
68) Hexachlorobenzene	16.592	284	107313	3.683	ng	99
69) Atrazine	16.774	200	83266	4.207	ng	99
70) Pentachlorophenol	16.945	266	47766	2.520	ng	99
71) Phenanthrene	17.339	178	504832	3.974	ng	99
72) Anthracene	17.433	178	467689	3.718	ng	99
73) Carbazole	17.710	167	431139	3.525	ng	100
74) Di-n-butylphthalate	18.286	149	485096	3.051	ng	99
75) Fluoranthene	19.362	202	503398	3.527	ng	99
77) Benzidine	19.562	184	109598	3.571	ng	98
78) Pyrene	19.727	202	532760	3.502	ng	99
80) Butylbenzylphthalate	20.651	149	178093	2.634	ng	97
81) Benzo(a)anthracene	21.486	228	499272	3.634	ng	100
82) 3,3'-Dichlorobenzidine	21.427	252	151042	3.351	ng	99
83) Chrysene	21.539	228	476168	3.669	ng	98
84) Bis(2-ethylhexyl)phtha...	21.433	149	280999	2.817	ng	# 98
85) Di-n-octyl phthalate	22.374	149	421695	2.420	ng	97
87) Indeno(1,2,3-cd)pyrene	26.374	276	538255	3.485	ng	99
88) Benzo(b)fluoranthene	23.168	252	482367	3.536	ng	99
89) Benzo(k)fluoranthene	23.215	252	460882	3.556	ng	99
90) Benzo(a)pyrene	23.786	252	401274	3.368	ng	98
91) Dibenzo(a,h)anthracene	26.403	278	453538	3.511	ng	99
92) Benzo(g,h,i)perylene	27.127	276	438726	3.348	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.904 min Scan# 81
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion:152 Resp: 41946
Ion Ratio Lower Upper
152 100
150 153.3 122.7 184.1
115 60.3 47.0 70.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#2
1,4-Dioxane
Concen: 4.271 ng
RT: 3.387 min Scan# 51
Delta R.T. 0.000 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion: 88 Resp: 48883
Ion Ratio Lower Upper
88 100
58 72.9 58.1 87.1
43 27.0 21.1 31.7





#3
Pyridine
Concen: 3.905 ng
RT: 3.793 min Scan# 118
Delta R.T. 0.012 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion: 79 Resp: 11800
Ion Ratio Lower Upper
79 100
52 62.0 52.2 78.2
51 38.1 26.2 39.4

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#4
n-Nitrosodimethylamine
Concen: 4.007 ng
RT: 3.710 min Scan# 106
Delta R.T. 0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion: 42 Resp: 45939
Ion Ratio Lower Upper
42 100
74 135.4 118.6 178.0
44 18.0 5.6 8.4





#5
2-Fluorophenol
Concen: 139.088 ng
RT: 5.475 min Scan# 407
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion:112 Resp: 401133
Ion Ratio Lower Upper
112 100
64 56.7 44.2 66.4
63 28.9 22.6 34.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#6
Aniline
Concen: 5.217 ng
RT: 7.240 min Scan# 706
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion: 93 Resp: 188227
Ion Ratio Lower Upper
93 100
66 39.6 29.4 44.0
65 19.1 15.2 22.8





#7
Phenol-d6
Concen: 152.746 ng
RT: 7.075 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion: 99 Resp: 5605000
Ion Ratio Lower Upper
99 100
42 16.7 12.9 19.3
71 30.7 23.9 35.9

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#8
2-Chlorophenol
Concen: 3.936 ng
RT: 7.463 min Scan# 744
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:128 Resp: 118532
Ion Ratio Lower Upper
128 100
130 33.0 12.1 52.1
64 49.2 26.0 66.0





#9
Benzaldehyde
Concen: 5.680 ng m
RT: 7.051 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion: 77 Resp: 107118
Ion Ratio Lower Upper
77 100
105 97.9 80.0 120.0
106 93.0 76.8 116.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#10
Phenol
Concen: 4.604 ng
RT: 7.098 min Scan# 682
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion: 94 Resp: 170517
Ion Ratio Lower Upper
94 100
65 27.7 6.4 46.4
66 39.6 13.2 53.2





#11
bis(2-Chloroethyl)ether
Concen: 4.272 ng
RT: 7.340 min Scan# 71
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion: 93 Resp: 13101
Ion Ratio Lower Upper
93 100
63 75.8 55.9 95.9
95 30.7 13.0 53.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#12
1,3-Dichlorobenzene
Concen: 3.611 ng
RT: 7.793 min Scan# 800
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Tgt Ion:146 Resp: 123481
Ion Ratio Lower Upper
146 100
148 64.4 51.3 76.9
75 29.4 22.7 34.1









#13
1,4-Dichlorobenzene
Concen: 3.673 ng
RT: 7.940 min Scan# 81
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024

Tgt Ion:146 Resp: 12658
Ion Ratio Lower Upper
146 100
148 64.1 51.2 76.8
111 40.8 31.2 46.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#14
1,2-Dichlorobenzene
Concen: 3.708 ng
RT: 8.251 min Scan# 878
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion:146 Resp: 121770
Ion Ratio Lower Upper
146 100
148 65.6 51.4 77.2
111 44.0 33.7 50.5





#15
Benzyl Alcohol
Concen: 4.630 ng
RT: 8.151 min Scan# 80
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion: 79 Resp: 11062
Ion Ratio Lower Upper
79 100
108 75.0 66.0 99.0
77 60.1 50.4 75.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#16
2,2'-oxybis(1-Chloropropane)
Concen: 4.554 ng
RT: 8.440 min Scan# 910
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion: 45 Resp: 177032
Ion Ratio Lower Upper
45 100
77 15.4 0.0 35.1
79 11.4 0.0 31.5





#17
2-Methylphenol
Concen: 4.277 ng
RT: 8.351 min Scan# 896
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024






Tgt Ion:107 Resp: 10397

Ion	Ratio	Lower	Upper
107	100		
108	116.0	93.4	140.2
77	47.9	34.7	52.1
79	43.9	32.7	49.1

Manual Integrations
APPROVED




Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#18
Hexachloroethane
Concen: 3.472 ng
RT: 8.975 min Scan# 1001
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Tgt Ion:117 Resp: 44802


Ion	Ratio	Lower	Upper
117	100		
119	97.7	75.7	113.5
201	86.0	71.5	107.3





#19
n-Nitroso-di-n-propylamine
Concen: 4.623 ng
RT: 8.722 min Scan# 91
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion: 70 Resp: 10415
Ion Ratio Lower Upper
70 100
42 54.8 42.6 64.0
101 10.3 7.8 11.6
130 21.9 16.9 25.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#20
3+4-Methylphenols
Concen: 4.157 ng
RT: 8.675 min Scan# 950
Delta R.T. -0.012 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion:107 Resp: 139080
Ion Ratio Lower Upper
107 100
108 90.6 71.5 111.5
77 31.6 11.8 51.8
79 25.6 6.3 46.3





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.710 min Scan# 1
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:136 Resp: 2031908
Ion Ratio Lower Upper
136 100
137 10.7 8.9 13.3
54 7.5 5.9 8.9
68 5.9 4.8 7.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#22
Acetophenone
Concen: 4.075 ng
RT: 8.734 min Scan# 960
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:105 Resp: 210193
Ion Ratio Lower Upper
105 100
71 3.1 4.0 6.0#
51 26.1 20.1 30.1
120 22.8 18.7 28.1





#23
Nitrobenzene-d5
Concen: 80.870 ng
RT: 9.075 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion: 82 Resp: 309668
Ion Ratio Lower Upper
82 100
128 44.5 37.1 55.7
54 49.2 38.9 58.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#24
Nitrobenzene
Concen: 3.956 ng
RT: 9.116 min Scan# 1025
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion: 77 Resp: 155133
Ion Ratio Lower Upper
77 100
123 44.1 37.8 56.8
65 12.8 10.5 15.7





#25
Isophorone
Concen: 3.704 ng
RT: 9.640 min Scan# 1116
Delta R.T. -0.012 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion: 82 Resp: 273104
Ion Ratio Lower Upper
82 100
95 6.3 5.2 7.8
138 17.9 14.3 21.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#26
2-Nitrophenol
Concen: 3.033 ng
RT: 9.828 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Tgt Ion:139 Resp: 55143
Ion Ratio Lower Upper
139 100
109 26.9 21.2 31.8
65 46.1 38.5 57.7





#27

2,4-Dimethylphenol

Concen: 4.245 ng

RT: 9.887 min Scan# 1156

Delta R.T. -0.006 min

Lab File: BM044062.D


Acq: 12 Feb 2024 18:19

Instrument :

BNA_M

ClientSampleId :

MDL-SOIL-03-QT1-2024






Tgt Ion:	122	Resp:	98674
Ion	Ratio	Lower	Upper
122	100		
107	112.9	87.8	131.8
121	59.1	44.7	67.1

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 02/14/2024

Supervised By :mohammad ahmed 02/14/2024



#28

bis(2-Chloroethoxy)methane

Concen: 3.993 ng




RT: 10.134 min Scan# 1198


Delta R.T. -0.006 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19


Tgt Ion:	93	Resp:	190400
Ion	Ratio	Lower	Upper
93	100		
95	31.0	26.0	39.0
123	11.0	9.2	13.8





#29
2,4-Dichlorophenol
Concen: 3.478 ng
RT: 10.351 min Scan# 1235
Delta R.T. -0.012 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:162 Resp: 106449
Ion Ratio Lower Upper
162 100
164 62.9 46.1 86.1
98 36.6 15.9 55.9

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#30
1,2,4-Trichlorobenzene
Concen: 3.505 ng
RT: 10.569 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:180 Resp: 120626
Ion Ratio Lower Upper
180 100
182 96.2 75.2 112.8
145 29.9 24.3 36.5





#31
Naphthalene
Concen: 3.677 ng
RT: 10.757 min Scan# 1165
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:128 Resp: 412335
Ion Ratio Lower Upper
128 100
129 10.2 9.0 13.4
127 12.6 10.3 15.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#32
Benzoic acid
Concen: 1.974 ng m
RT: 9.945 min Scan# 1166
Delta R.T. -0.083 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:122 Resp: 46223
Ion Ratio Lower Upper
122 100
105 112.0 100.1 140.1
77 83.9 69.6 109.6





#33
4-Chloroaniline
Concen: 4.016 ng
RT: 10.875 min Scan# 11
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion:	127	Resp:	17053
Ion Ratio	Lower	Upper	
127	100		
129	32.0	26.0	39.0
65	29.5	23.0	34.6
92	17.7	14.5	21.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#34
Hexachlorobutadiene
Concen: 3.430 ng
RT: 11.034 min Scan# 1351
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion:	225	Resp:	67566
Ion Ratio	Lower	Upper	
225	100		
223	63.0	49.9	74.9
227	64.6	50.6	76.0





#35
Caprolactam
Concen: 2.971 ng
RT: 11.651 min Scan# 1460
Delta R.T. -0.023 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion:113 Resp: 29260
Ion Ratio Lower Upper
113 100
55 159.9 145.6 185.6
56 129.1 103.3 143.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#36
4-Chloro-3-methylphenol
Concen: 3.341 ng
RT: 11.998 min Scan# 1515
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion:107 Resp: 110731
Ion Ratio Lower Upper
107 100
144 24.6 21.3 31.9
142 82.0 66.2 99.4





#37
2-Methylnaphthalene
Concen: 3.784 ng
RT: 12.369 min Scan# 1578
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument : BNA_M
ClientSampleId : MDL-SOIL-03-QT1-2024




Tgt Ion:142 Resp: 28264
Ion Ratio Lower Upper
142 100
141 89.5 68.3 102.5
115 32.9 25.7 38.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#38
1-Methylnaphthalene
Concen: 3.744 ng
RT: 12.586 min Scan# 1615
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:142 Resp: 274819
Ion Ratio Lower Upper
142 100
141 91.2 73.4 110.0
116 4.0 3.0 4.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.551 min Scan# 1949
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion:164 Resp: 124230
Ion Ratio Lower Upper
164 100
162 98.4 78.4 117.6
160 44.1 34.6 51.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#40
1,2,4,5-Tetrachlorobenzene
Concen: 3.697 ng
RT: 12.733 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion:216 Resp: 133495
Ion Ratio Lower Upper
216 100
214 80.1 63.1 94.7
179 21.2 17.0 25.6
108 20.5 15.8 23.8





#41
Hexachlorocyclopentadiene
Concen: 3.780 ng
RT: 12.704 min Scan# 1635
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:237 Resp: 5957
Ion Ratio Lower Upper
237 100
235 65.7 42.4 82.4
272 12.2 0.0 33.3

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#42
2,4,6-Tribromophenol
Concen: 131.615 ng
RT: 16.045 min Scan# 2203
Delta R.T. 0.000 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:330 Resp: 1770321
Ion Ratio Lower Upper
330 100
332 96.7 77.7 116.5
141 39.0 31.0 46.4





#43
2,4,6-Trichlorophenol
Concen: 3.018 ng
RT: 12.980 min Scan# 1682
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:196 Resp: 74158
Ion Ratio Lower Upper
196 100
198 103.9 76.8 115.2
200 32.1 24.6 37.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#44
2,4,5-Trichlorophenol
Concen: 3.107 ng
RT: 13.045 min Scan# 1693
Delta R.T. -0.012 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:196 Resp: 83793
Ion Ratio Lower Upper
196 100
198 97.7 76.9 115.3
97 55.1 39.0 58.4
132 29.5 22.6 33.8





#45
2-Fluorobiphenyl
Concen: 77.777 ng
RT: 13.175 min Scan# 1716
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:172 Resp: 684623
Ion Ratio Lower Upper
172 100
171 35.0 27.9 41.9
170 23.9 19.0 28.4

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#46
1,1'-Biphenyl
Concen: 3.831 ng
RT: 13.386 min Scan# 1751
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:154 Resp: 375504
Ion Ratio Lower Upper
154 100
153 38.6 19.4 59.4
76 12.5 0.0 32.9





#47
2-Chloronaphthalene
Concen: 3.665 ng
RT: 13.422 min Scan# 1757
Delta R.T. -0.012 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument : BNA_M
ClientSampleId : MDL-SOIL-03-QT1-2024



Tgt Ion:162 Resp: 28456
Ion Ratio Lower Upper
162 100
127 41.2 30.9 46.3
164 32.3 26.4 39.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#48
2-Nitroaniline
Concen: 3.116 ng
RT: 13.639 min Scan# 1794
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion: 65 Resp: 68071
Ion Ratio Lower Upper
65 100
92 66.7 58.1 87.1
138 105.5 94.6 142.0





#49
Acenaphthylene
Concen: 3.901 ng
RT: 14.269 min Scan# 1903
Delta R.T. -0.012 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:152 Resp: 451927
Ion Ratio Lower Upper
152 100
151 19.7 15.8 23.6
153 13.6 10.5 15.7

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#50
Dimethylphthalate
Concen: 3.665 ng
RT: 14.016 min Scan# 1858
Delta R.T. -0.012 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19



Tgt Ion:163 Resp: 337565
Ion Ratio Lower Upper
163 100
194 3.9 3.1 4.7
164 9.7 8.2 12.2





#51

2,6-Dinitrotoluene

Concen: 3.056 ng

RT: 14.139 min Scan# 11

Delta R.T. -0.006 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Instrument :

BNA_M

ClientSampleId :

MDL-SOIL-03-QT1-2024

Tgt Ion:165 Resp: 6210

Ion Ratio Lower Upper

165 100

63 56.9 43.5 65.3





89 60.4 44.4 66.6

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 02/14/2024

Supervised By :mohammad ahmed 02/14/2024



#52

Acenaphthene

Concen: 3.664 ng

RT: 14.610 min Scan# 1959

Delta R.T. -0.012 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19




Tgt Ion:154 Resp: 262703


Ion Ratio Lower Upper

154 100

153 111.8 89.3 133.9

152 54.1 43.0 64.6









#53
3-Nitroaniline
Concen: 2.893 ng
RT: 14.469 min Scan# 1936
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024

Tgt Ion:138 Resp: 6318
Ion Ratio Lower Upper
138 100
108 9.8 7.6 11.4
92 109.9 86.5 129.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#54
2,4-Dinitrophenol
Concen: 7.068 ng
RT: 14.669 min Scan# 1969
Delta R.T. -0.005 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion:184 Resp: 19416
Ion Ratio Lower Upper
184 100
63 79.5 55.4 83.2
154 63.2 49.2 73.8





#55
Dibenzenofuran
Concen: 3.902 ng
RT: 14.951 min Scan# 2018
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion:168 Resp: 432985
Ion Ratio Lower Upper
168 100
139 37.2 29.6 44.4
169 13.2 10.5 15.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#56
4-Nitrophenol
Concen: 2.281 ng
RT: 14.769 min Scan# 1986
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion:139 Resp: 40503
Ion Ratio Lower Upper
139 100
109 66.5 43.8 83.8
65 108.5 67.7 107.7#





#57
2,4-Dinitrotoluene
Concen: 2.768 ng
RT: 14.922 min Scan# 2013
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:165 Resp: 73512
Ion Ratio Lower Upper
165 100
63 49.4 35.9 53.9
89 79.3 58.9 88.3
182 2.4 1.9 2.9

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#58
Fluorene
Concen: 3.854 ng
RT: 15.598 min Scan# 2127
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:166 Resp: 330491
Ion Ratio Lower Upper
166 100
165 97.8 77.7 116.5
167 13.4 10.7 16.1





#59
2,3,4,6-Tetrachlorophenol
Concen: 3.359 ng
RT: 15.174 min Scan# 2055
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:232 Resp: 7107
Ion Ratio Lower Upper
232 100
131 53.2 39.5 59.3
130 2.4 2.0 3.0
166 32.3 26.0 39.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#60
Diethylphthalate
Concen: 3.441 ng
RT: 15.380 min Scan# 2090
Delta R.T. -0.012 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:149 Resp: 327581
Ion Ratio Lower Upper
149 100
177 20.9 17.5 26.3
150 12.3 9.8 14.6





#61
4-Chlorophenyl-phenylether
Concen: 3.897 ng
RT: 15.598 min Scan# 2127
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion:204 Resp: 16191
Ion Ratio Lower Upper
204 100
206 32.6 26.3 39.5
141 63.9 47.7 71.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#62
4-Nitroaniline
Concen: 2.755 ng
RT: 15.627 min Scan# 2132
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion:138 Resp: 60560
Ion Ratio Lower Upper
138 100
92 52.8 29.6 69.6
108 76.8 47.8 87.8





#63
Azobenzene
Concen: 3.536 ng
RT: 15.892 min Scan# 2177
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion: 77 Resp: 31583
Ion Ratio Lower Upper
77 100
182 23.1 4.0 44.0
105 22.4 3.3 43.3
51 29.2 8.0 48.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.298 min Scan# 2416
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Tgt Ion:188 Resp: 2405845
Ion Ratio Lower Upper
188 100
94 10.5 8.2 12.2
80 10.8 8.8 13.2









#65
4,6-Dinitro-2-methylphenol
Concen: 2.158 ng
RT: 15.680 min Scan# 2142
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024

Tgt Ion:198 Resp: 30931
Ion Ratio Lower Upper
198 100
51 50.7 29.9 69.9
105 52.1 28.7 68.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#66
n-Nitrosodiphenylamine
Concen: 3.637 ng
RT: 15.816 min Scan# 2164
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion:169 Resp: 265845
Ion Ratio Lower Upper
169 100
168 67.6 53.8 80.8
167 38.8 29.2 43.8





#67
4-Bromophenyl-phenylether
Concen: 3.290 ng
RT: 16.498 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:248 Resp: 7826
Ion Ratio Lower Upper
248 100
250 94.7 77.4 116.2
141 77.6 61.0 91.6

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#68
Hexachlorobenzene
Concen: 3.683 ng
RT: 16.592 min Scan# 2296
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19



Tgt Ion:284 Resp: 107313
Ion Ratio Lower Upper
284 100
142 38.0 30.0 45.0
249 29.7 24.1 36.1





#69

Atrazine

Concen: 4.207 ng

RT: 16.774 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Instrument :

BNA_M

ClientSampleId :

MDL-SOIL-03-QT1-2024





Tgt Ion:200 Resp: 83260
Ion Ratio Lower Upper
200 100
173 27.7 7.9 47.9
215 48.3 27.9 67.9

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 02/14/2024

Supervised By :mohammad ahmed 02/14/2024



#70

Pentachlorophenol

Concen: 2.520 ng




RT: 16.945 min Scan# 2356


Delta R.T. 0.000 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Tgt Ion:266 Resp: 47766
Ion Ratio Lower Upper
266 100
268 64.5 51.1 76.7
264 61.5 50.5 75.7









#71
Phenanthrene
Concen: 3.974 ng
RT: 17.339 min Scan# 2423
Delta R.T. -0.012 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024

Tgt Ion:178 Resp: 504832
Ion Ratio Lower Upper
178 100
176 19.1 15.6 23.4
179 15.6 12.2 18.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#72
Anthracene
Concen: 3.718 ng
RT: 17.433 min Scan# 2439
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Tgt Ion:178 Resp: 467689
Ion Ratio Lower Upper
178 100
176 18.6 15.3 22.9
179 15.6 12.4 18.6





#73

Carbazole

Concen: 3.525 ng

RT: 17.710 min Scan# 24

Delta R.T. -0.006 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Instrument :

BNA_M





ClientSampleId :

MDL-SOIL-03-QT1-2024

Tgt Ion:167 Resp: 431139
 Ion Ratio Lower Upper
 167 100
 166 21.0 16.8 25.2
 139 13.1 10.4 15.6

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/14/2024
 Supervised By :mohammad ahmed 02/14/2024



#74

Di-n-butylphthalate

Concen: 3.051 ng




RT: 18.286 min Scan# 2584


Delta R.T. -0.006 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19


Tgt Ion:149 Resp: 485096
 Ion Ratio Lower Upper
 149 100
 150 9.0 7.4 11.2
 104 4.9 3.8 5.6





#75
Fluoranthene
Concen: 3.527 ng
RT: 19.362 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024



Tgt Ion:202 Resp: 503398
Ion Ratio Lower Upper
202 100
101 12.1 0.0 32.4
203 17.2 0.0 37.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.498 min Scan# 3130
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19


Tgt Ion:240 Resp: 1975095
Ion Ratio Lower Upper
240 100
120 12.6 10.1 15.1
236 25.4 20.6 31.0





#77
Benzidine
Concen: 3.571 ng
RT: 19.562 min Scan# 2801
Delta R.T. 0.000 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024




Tgt Ion:184 Resp: 109598
Ion Ratio Lower Upper
184 100
185 14.3 11.0 16.6
183 11.9 9.0 13.4

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024




#78
Pyrene
Concen: 3.502 ng
RT: 19.727 min Scan# 2829
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19




Tgt Ion:202 Resp: 532760
Ion Ratio Lower Upper
202 100
200 21.0 16.8 25.2
203 17.0 14.0 21.0





#79
 Terphenyl-d14
 Concen: 76.796 ng
 RT: 19.945 min Scan# 2866
 Delta R.T. 0.000 min
 Lab File: BM044062.D
 Acq: 12 Feb 2024 18:19




Instrument :
 BNA_M
 ClientSampleId :
 MDL-SOIL-03-QT1-2024




Tgt Ion:244 Resp: 8652375
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.4 8.2
 122 11.6 9.5 14.3

Manual Integrations
 APPROVED



Reviewed By :Yogesh Patel 02/14/2024
 Supervised By :mohammad ahmed 02/14/2024




#80
 Butylbenzylphthalate
 Concen: 2.634 ng
 RT: 20.651 min Scan# 2986
 Delta R.T. 0.000 min
 Lab File: BM044062.D
 Acq: 12 Feb 2024 18:19



Tgt Ion:149 Resp: 178093
 Ion Ratio Lower Upper
 149 100
 91 68.4 56.8 85.2
 206 19.2 15.0 22.6





#81

Benzo(a)anthracene

Concen: 3.634 ng

RT: 21.486 min Scan# 3128

Delta R.T. 0.000 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Instrument :

BNA_M

ClientSampleId :

MDL-SOIL-03-QT1-2024





Tgt Ion:	228	Resp:	49927
Ion Ratio	Lower	Upper	
228	100		
226	26.9	21.4	32.2
229	19.9	15.9	23.9

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 02/14/2024

Supervised By :mohammad ahmed 02/14/2024



#82

3,3'-Dichlorobenzidine

Concen: 3.351 ng




RT: 21.427 min Scan# 3118


Delta R.T. 0.000 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Tgt Ion:	252	Resp:	151042
Ion Ratio	Lower	Upper	
252	100		
254	64.6	51.2	76.8
126	11.2	10.2	15.4





#83

Chrysene

Concen: 3.669 ng

RT: 21.539 min Scan# 3119

Delta R.T. -0.006 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Instrument :

BNA_M





ClientSampleId :

MDL-SOIL-03-QT1-2024

Tgt Ion:228 Resp: 476168
 Ion Ratio Lower Upper
 228 100
 226 29.4 24.2 36.2
 229 18.7 15.8 23.8

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/14/2024
 Supervised By :mohammad ahmed 02/14/2024



#84

Bis(2-ethylhexyl)phthalate

Concen: 2.817 ng




RT: 21.433 min Scan# 3119


Delta R.T. -0.006 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Tgt Ion:149 Resp: 280999
 Ion Ratio Lower Upper
 149 100
 167 27.3 22.6 33.8
 279 3.1 3.1 4.7#





#85

Di-n-octyl phthalate

Concen: 2.420 ng

RT: 22.374 min Scan# 31

Delta R.T. -0.006 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Instrument :

BNA_M

ClientSampleId :

MDL-SOIL-03-QT1-2024

Tgt Ion:149 Resp: 42169





Ion	Ratio	Lower	Upper
149	100		
167	1.8	1.2	1.8
43	9.8	7.0	10.4

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 02/14/2024

Supervised By :mohammad ahmed 02/14/2024



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.897 min Scan# 3538




Delta R.T. 0.000 min


Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Tgt Ion:264 Resp: 2182249

Ion	Ratio	Lower	Upper
264	100		
260	23.4	18.8	28.2
265	21.7	17.3	25.9





#87

Indeno(1,2,3-cd)pyrene

Concen: 3.485 ng

RT: 26.374 min Scan# 3959

Delta R.T. -0.012 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Instrument :

BNA_M

ClientSampleId :

MDL-SOIL-03-QT1-2024





Tgt Ion:	276	Resp:	53825
Ion Ratio	Lower	Upper	
276	100		
138	28.1	22.6	34.0
277	24.8	20.2	30.2

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 02/14/2024

Supervised By :mohammad ahmed 02/14/2024



#88

Benzo(b)fluoranthene

Concen: 3.536 ng




RT: 23.168 min Scan# 3414


Delta R.T. -0.006 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Tgt Ion:	252	Resp:	482367
Ion Ratio	Lower	Upper	
252	100		
253	21.6	17.6	26.4
125	10.6	8.8	13.2









#89
Benzo(k)fluoranthene
Concen: 3.556 ng
RT: 23.215 min Scan# 3423
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Instrument :
BNA_M
ClientSampleId :
MDL-SOIL-03-QT1-2024

Tgt Ion:252 Resp: 46088
Ion Ratio Lower Upper
252 100
253 22.1 17.7 26.5
125 11.9 9.0 13.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 02/14/2024
Supervised By :mohammad ahmed 02/14/2024



#90
Benzo(a)pyrene
Concen: 3.368 ng
RT: 23.786 min Scan# 3519
Delta R.T. -0.006 min
Lab File: BM044062.D
Acq: 12 Feb 2024 18:19

Tgt Ion:252 Resp: 401274
Ion Ratio Lower Upper
252 100
253 23.0 17.7 26.5
125 12.2 10.1 15.1





#91

Dibenzo(a,h)anthracene

Concen: 3.511 ng

RT: 26.403 min Scan# 3966

Delta R.T. -0.012 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Instrument :

BNA_M

ClientSampleId :

MDL-SOIL-03-QT1-2024





Tgt Ion:	278	Resp:	453538
Ion Ratio	Lower	Upper	
278	100		
139	17.5	14.5	21.7
279	23.8	18.9	28.3

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 02/14/2024

Supervised By :mohammad ahmed 02/14/2024



#92

Benzo(g,h,i)perylene

Concen: 3.348 ng

RT: 27.127 min Scan# 4087

Delta R.T. -0.023 min

Lab File: BM044062.D

Acq: 12 Feb 2024 18:19

Tgt Ion:	276	Resp:	438726
Ion Ratio	Lower	Upper	
276	100		
277	24.2	19.0	28.4
138	24.4	19.1	28.7

