

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM021315\
 Data File : BM000523.D
 Acq On : 13 Feb 2015 18:05
 Operator : TP/IZ
 Sample : PB81660BL
 Misc : SBLK17
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SBLK17

Manual Integrations
 APPROVED

apatel
 2/16/2015 1:58:01 PM

Quant Time: Feb 16 10:24:34 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM01.2-EPA-SIM-BM021215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 12 16:45:55 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	3202	0.40	ng/ul	0.00
2) Naphthalene-d8	10.49	136	10597	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.35	164	6743	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.09	188	12441m	0.40	ng/ul	0.00
16) Chrysene-d12	21.28	240	9890	0.40	ng/ul	-0.01
20) Perylene-d12	23.51	264	8106m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.09	152	6167	0.46	ng/ul	0.00
14) Fluoranthene-d10	19.13	212	11625m	0.44	ng/ul	0.00
Target Compounds						
11) Pentachlorophenol	16.75	266	2576	1.61	ng/ul	98
18) Benzo(a)anthracene	21.27	228	1100	0.04	ng/ul#	91
19) Chrysene	21.32	228	1401	0.04	ng/ul#	89
24) Indeno(1,2,3-cd)pyrene	25.75	276	1325	0.05	ng/ul	100
26) Benzo(g,h,i)perylene	26.43	276	1186	0.05	ng/ul#	79

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM021315\
Data File : BM000523.D
Acq On : 13 Feb 2015 18:05
Operator : TP/IZ
Sample : PB81660BL
Misc : SBLK17
ALS Vial : 10 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
SBLK17

Manual Integrations
APPROVED

apatel
2/16/2015 1:58:01 PM

Quant Time: Feb 16 10:24:34 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM01.2-EPA-SIM-BM021215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 12 16:45:55 2015
Response via : Initial Calibration









#11
 Pentachlorophenol
 Concen: 1.61 ng/ul
 RT: 16.75 min Scan# 1851
 Delta R.T. -0.02 min
 Lab File: BM000523.D
 Acq: 13 Feb 2015 18:05

Instrument :
 BNA_M
 ClientSampleId :
 SBLK17

Tgt Ion	Ratio	Lower	Upper
266	100		
264	62.1	51.4	77.2
268	62.3	48.7	73.1




Manual Integrations
 APPROVED


apatel
 2/16/2015 1:58:01 PM



#18
 Benzo(a)anthracene
 Concen: 0.04 ng/ul
 RT: 21.27 min Scan# 2210
 Delta R.T. 0.00 min
 Lab File: BM000523.D
 Acq: 13 Feb 2015 18:05

Tgt Ion	Ratio	Lower	Upper
228	100		
226	29.6	20.6	31.0
229	25.1	16.3	24.5





#19

Chrysene

Concen: 0.04 ng/ul

RT: 21.32 min Scan# 2215

Delta R.T. 0.00 min

Lab File: BM000523.D

Acq: 13 Feb 2015 18:05

Instrument :

BNA_M





ClientSampled :

SBLK17

Tgt Ion:	228	Resp:	1401
Ion Ratio		Lower	Upper
228	100		
226	32.9	22.7	34.1
229	26.2	16.0	24.0

Manual Integrations
APPROVED

apatel
2/16/2015 1:58:01 PM



#24

Indeno(1,2,3-cd)pyrene

Concen: 0.05 ng/ul




RT: 25.75 min Scan# 2640


Delta R.T. 0.00 min

Lab File: BM000523.D

Acq: 13 Feb 2015 18:05

Tgt Ion:	276	Resp:	1325
Ion Ratio		Lower	Upper
276	100		
138	21.7	17.3	25.9
277	25.0	19.8	29.8





#26
Benzo(g,h,i)perylene
Concen: 0.05 ng/ul
RT: 26.43 min Scan# 2705
Delta R.T. -0.01 min
Lab File: BM000523.D
Acq: 13 Feb 2015 18:05

Instrument :
BNA_M
ClientSampleId :
SBLK17

Tgt Ion	Ratio	Lower	Upper
276	100		
277	33.9	19.2	28.8#
138	30.1	16.0	24.0#

Manual Integrations
APPROVED

apatel
2/16/2015 1:58:01 PM

