

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_M\DATA\BM021418\
 Data File : BM014242.D
 Acq On : 14 Feb 2018 18:27
 Operator : SJ/JU
 Sample : PB106566BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SBLK66

Manual Integrations
 APPROVED

Sohil
 2/15/2018 11:09:12 AM

Quant Time: Feb 15 01:32:33 2018
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM021418.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Feb 15 01:12:03 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	62550	20.00	ng/ul	0.00
18) Naphthalene-d8	10.31	136	273661	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.19	164	184831	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.95	188	455203	20.00	ng/ul	0.00
75) Chrysene-d12	21.16	240	486717	20.00	ng/ul	0.00
83) Perylene-d12	23.33	264	446736	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.10	96	11070m	7.58	ng/uL	0.00
5) Phenol-d5	6.73	99	151897	28.73	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.89	67	98837	30.88	ng/ul	0.00
9) 2-Chlorophenol-d4	7.07	132	120276	29.67	ng/ul	0.00
13) 4-Methylphenol-d8	8.26	113	132353	28.61	ng/ul	0.00
19) Nitrobenzene-d5	8.69	128	64894	32.09	ng/ul	0.00
22) 2-Nitrophenol-d4	9.42	143	74138	35.42	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.95	165	123115	28.40	ng/ul	0.00
29) 4-Chloroaniline-d4	10.47	131	170759m	39.98	ng/ul	0.00
43) Dimethylphthalate-d6	13.62	166	507219	33.23	ng/ul	0.00
46) Acenaphthylene-d8	13.89	160	620545	32.97	ng/ul	0.00
51) 4-Nitrophenol-d4	14.45	143	58819m	27.91	ng/ul	0.01
57) Fluorene-d10	15.19	176	463992	33.93	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.35	200	62116	22.75	ng/ul	0.00
70) Anthracene-d10	17.05	188	740470	33.72	ng/ul	0.00
76) Pyrene-d10	19.36	212	869275	34.63	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.20	264	706205	32.48	ng/ul	0.00

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA_M\DATA\BM021418\
Data File : BM014242.D
Acq On : 14 Feb 2018 18:27
Operator : SJ/JU
Sample : PB106566BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SBLK66

Manual Integrations
APPROVED

Sohil
2/15/2018 11:09:12 AM

Quant Time: Feb 15 01:32:33 2018
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM021418.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Feb 15 01:12:03 2018
Response via : Initial Calibration

