

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA\_M\DATA\BM021418\  
 Data File : BM014238.D  
 Acq On : 14 Feb 2018 16:00  
 Operator : SJ/JU  
 Sample : J1524-05  
 Misc :  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 SVOC-GPC-BLANK

Quant Time: Feb 14 17:43:48 2018  
 Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM-EPA-BM021418.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Wed Feb 14 15:20:17 2018  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.54  | 152  | 61342    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.31 | 136  | 301589   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.19 | 164  | 213773   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 16.95 | 188  | 488658   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.16 | 240  | 445659   | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.33 | 264  | 379507   | 20.00 | ng/ul | 0.00     |

## System Monitoring Compounds

|                                |      |     |    |      |       |
|--------------------------------|------|-----|----|------|-------|
| 3) 1,4-Dioxane-d8              | 0.00 | 96  | 0  | 0.00 | ng/uL |
| 5) Phenol-d5                   | 0.00 | 99  | 0  | 0.00 | ng/ul |
| 7) Bis-(2-Chloroethyl)ether-d  | 0.00 | 67  | 0  | 0.00 | ng/ul |
| 9) 2-Chlorophenol-d4           | 0.00 | 132 | 0  | 0.00 | ng/ul |
| 13) 4-Methylphenol-d8          | 0.00 | 113 | 0  | 0.00 | ng/ul |
| 19) Nitrobenzene-d5            | 0.00 | 128 | 0  | 0.00 | ng/ul |
| 22) 2-Nitrophenol-d4           | 0.00 | 143 | 0  | 0.00 | ng/ul |
| 26) 2,4-Dichlorophenol-d3      | 0.00 | 165 | 0  | 0.00 | ng/ul |
| 29) 4-Chloroaniline-d4         | 0.00 | 131 | 0d | 0.00 | ng/ul |
| 43) Dimethylphthalate-d6       | 0.00 | 166 | 0  | 0.00 | ng/ul |
| 46) Acenaphthylene-d8          | 0.00 | 160 | 0  | 0.00 | ng/ul |
| 51) 4-Nitrophenol-d4           | 0.00 | 143 | 0  | 0.00 | ng/ul |
| 57) Fluorene-d10               | 0.00 | 176 | 0d | 0.00 | ng/ul |
| 62) 4,6-Dinitro-2-methylphenol | 0.00 | 200 | 0  | 0.00 | ng/ul |
| 70) Anthracene-d10             | 0.00 | 188 | 0d | 0.00 | ng/ul |
| 76) Pyrene-d10                 | 0.00 | 212 | 0d | 0.00 | ng/ul |
| 87) Benzo(a)pyrene-d12         | 0.00 | 264 | 0d | 0.00 | ng/ul |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA\_M\DATA\BM021418\  
Data File : BM014238.D  
Acq On : 14 Feb 2018 16:00  
Operator : SJ/JU  
Sample : J1524-05  
Misc :  
ALS Vial : 9 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
SVOC-GPC-BLANK

Quant Time: Feb 14 17:43:48 2018  
Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM-EPA-BM021418.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Wed Feb 14 15:20:17 2018  
Response via : Initial Calibration

