

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM021424\
 Data File : BM044081.D
 Acq On : 14 Feb 2024 14:11
 Operator : MA/JU
 Sample : P1367-12
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 EB-5-0-2

Quant Time: Feb 14 14:44:53 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 09 02:42:01 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.904	152	454934	20.000	ng	0.00
21) Naphthalene-d8	10.704	136	1816473	20.000	ng	-0.01
39) Acenaphthene-d10	14.545	164	1000807	20.000	ng	-0.01
64) Phenanthrene-d10	17.298	188	1929368	20.000	ng	0.00
76) Chrysene-d12	21.497	240	1321954	20.000	ng	0.00
86) Perylene-d12	23.891	264	1357851	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	4006067	128.075	ng	0.00
7) Phenol-d6	7.075	99	4704308	118.205	ng	0.00
23) Nitrobenzene-d5	9.075	82	3128887	91.402	ng	0.00
42) 2,4,6-Tribromophenol	16.039	330	1348686	124.463	ng	0.00
45) 2-Fluorobiphenyl	13.174	172	6101490	86.042	ng	0.00
79) Terphenyl-d14	19.939	244	7395889	98.076	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM021424\
Data File : BM044081.D
Acq On : 14 Feb 2024 14:11
Operator : MA/JU
Sample : P1367-12
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
EB-5-0-2

Quant Time: Feb 14 14:44:53 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 09 02:42:01 2024
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.904 min Scan# 819
 Delta R.T. -0.006 min
 Lab File: BM044081.D
 Acq: 14 Feb 2024 14:11

Instrument :
 BNA_M
 ClientSampleId :
 EB-5-0-2

Tgt Ion:152 Resp: 454934




Ion	Ratio	Lower	Upper
152	100		
150	155.1	122.7	184.1
115	60.5	47.0	70.6




#5
 2-Fluorophenol
 Concen: 128.075 ng
 RT: 5.481 min Scan# 407
 Delta R.T. 0.000 min
 Lab File: BM044081.D
 Acq: 14 Feb 2024 14:11

Tgt Ion:112 Resp: 4006067

Ion	Ratio	Lower	Upper
112	100		
64	55.3	44.2	66.4
63	28.2	22.6	34.0









#7
Phenol-d6
Concen: 118.205 ng
RT: 7.075 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM044081.D
Acq: 14 Feb 2024 14:11

Instrument :
BNA_M
ClientSampleId :
EB-5-0-2

Tgt Ion: 99 Resp: 4704308




Ion	Ratio	Lower	Upper
99	100		
42	16.2	12.9	19.3
71	29.8	23.9	35.9




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.704 min Scan# 1295
Delta R.T. -0.012 min
Lab File: BM044081.D
Acq: 14 Feb 2024 14:11

Tgt Ion: 136 Resp: 1816473

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.9	13.3
54	7.3	5.9	8.9
68	6.0	4.8	7.2









#23
Nitrobenzene-d5
Concen: 91.402 ng
RT: 9.075 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BM044081.D
Acq: 14 Feb 2024 14:11




Instrument :
BNA_M
ClientSampleId :
EB-5-0-2


Tgt Ion: 82 Resp: 3128887
Ion Ratio Lower Upper
82 100
128 44.5 37.1 55.7
54 48.3 38.9 58.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.545 min Scan# 1948
Delta R.T. -0.012 min
Lab File: BM044081.D
Acq: 14 Feb 2024 14:11

Tgt Ion:164 Resp: 1000807
Ion Ratio Lower Upper
164 100
162 99.5 78.4 117.6
160 45.3 34.6 51.8









#42
2,4,6-Tribromophenol
Concen: 124.463 ng
RT: 16.039 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM044081.D
Acq: 14 Feb 2024 14:11




Instrument :
BNA_M
ClientSampleId :
EB-5-0-2


Tgt Ion:330 Resp: 1348686
Ion Ratio Lower Upper
330 100
332 95.8 77.7 116.5
141 44.0 31.0 46.4



#45
2-Fluorobiphenyl
Concen: 86.042 ng
RT: 13.174 min Scan# 1715
Delta R.T. -0.006 min
Lab File: BM044081.D
Acq: 14 Feb 2024 14:11

Tgt Ion:172 Resp: 6101490
Ion Ratio Lower Upper
172 100
171 35.0 27.9 41.9
170 23.5 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.298 min Scan# 2416

Delta R.T. -0.006 min

Lab File: BM044081.D

Acq: 14 Feb 2024 14:11

Instrument :

BNA_M

ClientSampleId :

EB-5-0-2





Tgt Ion:188 Resp: 1929368

Ion Ratio Lower Upper

188 100

94 9.8 8.2 12.2

80 10.9 8.8 13.2



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.497 min Scan# 3130

Delta R.T. -0.006 min

Lab File: BM044081.D

Acq: 14 Feb 2024 14:11




Tgt Ion:240 Resp: 1321954


Ion Ratio Lower Upper

240 100

120 12.8 10.1 15.1

236 26.2 20.6 31.0









#79
 Terphenyl-d14
 Concen: 98.076 ng
 RT: 19.939 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM044081.D
 Acq: 14 Feb 2024 14:11

Instrument :
 BNA_M
 ClientSampleId :
 EB-5-0-2

Tgt Ion:244 Resp: 7395889
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.4 8.2
 122 13.3 9.5 14.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.891 min Scan# 3537
 Delta R.T. -0.006 min
 Lab File: BM044081.D
 Acq: 14 Feb 2024 14:11

Tgt Ion:264 Resp: 1357851
 Ion Ratio Lower Upper
 264 100
 260 23.9 18.8 28.2
 265 22.3 17.3 25.9

