

Data Path : Z:\HPCHEM1\BNA M\DATA\BM021618\  
 Data File : BM014289.D  
 Acq On : 17 Feb 2018 03:07  
 Operator : SJ/JU  
 Sample : J1570-04  
 Misc :  
 ALS Vial : 30 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 C02S5

Manual Integrations  
 APPROVED

Sohil  
 2/19/2018 4:16:38 PM

Quant Time: Feb 17 05:12:59 2018  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM021418.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sat Feb 17 00:49:49 2018  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.53  | 152  | 61764    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.30 | 136  | 269126   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.19 | 164  | 184464   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 16.94 | 188  | 450686   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.16 | 240  | 557871   | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.33 | 264  | 562360   | 20.00 | ng/ul | 0.00     |

## System Monitoring Compounds

|                                |       |     |         |       |       |      |
|--------------------------------|-------|-----|---------|-------|-------|------|
| 3) 1,4-Dioxane-d8              | 3.10  | 96  | 9161    | 6.35  | ng/uL | 0.00 |
| 5) Phenol-d5                   | 6.73  | 99  | 32209m  | 6.17  | ng/ul | 0.00 |
| 7) Bis-(2-Chloroethyl)ether-d  | 6.88  | 67  | 100817  | 31.90 | ng/ul | 0.00 |
| 9) 2-Chlorophenol-d4           | 7.07  | 132 | 102057  | 25.50 | ng/ul | 0.00 |
| 13) 4-Methylphenol-d8          | 8.25  | 113 | 64414   | 14.10 | ng/ul | 0.00 |
| 19) Nitrobenzene-d5            | 8.69  | 128 | 68918   | 34.65 | ng/ul | 0.00 |
| 22) 2-Nitrophenol-d4           | 9.41  | 143 | 73540   | 35.73 | ng/ul | 0.00 |
| 26) 2,4-Dichlorophenol-d3      | 9.95  | 165 | 121782m | 28.56 | ng/ul | 0.00 |
| 29) 4-Chloroaniline-d4         | 0.00  | 131 | 0       | 0.00  | ng/ul |      |
| 43) Dimethylphthalate-d6       | 13.61 | 166 | 540306  | 35.47 | ng/ul | 0.00 |
| 46) Acenaphthylene-d8          | 13.87 | 160 | 636797  | 33.90 | ng/ul | 0.00 |
| 51) 4-Nitrophenol-d4           | 14.52 | 143 | 7270m   | 3.46  | ng/ul | 0.08 |
| 57) Fluorene-d10               | 15.19 | 176 | 478092  | 35.03 | ng/ul | 0.00 |
| 62) 4,6-Dinitro-2-methylphenol | 15.34 | 200 | 71124   | 26.31 | ng/ul | 0.00 |
| 70) Anthracene-d10             | 17.04 | 188 | 775548  | 35.67 | ng/ul | 0.00 |
| 76) Pyrene-d10                 | 19.35 | 212 | 939788  | 32.66 | ng/ul | 0.00 |
| 87) Benzo(a)pyrene-d12         | 23.19 | 264 | 934298m | 34.14 | ng/ul | 0.00 |

| Target Compounds |      |    |      | Ovalue |           |
|------------------|------|----|------|--------|-----------|
| 2) 1,4-Dioxane   | 3.15 | 88 | 9665 | 6.029  | ng/uL# 59 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM021618\  
Data File : BM014289.D  
Acq On : 17 Feb 2018 03:07  
Operator : SJ/JU  
Sample : J1570-04  
Misc :  
ALS Vial : 30 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
C02S5

Manual Integrations  
APPROVED

Sohil  
2/19/2018 4:16:38 PM

Quant Time: Feb 17 05:12:59 2018  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM021418.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Sat Feb 17 00:49:49 2018  
Response via : Initial Calibration

