

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021621\
 Data File : BM028753.D
 Acq On : 16 Feb 2021 17:46
 Operator : CG/JU
 Sample : M1407-05
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBGK0

Manual Integrations
 APPROVED

mohammad
 2/17/2021 1:47:55 PM

Quant Time: Feb 17 05:23:13 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM020521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 16 17:19:06 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.89	152	421	0.40	ng/ul	0.00
2) Naphthalene-d8	10.69	136	1710	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.54	164	994	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.28	188	1893m	0.40	ng/ul	0.00
16) Chrysene-d12	21.43	240	1762	0.40	ng/ul	0.00
20) Perylene-d12	23.66	264	1806	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.29	152	886	0.36	ng/ul	0.00
14) Fluoranthene-d10	19.29	212	1955	0.40	ng/ul	0.00
Target Compounds						
3) Naphthalene	10.74	128	522	0.123	ng/ul#	Ovalue 78

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021621\
Data File : BM028753.D
Acq On : 16 Feb 2021 17:46
Operator : CG/JU
Sample : M1407-05
Misc :
ALS Vial : 14 Sample Multiplier: 1




Instrument :
BNA_M
ClientSampleId :
DBGK0

Manual Integrations
APPROVED

mohammad
2/17/2021 1:47:55 PM

Quant Time: Feb 17 05:23:13 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM020521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 16 17:19:06 2021
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.123 ng/ul

RT: 10.74 min Scan# 2179

Delta R.T. -0.00 min

Lab File: BM028753.D

Acq: 16 Feb 2021 17:46

Instrument :

BNA_M

ClientSampleId :

DBGK0

Tot Ion:	128	Resp:	522
Ion Ratio	Lower	Upper	
128	100		
129	23.6	11.4	17.2#
127	25.1	13.0	19.6#

Manual Integrations
APPROVED

mohammad
2/17/2021 1:47:55 PM

