

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021721\
 Data File : BM028769.D
 Acq On : 17 Feb 2021 13:23
 Operator : CG/JU
 Sample : M1408-03DL 2X
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBGK2DL

Quant Time: Feb 17 13:59:23 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM020521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 17 11:34:13 2021
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.89	152	391	0.40	ng/ul	0.00
2) Naphthalene-d8	10.69	136	1591	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.53	164	826	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.27	188	1614	0.40	ng/ul	0.00
16) Chrysene-d12	21.42	240	1408	0.40	ng/ul	0.00
20) Perylene-d12	23.65	264	1488	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.29	152	252	0.11	ng/ul	0.00
14) Fluoranthene-d10	19.29	212	460	0.11	ng/ul	0.00
Target Compounds				Ovalue		
3) Naphthalene	10.74	128	23789	6.006	ng/ul#	93
5) 2-Methylnaphthalene	12.36	142	2348	0.885	ng/ul	98
8) Acenaphthene	14.60	153	1773	0.663	ng/ul	99
9) Fluorene	15.59	166	531	0.179	ng/ul#	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021721\
Data File : BM028769.D
Acq On : 17 Feb 2021 13:23
Operator : CG/JU
Sample : M1408-03DL 2X
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DBGK2DL

Quant Time: Feb 17 13:59:23 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM020521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 17 11:34:13 2021
Response via : Initial Calibration





#3

Naphthalene

Concen: 6.006 ng/ul

RT: 10.74 min Scan# 2178

Delta R.T. -0.00 min

Lab File: BM028769.D

Acq: 17 Feb 2021 13:23

Instrument :

BNA_M

ClientSampleId :

DBGK2DL


Tot Ion:128 Resp: 23789

Ion Ratio Lower Upper

128 100

129 11.4 11.4 17.2#




127 13.1 13.0 19.6



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#5

2-Methylnaphthalene

Concen: 0.885 ng/ul

RT: 12.36 min Scan# 2538

Delta R.T. 0.00 min

Lab File: BM028769.D


Acq: 17 Feb 2021 13:23

Tgt Ion:142 Resp: 2348

Ion Ratio Lower Upper



142 100


141 88.8 72.2 108.4



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E





#8

Acenaphthene

Concen: 0.663 ng/ul

RT: 14.60 min Scan# 3061

Delta R.T. 0.00 min

Lab File: BM028769.D

Acq: 17 Feb 2021 13:23

Instrument :

BNA_M

ClientSampleId :

DBGK2DL


Tot Ion:153 Resp: 1773

Ion Ratio Lower Upper

153 100

152 48.9 39.6 59.4




154 88.4 70.3 105.5



Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E



#9

Fluorene

Concen: 0.179 ng/ul

RT: 15.59 min Scan# 3321

Delta R.T. 0.00 min

Lab File: BM028769.D

Acq: 17 Feb 2021 13:23


Tgt Ion:166 Resp: 531

Ion Ratio Lower Upper

166 100

165 97.2 79.6 119.4

167 23.5 13.9 20.9#



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E

