

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021721\
 Data File : BM028776.D
 Acq On : 17 Feb 2021 17:39
 Operator : CG/JU
 Sample : M1379-19
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBH16

Manual Integrations
 APPROVED

mohammad
 2/18/2021 1:39:12 PM

Quant Time: Feb 18 04:22:27 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM020521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 17 11:34:13 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.89	152	525	0.40	ng/ul	0.00
2) Naphthalene-d8	10.69	136	2191	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.54	164	1287	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.28	188	2496m	0.40	ng/ul	0.00
16) Chrysene-d12	21.42	240	2558	0.40	ng/ul	0.00
20) Perylene-d12	23.66	264	2333	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.29	152	1068	0.34	ng/ul	0.00
14) Fluoranthene-d10	19.29	212	2230	0.35	ng/ul	0.00
Target Compounds						
12) Phenanthrene	17.31	178	203	0.029	ng/ul#	Ovalue 43

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021721\
Data File : BM028776.D
Acq On : 17 Feb 2021 17:39
Operator : CG/JU
Sample : M1379-19
Misc :
ALS Vial : 13 Sample Multiplier: 1




Instrument :
BNA_M
ClientSampleId :
DBH16

Manual Integrations
APPROVED

mohammad
2/18/2021 1:39:12 PM

Quant Time: Feb 18 04:22:27 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM020521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 17 11:34:13 2021
Response via : Initial Calibration





#12

Phenanthrene

Concen: 0.029 ng/ul

RT: 17.31 min Scan# 3797

Delta R.T. 0.00 min

Lab File: BM028776.D

Acq: 17 Feb 2021 17:39

Instrument :

BNA_M

ClientSampleId :

DBH16

Tot Ion	Ratio	Lower	Upper
178	100		
179	51.2	14.7	22.1#
176	41.0	16.7	25.1#

Manual Integrations
APPROVED

mohammad
2/18/2021 1:39:12 PM

