

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM021819\
 Data File : BM018848.D
 Acq On : 18 Feb 2019 20:59
 Operator : JU/SJ
 Sample : K1513-04
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 WALL-ONE

Quant Time: Feb 19 01:20:11 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	311229	20.00	ng	-0.01
21) Naphthalene-d8	10.49	136	1237161	20.00	ng	-0.01
39) Acenaphthene-d10	14.35	164	668838	20.00	ng	-0.01
64) Phenanthrene-d10	17.10	188	1481320	20.00	ng	-0.01
76) Chrysene-d12	21.30	240	1366088	20.00	ng	-0.01
87) Perylene-d12	23.55	264	1229193	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	2325463	122.42	ng	0.00
7) Phenol-d6	6.88	99	2916548	108.99	ng	0.00
23) Nitrobenzene-d5	8.87	82	2277354	85.12	ng	-0.01
42) 2,4,6-Tribromophenol	15.85	330	1199574	124.42	ng	-0.01
45) 2-Fluorobiphenyl	12.97	172	4127122	81.91	ng	-0.01
79) Terphenyl-d14	19.74	244	6718229	101.45	ng	0.00
Target Compounds						
9) Benzaldehyde	6.88	77	9495	Below Cal	Qvalue #	16

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM021819\
Data File : BM018848.D
Acq On : 18 Feb 2019 20:59
Operator : JU/SJ
Sample : K1513-04
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
WALL-ONE

Quant Time: Feb 19 01:20:11 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.70 min Scan# 785
Delta R.T. -0.01 min
Lab File: BM018848.D
Acq: 18 Feb 2019 20:59

Instrument :
BNA_M
ClientSampleId :
WALL-ONE

Tgt Ion:152 Resp: 311229
Ion Ratio Lower Upper
152 100
150 156.1 127.3 190.9
115 64.2 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 122.425 ng
RT: 5.30 min Scan# 376
Delta R.T. -0.01 min
Lab File: BM018848.D
Acq: 18 Feb 2019 20:59

Tgt Ion:112 Resp: 2325463
Ion Ratio Lower Upper
112 100
64 65.4 50.6 75.8
63 34.2 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 108.992 ng

RT: 6.88 min Scan# 645

Delta R.T. -0.01 min

Lab File: BM018848.D

Acq: 18 Feb 2019 20:59

Instrument :

BNA_M

ClientSampleId :

WALL-ONE


Tgt Ion: 99 Resp: 2916548

Ion Ratio Lower Upper

99 100

42 14.1 11.0 16.6

71 39.9 31.3 46.9






Abundance

Ion 99.00 (98.70 to 99.70): BM018755.D (-637) (-)

Ion 42.00 (41.70 to 42.70): BM018755.D (-637) (-)

Ion 71.00 (70.70 to 71.70): BM018755.D (-637) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.49 min Scan# 1259

Delta R.T. -0.01 min

Lab File: BM018848.D

Acq: 18 Feb 2019 20:59

Tgt Ion: 136 Resp: 1237161


Ion Ratio Lower Upper

136 100

137 10.7 8.8 13.2

54 6.9 5.0 7.6

68 7.3 5.5 8.3





Abundance


Ion 136.00 (135.70 to 136.70): BM018755.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM018755.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM018755.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM018755.D (-1252) (-)









#23
 Nitrobenzene-d5
 Concen: 85.116 ng
 RT: 8.87 min Scan# 984
 Delta R.T. -0.01 min
 Lab File: BM018848.D
 Acq: 18 Feb 2019 20:59




Instrument :
 BNA_M
 ClientSampleId :
 WALL-ONE

Tgt Ion: 82 Resp: 2277354
 Ion Ratio Lower Upper
 82 100
 128 36.2 29.9 44.9
 54 36.8 29.1 43.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.35 min Scan# 1915
 Delta R.T. -0.01 min
 Lab File: BM018848.D
 Acq: 18 Feb 2019 20:59

Tgt Ion: 164 Resp: 668838
 Ion Ratio Lower Upper
 164 100
 162 104.8 83.4 125.0
 160 46.1 36.6 55.0









#42
 2,4,6-Tribromophenol
 Concen: 124.423 ng
 RT: 15.85 min Scan# 2170
 Delta R.T. -0.01 min
 Lab File: BM018848.D
 Acq: 18 Feb 2019 20:59

Instrument :
 BNA_M
 ClientSampleId :
 WALL-ONE

Tgt Ion:330 Resp: 1199574
 Ion Ratio Lower Upper
 330 100
 332 96.8 76.9 115.3
 141 37.2 28.7 43.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 81.913 ng
 RT: 12.97 min Scan# 1680
 Delta R.T. -0.01 min
 Lab File: BM018848.D
 Acq: 18 Feb 2019 20:59

Tgt Ion:172 Resp: 4127122
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.0 43.6
 170 23.6 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.10 min Scan# 2383
Delta R.T. -0.01 min
Lab File: BM018848.D
Acq: 18 Feb 2019 20:59

Instrument :
BNA_M
ClientSampled :
WALL-ONE

Tgt Ion:188 Resp: 1481320
Ion Ratio Lower Upper
188 100
94 10.9 8.2 12.2
80 12.7 9.7 14.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM
Ion 80.00 (79.70 to 80.70): BM






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.30 min Scan# 3096
Delta R.T. -0.01 min
Lab File: BM018848.D
Acq: 18 Feb 2019 20:59

Tgt Ion:240 Resp: 1366088
Ion Ratio Lower Upper
240 100
120 11.6 8.9 13.3
236 26.0 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 101.450 ng

RT: 19.74 min Scan# 2831

Delta R.T. -0.01 min

Lab File: BM018848.D

Acq: 18 Feb 2019 20:59

Instrument :

BNA_M

ClientSampleId :

WALL-ONE


Tgt Ion:244 Resp: 6718229

Ion Ratio Lower Upper

244 100

212 7.1 5.6 8.4




122 11.5 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.55 min Scan# 3479

Delta R.T. -0.02 min

Lab File: BM018848.D

Acq: 18 Feb 2019 20:59


Tgt Ion:264 Resp: 1229193

Ion Ratio Lower Upper

264 100

260 23.5 18.9 28.3

265 21.7 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

