

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM022119\
 Data File : BM018905.D
 Acq On : 21 Feb 2019 20:44
 Operator : JU/SJ
 Sample : K1546-03
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RBR-200036

Quant Time: Feb 21 21:57:40 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	285343	20.00	ng	-0.02
21) Naphthalene-d8	10.49	136	1131065	20.00	ng	-0.02
39) Acenaphthene-d10	14.34	164	619750	20.00	ng	-0.02
64) Phenanthrene-d10	17.10	188	1359607	20.00	ng	-0.02
76) Chrysene-d12	21.29	240	1152051	20.00	ng	-0.02
87) Perylene-d12	23.54	264	1049089	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.29	112	2359427	135.48	ng	-0.01
7) Phenol-d6	6.87	99	2772863	113.02	ng	-0.01
23) Nitrobenzene-d5	8.87	82	2431766	99.41	ng	-0.02
42) 2,4,6-Tribromophenol	15.84	330	1298619	145.36	ng	-0.02
45) 2-Fluorobiphenyl	12.96	172	4547100	97.40	ng	-0.02
79) Terphenyl-d14	19.73	244	7089674	126.95	ng	-0.01
Target Compounds						
9) Benzaldehyde	6.88	77	6825	Below Cal	Qvalue #	7


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM022119\
Data File : BM018905.D
Acq On : 21 Feb 2019 20:44
Operator : JU/SJ
Sample : K1546-03
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
RBR-200036

Quant Time: Feb 21 21:57:40 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.70 min Scan# 784
Delta R.T. -0.02 min
Lab File: BM018905.D
Acq: 21 Feb 2019 20:44

Instrument :
BNA_M
ClientSampleId :
RBR-200036

Tgt Ion:152 Resp: 285343
Ion Ratio Lower Upper
152 100
150 150.7 127.3 190.9
115 61.2 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 135.481 ng
RT: 5.29 min Scan# 375
Delta R.T. -0.01 min
Lab File: BM018905.D
Acq: 21 Feb 2019 20:44

Tgt Ion:112 Resp: 2359427
Ion Ratio Lower Upper
112 100
64 63.4 50.6 75.8
63 32.6 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 113.023 ng

RT: 6.87 min Scan# 644

Delta R.T. -0.01 min

Lab File: BM018905.D

Acq: 21 Feb 2019 20:44

Instrument :

BNA_M

ClientSampleId :

RBR-200036





Tgt Ion: 99 Resp: 2772863

Ion Ratio Lower Upper

99 100

42 14.2 11.0 16.6

71 38.8 31.3 46.9



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.49 min Scan# 1258

Delta R.T. -0.02 min

Lab File: BM018905.D

Acq: 21 Feb 2019 20:44

Tgt Ion: 136 Resp: 1131065




Ion Ratio Lower Upper


136 100

137 10.5 8.8 13.2

54 6.5 5.0 7.6

68 7.2 5.5 8.3









#23
 Nitrobenzene-d5
 Concen: 99.412 ng
 RT: 8.87 min Scan# 983
 Delta R.T. -0.02 min
 Lab File: BM018905.D
 Acq: 21 Feb 2019 20:44




Instrument :
 BNA_M
 ClientSampleId :
 RBR-200036


Tgt Ion: 82 Resp: 2431766
 Ion Ratio Lower Upper
 82 100
 128 37.7 29.9 44.9
 54 36.8 29.1 43.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.34 min Scan# 1914
 Delta R.T. -0.02 min
 Lab File: BM018905.D
 Acq: 21 Feb 2019 20:44

Tgt Ion: 164 Resp: 619750
 Ion Ratio Lower Upper
 164 100
 162 104.1 83.4 125.0
 160 45.9 36.6 55.0





#42

2,4,6-Tribromophenol

Concen: 145.365 ng

RT: 15.84 min Scan# 2169

Delta R.T. -0.02 min

Lab File: BM018905.D

Acq: 21 Feb 2019 20:44

Instrument :

BNA_M

ClientSampleId :

RBR-200036


Tgt Ion:330 Resp: 1298619

Ion Ratio Lower Upper

330 100

332 96.2 76.9 115.3




141 35.5 28.7 43.1



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 97.397 ng

RT: 12.96 min Scan# 1679

Delta R.T. -0.02 min

Lab File: BM018905.D

Acq: 21 Feb 2019 20:44


Tgt Ion:172 Resp: 4547100

Ion Ratio Lower Upper

172 100

171 36.1 29.0 43.6



170 23.5 18.6 28.0




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.10 min Scan# 2382
Delta R.T. -0.02 min
Lab File: BM018905.D
Acq: 21 Feb 2019 20:44




Instrument :
BNA_M
ClientSampleId :
RBR-200036


Tgt Ion:188 Resp: 1359607
Ion Ratio Lower Upper
188 100
94 9.7 8.2 12.2
80 12.0 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.29 min Scan# 3095
Delta R.T. -0.02 min
Lab File: BM018905.D
Acq: 21 Feb 2019 20:44

Tgt Ion:240 Resp: 1152051
Ion Ratio Lower Upper
240 100
120 11.4 8.9 13.3
236 26.1 20.9 31.3





#79

Terphenyl-d14

Concen: 126.950 ng

RT: 19.73 min Scan# 2830

Delta R.T. -0.01 min

Lab File: BM018905.D

Acq: 21 Feb 2019 20:44

Instrument :

BNA_M

ClientSampleId :

RBR-200036


Tgt Ion:244 Resp: 7089674

Ion Ratio Lower Upper




244 100

212 7.2 5.6 8.4

122 11.6 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.54 min Scan# 3478

Delta R.T. -0.02 min

Lab File: BM018905.D

Acq: 21 Feb 2019 20:44


Tgt Ion:264 Resp: 1049089

Ion Ratio Lower Upper

264 100

260 23.6 18.9 28.3

265 22.2 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

