

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM022119\
 Data File : BM018895.D
 Acq On : 21 Feb 2019 14:44
 Operator : JU/SJ
 Sample : PB117235BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB117235BL

Quant Time: Feb 22 03:19:51 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	282912	20.00	ng	-0.02
21) Naphthalene-d8	10.49	136	1133641	20.00	ng	-0.02
39) Acenaphthene-d10	14.34	164	621301	20.00	ng	-0.02
64) Phenanthrene-d10	17.10	188	1378049	20.00	ng	-0.02
76) Chrysene-d12	21.29	240	1195327	20.00	ng	-0.02
87) Perylene-d12	23.55	264	1067265	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.29	112	1957384	113.36	ng	-0.01
7) Phenol-d6	6.87	99	2658565	109.30	ng	-0.01
23) Nitrobenzene-d5	8.86	82	1716126	70.00	ng	-0.02
42) 2,4,6-Tribromophenol	15.84	330	866133	96.71	ng	-0.02
45) 2-Fluorobiphenyl	12.96	172	3369389	71.99	ng	-0.02
79) Terphenyl-d14	19.73	244	4985973	86.05	ng	-0.01


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM022119\
Data File : BM018895.D
Acq On : 21 Feb 2019 14:44
Operator : JU/SJ
Sample : PB117235BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB117235BL

Quant Time: Feb 22 03:19:51 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.70 min Scan# 784
 Delta R.T. -0.02 min
 Lab File: BM018895.D
 Acq: 21 Feb 2019 14:44

Instrument :
 BNA_M
 ClientSampleId :
 PB117235BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.1	127.3	190.9
115	63.1	50.8	76.2






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: 113.361 ng
 RT: 5.29 min Scan# 375
 Delta R.T. -0.01 min
 Lab File: BM018895.D
 Acq: 21 Feb 2019 14:44

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.1	50.6	75.8
63	33.5	25.7	38.5





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 109.295 ng

RT: 6.87 min Scan# 644

Delta R.T. -0.01 min

Lab File: BM018895.D

Acq: 21 Feb 2019 14:44

Instrument :


BNA_M

ClientSampleId :

PB117235BL

Tot Ion: 99 Resp: 2658565

Ion	Ratio	Lower	Upper
99	100		
42	14.4	11.0	16.6
71	39.7	31.3	46.9






Abundance

Ion 99.00 (98.70 to 99.70): BM018755.D (-637) (-)

Ion 42.00 (41.70 to 42.70): BM018755.D (-637) (-)

Ion 71.00 (70.70 to 71.70): BM018755.D (-637) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.49 min Scan# 1258



Delta R.T. -0.02 min

Lab File: BM018895.D

Acq: 21 Feb 2019 14:44

Tgt Ion: 136 Resp: 1133641

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.8	13.2
54	6.8	5.0	7.6
68	7.3	5.5	8.3




Abundance

Ion 136.00 (135.70 to 136.70): BM018755.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM018755.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM018755.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM018755.D (-1252) (-)









#23
Nitrobenzene-d5
Concen: 69.997 ng
RT: 8.86 min Scan# 982
Delta R.T. -0.02 min
Lab File: BM018895.D
Acq: 21 Feb 2019 14:44

Instrument :
BNA_M
ClientSampleId :
PB117235BL

Tot Ion: 82 Resp: 1716126
Ion Ratio Lower Upper
82 100
128 35.6 29.9 44.9
54 37.3 29.1 43.7




Abundance Ion 82.00 (81.70 to 82.70): BM018755.D (-976) (-)
Ion 128.00 (127.70 to 128.70): BM018755.D (-976) (-)
Ion 54.00 (53.70 to 54.70): BM018755.D (-976) (-)






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.34 min Scan# 1914
Delta R.T. -0.02 min
Lab File: BM018895.D
Acq: 21 Feb 2019 14:44

Tgt Ion:164 Resp: 621301
Ion Ratio Lower Upper
164 100
162 105.2 83.4 125.0
160 46.6 36.6 55.0



Abundance Ion 164.00 (163.70 to 164.70): BM018755.D (-1910) (-)
Ion 162.00 (161.70 to 162.70): BM018755.D (-1910) (-)
Ion 160.00 (159.70 to 160.70): BM018755.D (-1910) (-)





#42

2,4,6-Tribromophenol

Concen: 96.711 ng

RT: 15.84 min Scan# 2169

Delta R.T. -0.02 min

Lab File: BM018895.D

Acq: 21 Feb 2019 14:44

Instrument :

BNA_M

ClientSampleId :

PB117235BL


Tot Ion:330 Resp: 866133

Ion Ratio Lower Upper




330 100

332 96.7 76.9 115.3

141 37.7 28.7 43.1



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 71.991 ng

RT: 12.96 min Scan# 1679

Delta R.T. -0.02 min

Lab File: BM018895.D

Acq: 21 Feb 2019 14:44


Tgt Ion:172 Resp: 3369389

Ion Ratio Lower Upper



172 100


171 35.8 29.0 43.6

170 23.7 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.10 min Scan# 2382
Delta R.T. -0.02 min
Lab File: BM018895.D
Acq: 21 Feb 2019 14:44




Instrument :
BNA_M
ClientSampleId :
PB117235BL


Tot Ion:188 Resp: 1378049
Ion Ratio Lower Upper
188 100
94 10.2 8.2 12.2
80 12.6 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.29 min Scan# 3095
Delta R.T. -0.02 min
Lab File: BM018895.D
Acq: 21 Feb 2019 14:44

Tgt Ion:240 Resp: 1195327
Ion Ratio Lower Upper
240 100
120 11.7 8.9 13.3
236 26.0 20.9 31.3





#79

Terphenyl-d14

Concen: 86.048 ng

RT: 19.73 min Scan# 2830

Delta R.T. -0.01 min

Lab File: BM018895.D

Acq: 21 Feb 2019 14:44

Instrument :

BNA_M

ClientSampleId :

PB117235BL


Tot Ion:244 Resp: 4985973

Ion Ratio Lower Upper




244 100

212 7.3 5.6 8.4

122 11.8 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.55 min Scan# 3479

Delta R.T. -0.02 min

Lab File: BM018895.D

Acq: 21 Feb 2019 14:44


Tgt Ion:264 Resp: 1067265

Ion Ratio Lower Upper

264 100

260 24.1 18.9 28.3

265 22.6 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

