

Data Path : Z:\HPCHEM1\BNA M\DATA\BM022216\
 Data File : BM004336.D
 Acq On : 23 Feb 2016 06:09
 Operator : SJ/UM
 Sample : H1499-20
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 0311-S24-0312

Manual Integrations
 APPROVED

Sohil
 2/23/2016 5:24:43 PM

Quant Time: Feb 23 07:27:07 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM022216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Feb 23 07:03:02 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	36747	20.00	ng/ul	0.00
18) Naphthalene-d8	10.41	136	176941	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.29	164	111903	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.04	188	258572	20.00	ng/ul	0.00
78) Chrysene-d12	21.25	240	264354	20.00	ng/ul	0.00
86) Perylene-d12	23.47	264	197655	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.09	96	1690	2.42	ng/uL	0.00
5) Phenol-d5	6.82	99	34905m	11.33	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.96	67	21108	13.47	ng/ul	0.00
9) 2-Chlorophenol-d4	7.16	132	33846	12.74	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	31743	11.53	ng/ul	0.00
19) Nitrobenzene-d5	8.79	128	16150	12.00	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	18570	12.10	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.05	165	32424m	11.69	ng/ul	0.00
29) 4-Chloroaniline-d4	10.56	131	48688	14.08	ng/ul	0.00
44) Dimethylphthalate-d6	13.70	166	128488	13.39	ng/ul	0.00
47) Acenaphthylene-d8	13.97	160	150854	13.43	ng/ul	0.00
52) 4-Nitrophenol-d4	14.55	143	9426	6.11	ng/ul	0.01
58) Fluorene-d10	15.28	176	111501	13.66	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.43	200	10846	6.83	ng/ul	0.00
71) Anthracene-d10	17.14	188	181606	14.33	ng/ul	0.00
79) Pyrene-d10	19.44	212	205790	16.09	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.33	264	149004	14.37	ng/ul	0.00

Target Compounds					Ovalue
45) Dimethylphthalate	13.75	163	50610	5.06 ng/ul	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM022216\
Data File : BM004336.D
Acq On : 23 Feb 2016 06:09
Operator : SJ/UM
Sample : H1499-20
Misc :
ALS Vial : 26 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
0311-S24-0312

Manual Integrations
APPROVED

Sohil
2/23/2016 5:24:43 PM

Quant Time: Feb 23 07:27:07 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM022216.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Feb 23 07:03:02 2016
Response via : Initial Calibration






#45
 Dimethylphthalate
 Concen: 5.06 ng/ul
 RT: 13.75 min Scan# 1880
 Delta R.T. 0.00 min
 Lab File: BM004336.D
 Acq: 23 Feb 2016 06:09

Instrument :
 BNA_M
 ClientSampleId :
 0311-S24-0312

Tot Ion	Ratio	Resp Lower	Upper
163	100		
194	4.0	3.2	4.8
164	9.8	7.8	11.8

Manual Integrations
 APPROVED

Sohil
 2/23/2016 5:24:43 PM



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

