

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM022316\
 Data File : BM004348.D
 Acq On : 23 Feb 2016 14:07
 Operator : SJ/UM
 Sample : H1515-11
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 0311-S17-0003

Quant Time: Feb 24 01:07:02 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM022216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Feb 24 01:02:10 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	26158	20.00	ng/ul	0.00
18) Naphthalene-d8	10.41	136	121786	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.29	164	76556	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.04	188	181990	20.00	ng/ul	0.00
78) Chrysene-d12	21.25	240	194989	20.00	ng/ul	0.00
86) Perylene-d12	23.47	264	149313	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.09	96	2723	5.49	ng/uL	0.00
5) Phenol-d5	6.82	99	52947	24.14	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.96	67	30725	27.54	ng/ul	0.00
9) 2-Chlorophenol-d4	7.16	132	49702	26.27	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	46657	23.80	ng/ul	0.00
19) Nitrobenzene-d5	8.79	128	24263	26.19	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	27818	26.34	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.05	165	45726	23.95	ng/ul	0.00
29) 4-Chloroaniline-d4	10.56	131	70510	29.63	ng/ul	0.00
44) Dimethylphthalate-d6	13.70	166	182479	27.79	ng/ul	0.00
47) Acenaphthylene-d8	13.97	160	214393	27.89	ng/ul	0.00
52) 4-Nitrophenol-d4	14.53	143	18333	17.37	ng/ul	0.00
58) Fluorene-d10	15.28	176	158544	28.40	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.43	200	20252	18.12	ng/ul	0.00
71) Anthracene-d10	17.14	188	250280	28.07	ng/ul	0.00
79) Pyrene-d10	19.44	212	287302	30.46	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.33	264	222285	28.37	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
2) 1,4-Dioxane	2.82	88	672	1.17	ng/uL#	1
45) Dimethylphthalate	13.74	163	44978	6.57	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM022316\
Data File : BM004348.D
Acq On : 23 Feb 2016 14:07
Operator : SJ/UM
Sample : H1515-11
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
0311-S17-0003

Quant Time: Feb 24 01:07:02 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM022216.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Feb 24 01:02:10 2016
Response via : Initial Calibration





#2

1,4-Dioxane

Concen: 1.17 ng/uL

RT: 2.82 min Scan# 23

Delta R.T. -0.29 min

Lab File: BM004348.D

Acq: 23 Feb 2016 14:07

Instrument :

BNA_M

ClientSampleId :

0311-S17-0003


Tgt Ion: 88 Resp: 672

Ion Ratio Lower Upper

88 100

43 2017.1 21.0 31.6#




58 0.0 47.8 71.8#



Abundance Ion 88.00 (87.70 to 88.70): BM004341.D (-70) (-)

Ion 43.00 (42.70 to 43.70): BM004341.D (-70) (-)

Ion 58.00 (57.70 to 58.70): BM004341.D (-70) (-)



#45

Dimethylphthalate

Concen: 6.57 ng/uL

RT: 13.74 min Scan# 1880

Delta R.T. -0.00 min

Lab File: BM004348.D

Acq: 23 Feb 2016 14:07


Tgt Ion: 163 Resp: 44978

Ion Ratio Lower Upper

163 100

194 4.3 3.2 4.8

164 10.2 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): BM004341.D (-1874) (-)

Ion 194.00 (193.70 to 194.70): BM004341.D (-1874) (-)

Ion 164.00 (163.70 to 164.70): BM004341.D (-1874) (-)

