

Data Path : Z:\HPCHEM1\BNA M\DATA\BM022318\
 Data File : BM014333.D
 Acq On : 23 Feb 2018 16:32
 Operator : SJ/JU
 Sample : J1631-17
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BE605

Manual Integrations
 APPROVED

Sohil
 2/26/2018 4:49:54 PM

Quant Time: Feb 23 23:34:33 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM021418.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Feb 23 23:12:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.53	152	88994	20.00	ng/ul	0.00
18) Naphthalene-d8	10.29	136	423005	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.18	164	284068	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.94	188	683282	20.00	ng/ul	0.00
75) Chrysene-d12	21.15	240	576138	20.00	ng/ul	0.00
83) Perylene-d12	23.32	264	510124	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.10	96	12362m	5.95	ng/uL	0.00
5) Phenol-d5	6.72	99	213916	28.44	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.88	67	139223	30.58	ng/ul	0.00
9) 2-Chlorophenol-d4	7.06	132	170708	29.60	ng/ul	0.00
13) 4-Methylphenol-d8	8.25	113	187966	28.56	ng/ul	0.00
19) Nitrobenzene-d5	8.69	128	89576	28.66	ng/ul	0.00
22) 2-Nitrophenol-d4	9.40	143	96939	29.96	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.93	165	185199	27.64	ng/ul	0.00
29) 4-Chloroaniline-d4	10.46	131	74309	11.26	ng/ul	0.00
43) Dimethylphthalate-d6	13.60	166	712326	30.37	ng/ul	0.00
46) Acenaphthylene-d8	13.87	160	900128	31.12	ng/ul	0.00
51) 4-Nitrophenol-d4	14.44	143	58885m	18.18	ng/ul	0.01
57) Fluorene-d10	15.19	176	653898	31.11	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.34	200	85721	20.91	ng/ul	0.00
70) Anthracene-d10	17.04	188	1018123	30.88	ng/ul	0.00
76) Pyrene-d10	19.34	212	1069073	35.98	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.18	264	759172	30.58	ng/ul	0.00

Target Compounds

					Ovalue
4) Benzaldehyde	6.70	77	23347m	7.613	ng/ul
16) 4-Methylphenol	8.31	108	10311m	1.567	ng/ul
24) 2,4-Dimethylphenol	9.50	107	81757m	9.516	ng/ul
28) Naphthalene	10.35	128	44461	2.046	ng/ul 94
34) 2-Methylnaphthalene	11.97	142	22002	1.331	ng/ul 92
44) Dimethylphthalate	13.65	163	102732	4.441	ng/ul# 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM022318\
Data File : BM014333.D
Acq On : 23 Feb 2018 16:32
Operator : SJ/JU
Sample : J1631-17
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
BE605

Manual Integrations
APPROVED

Sohil
2/26/2018 4:49:54 PM

Quant Time: Feb 23 23:34:33 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM021418.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Feb 23 23:12:42 2018
Response via : Initial Calibration





#4

Benzaldehyde

Concen: 7.613 ng/ul m

RT: 6.70 min Scan# 631

Delta R.T. 0.01 min

Lab File: BM014333.D

Acq: 23 Feb 2018 16:32

Instrument :

BNA_M





ClientSampled :

BE605

Tot Ion:	77	Resp:	23347
Ion Ratio	Lower	Upper	
77	100		
105	88.5	66.1	99.1
106	68.5	67.8	101.6

Manual Integrations
APPROVED

Sohil
2/26/2018 4:49:54 PM



#16

4-Methylphenol

Concen: 1.567 ng/ul m




RT: 8.31 min Scan# 905


Delta R.T. -0.00 min

Lab File: BM014333.D

Acq: 23 Feb 2018 16:32

Tgt Ion:	108	Resp:	10311
Ion Ratio	Lower	Upper	
108	100		
107	102.1	84.9	127.3





#24

2,4-Dimethylphenol

Concen: 9.516 ng/ul m

RT: 9.50 min Scan# 1107

Delta R.T. -0.00 min

Lab File: BM014333.D

Acq: 23 Feb 2018 16:32

Instrument :

BNA_M

ClientSampled :





BE605

Tot Ion:	107	Resp:	81757
Ion Ratio	Lower	Upper	
107	100		
121	48.2	31.9	47.9#
122	69.3	57.8	86.6

Manual Integrations
APPROVED

Sohil

2/26/2018 4:49:54 PM



#28

Naphthalene

Concen: 2.046 ng/ul




RT: 10.35 min Scan# 1252


Delta R.T. 0.01 min

Lab File: BM014333.D

Acq: 23 Feb 2018 16:32

Tgt Ion:	128	Resp:	44461
Ion Ratio	Lower	Upper	
128	100		
129	13.2	8.8	13.2
127	11.1	10.6	16.0





#34

2-Methylnaphthalene

Concen: 1.331 ng/ul

RT: 11.97 min Scan# 1528

Delta R.T. 0.01 min

Lab File: BM014333.D

Acq: 23 Feb 2018 16:32

Instrument :

BNA_M

ClientSampleId :

BE605

Tot Ion:142 Resp: 22002

Ion Ratio Lower Upper

142 100





141 84.8 74.1 111.1

Manual Integrations

APPROVED

Sohil

2/26/2018 4:49:54 PM



#44

Dimethylphthalate

Concen: 4.441 ng/ul

RT: 13.65 min Scan# 1813

Delta R.T. -0.00 min

Lab File: BM014333.D

Acq: 23 Feb 2018 16:32

Tgt Ion:163 Resp: 102732

Ion Ratio Lower Upper

163 100

194 3.5 3.5 5.3

164 13.0 8.2 12.4#

