

Data Path : Z:\HPCHEM1\BNA_M\Data\BM022417\
 Data File : BM009013.D
 Acq On : 24 Feb 2017 12:13
 Operator : SJ/MA
 Sample : I1940-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DABP6

Quant Time: Feb 24 13:19:46 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM022317.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Feb 24 13:06:22 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.90	152	172766	20.00	ng/ul	0.00
18) Naphthalene-d8	10.70	136	645946	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.54	164	392277	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.29	188	933289	20.00	ng/ul	0.00
75) Chrysene-d12	21.45	240	1147967	20.00	ng/ul	0.00
83) Perylene-d12	23.80	264	1084646	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.36	96	20891	4.86	ng/uL	0.00
5) Phenol-d5	7.05	99	390468	24.94	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.23	67	301550	26.89	ng/ul	0.00
9) 2-Chlorophenol-d4	7.43	132	266612	25.55	ng/ul	0.00
13) 4-Methylphenol-d8	8.59	113	294645	25.63	ng/ul	0.00
19) Nitrobenzene-d5	9.06	128	129882	28.10	ng/ul	0.00
22) 2-Nitrophenol-d4	9.78	143	140568	28.18	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.32	165	275422	26.30	ng/ul	0.00
29) 4-Chloroaniline-d4	10.84	131	336449	30.48	ng/ul	0.00
43) Dimethylphthalate-d6	13.95	166	856310	32.42	ng/ul	0.00
46) Acenaphthylene-d8	14.23	160	1022244	31.51	ng/ul	0.00
51) 4-Nitrophenol-d4	14.72	143	120091	26.04	ng/ul	0.00
57) Fluorene-d10	15.53	176	768214	31.15	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.65	200	120206	21.40	ng/ul	0.00
70) Anthracene-d10	17.38	188	1247258	28.23	ng/ul	0.00
76) Pyrene-d10	19.67	212	1468461	29.34	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.65	264	1423621	28.91	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
6) Phenol	7.08	94	65682	3.97	ng/ul#	74
44) Dimethylphthalate	13.99	163	210683	7.97	ng/ul#	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\Data\BM022417\
Data File : BM009013.D
Acq On : 24 Feb 2017 12:13
Operator : SJ/MA
Sample : I1940-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DABP6

Quant Time: Feb 24 13:19:46 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM022317.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Feb 24 13:06:22 2017
Response via : Initial Calibration





#6

Phenol

Concen: 3.97 ng/ul

RT: 7.08 min Scan# 678

Delta R.T. -0.01 min

Lab File: BM009013.D

Acq: 24 Feb 2017 12:13

Instrument :

BNA_M

ClientSampled :

DABP6


Tgt Ion: 94 Resp: 65682

Ion Ratio Lower Upper

94 100

65 39.1 39.8 59.6#




66 58.2 69.9 104.9#



Abundance Ion 94.00 (93.70 to 94.70): BM009010.D (-672) (-)

Ion 65.00 (64.70 to 65.70): BM009010.D (-672) (-)

Ion 66.00 (65.70 to 66.70): BM009010.D (-672) (-)



#44

Dimethylphthalate

Concen: 7.97 ng/ul

RT: 13.99 min Scan# 1854

Delta R.T. 0.00 min

Lab File: BM009013.D

Acq: 24 Feb 2017 12:13


Tgt Ion:163 Resp: 210683

Ion Ratio Lower Upper

163 100

194 5.1 3.0 4.6#

164 9.4 8.6 12.8



Abundance Ion 163.00 (162.70 to 163.70): BM009010.D (-1847) (-)

Ion 194.00 (193.70 to 194.70): BM009010.D (-1847) (-)

Ion 164.00 (163.70 to 164.70): BM009010.D (-1847) (-)

