





Data Path : Z:\HPCHEM1\BNA M\Data\BM022417\
Data File : BM009029.D
Acq On : 24 Feb 2017 22:44
Operator : SJ/MA
Sample : I1940-19
Misc :
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Feb 25 00:51:02 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM022317.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Feb 25 00:25:23 2017
Response via : Initial Calibration



Data Path : Z:\HPCHEM1\BNA M\Data\BM022417\
Data File : BM009029.D
Acq On : 24 Feb 2017 22:44
Operator : SJ/MA
Sample : I1940-19
Misc :
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Mar 06 14:06:19 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM022317.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Mar 02 03:54:18 2017
Response via : Initial Calibration



TIC: BM009029.D

(70) Anthracene-d10 (S)




17.286min (-0.094) 21.12ng/ul

response 866364

Ion	Exp%	Act%
188.00	100	100
94.00	8.70	8.18
80.00	8.50	9.66
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA M\Data\BM022417\
Data File : BM009029.D
Acq On : 24 Feb 2017 22:44
Operator : SJ/MA
Sample : I1940-19
Misc :
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Feb 25 00:51:02 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM022317.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Feb 25 00:25:23 2017
Response via : Initial Calibration



TIC: BM009029.D

(70) Anthracene-d10 (S)

17.380min (-0.006) 20.19ng/ul m SJ 2/27/17

response 828035

Ion	Exp%	Act%
188.00	100	100
94.00	8.70	9.99
80.00	8.50	11.04#
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA M\Data\BM022417\
 Data File : BM009029.D
 Acq On : 24 Feb 2017 22:44
 Operator : SJ/MA
 Sample : I1940-19
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Feb 25 00:51:02 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM022317.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Feb 25 00:25:23 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.90	152	160590	20.00	ng/ul	0.00
18) Naphthalene-d8	10.70	136	605353	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.54	164	367581	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.29	188	866364	20.00	ng/ul	0.00
75) Chrysene-d12	21.45	240	1107759	20.00	ng/ul	0.00
83) Perylene-d12	23.80	264	1080761	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.36	96	13134	3.28	ng/uL	0.00
5) Phenol-d5	7.05	99	251980	17.31	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.23	67	188662	18.10	ng/ul	0.00
9) 2-Chlorophenol-d4	7.43	132	170162	17.55	ng/ul	0.00
13) 4-Methylphenol-d8	8.59	113	185716	17.38	ng/ul	0.00
19) Nitrobenzene-d5	9.06	128	79016	18.24	ng/ul	0.00
22) 2-Nitrophenol-d4	9.79	143	84440	18.07	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.32	165	169705	17.29	ng/ul	0.00
29) 4-Chloroaniline-d4	10.84	131	228300	22.07	ng/ul	0.00
43) Dimethylphthalate-d6	13.94	166	555952	22.47	ng/ul	0.00
46) Acenaphthylene-d8	14.23	160	658702	21.67	ng/ul	0.00
51) 4-Nitrophenol-d4	14.72	143	65676	15.20	ng/ul	0.00
57) Fluorene-d10	15.53	176	508693	22.01	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.64	200	64056	12.29	ng/ul	0.00
70) Anthracene-d10	17.38	188	828035m>	20.19	ng/ul	0.00
76) Pyrene-d10	19.67	212	1000156	20.71	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.65	264	1002760	20.44	ng/ul	0.00

SJ 2/27/17

Target Compounds

				Ovalue
6) Phenol	7.07	94	27498	1.79 ng/ul# 66
44) Dimethylphthalate	13.99	163	316477	12.78 ng/ul# 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed