

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM022417\
 Data File : BM009031.D
 Acq On : 24 Feb 2017 23:58
 Operator : SJ/MA
 Sample : I1940-21MSD
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DABR2MSD

Manual Integrations
 APPROVED

mohammad
 2/27/2017 1:06:20 PM

Quant Time: Feb 25 00:55:13 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM022317.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Feb 25 00:25:23 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.90	152	183773	20.00	ng/ul	0.00
18) Naphthalene-d8	10.70	136	716784	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.54	164	448951	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.29	188	1135272	20.00	ng/ul	0.00
75) Chrysene-d12	21.45	240	1500962	20.00	ng/ul	0.00
83) Perylene-d12	23.80	264	1340411	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.36	96	20749	4.53	ng/uL	0.00
5) Phenol-d5	7.05	99	405970	24.37	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.23	67	319637	26.79	ng/ul	0.00
9) 2-Chlorophenol-d4	7.43	132	280197	25.25	ng/ul	0.00
13) 4-Methylphenol-d8	8.60	113	320910	26.24	ng/ul	0.00
19) Nitrobenzene-d5	9.06	128	144842	28.24	ng/ul	0.00
22) 2-Nitrophenol-d4	9.78	143	148169	26.77	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.32	165	306232	26.35	ng/ul	0.00
29) 4-Chloroaniline-d4	10.84	131	389195	31.77	ng/ul	0.00
43) Dimethylphthalate-d6	13.94	166	1041825	34.47	ng/ul	0.00
46) Acenaphthylene-d8	14.23	160	1196237	32.22	ng/ul	0.00
51) 4-Nitrophenol-d4	14.73	143	143653	27.21	ng/ul	0.00
57) Fluorene-d10	15.53	176	929978	32.95	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.64	200	130197	19.06	ng/ul	0.00
70) Anthracene-d10	17.38	188	1553310m	28.90	ng/ul	0.00
76) Pyrene-d10	19.67	212	1903820	29.10	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.65	264	1795447	29.50	ng/ul	0.00

Target Compounds

						Qvalue
6) Phenol	7.08	94	477672	27.17	ng/ul#	71
10) 2-Chlorophenol	7.46	128	287645	24.88	ng/ul#	84
15) N-Nitroso-di-n-propylamine	8.70	70	359096	27.65	ng/ul#	80
33) 4-Chloro-3-methylphenol	11.97	107	381159	28.57	ng/ul#	95
44) Dimethylphthalate	13.99	163	574758	19.00	ng/ul	99
49) Acenaphthene	14.60	153	851058	32.76	ng/ul	97
52) 4-Nitrophenol	14.74	109	212565	31.44	ng/ul#	78
54) 2,4-Dinitrotoluene	14.90	165	296048	34.78	ng/ul#	69
68) Pentachlorophenol	16.93	266	226218	25.73	ng/ul#	86
77) Pyrene	19.70	202	2460967	29.36	ng/ul#	96
81) Bis(2-ethylhexyl)phthalate	21.35	149	153110	3.50	ng/ul	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM022417\
Data File : BM009031.D
Acq On : 24 Feb 2017 23:58
Operator : SJ/MA
Sample : I1940-21MSD
Misc :
ALS Vial : 22 Sample Multiplier: 1




Instrument :
BNA_M
ClientSampleId :
DABR2MSD

Manual Integrations
APPROVED

mohammad
2/27/2017 1:06:20 PM

Quant Time: Feb 25 00:55:13 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM022317.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Feb 25 00:25:23 2017
Response via : Initial Calibration





#6

Phenol

Concen: 27.17 ng/ul

RT: 7.08 min Scan# 679

Delta R.T. 0.00 min

Lab File: BM009031.D

Acq: 24 Feb 2017 23:58

Instrument :

BNA_M

ClientSampleId :

DABR2MSD

Tgt Ion: 94 Resp: 477672

Ion Ratio Lower Upper





94 100

65 37.4 39.8 59.6#

66 54.1 69.9 104.9#

Manual Integrations
APPROVED

mohammad
2/27/2017 1:06:20 PM



#10

2-Chlorophenol

Concen: 24.88 ng/ul

RT: 7.46 min Scan# 743

Delta R.T. -0.01 min

Lab File: BM009031.D

Acq: 24 Feb 2017 23:58


Tgt Ion: 128 Resp: 287645




Ion Ratio Lower Upper

128 100

64 76.3 76.6 115.0#

130 31.5 26.5 39.7









#15
N-Nitroso-di-n-propylamine
Concen: 27.65 ng/ul
RT: 8.70 min Scan# 955
Delta R.T. 0.00 min
Lab File: BM009031.D
Acq: 24 Feb 2017 23:58

Instrument :
BNA_M
ClientSampleId :
DABR2MSD

Tgt Ion	Ratio	Lower	Upper
70	100		
42	61.2	64.2	96.2#
101	8.2	5.1	7.7#
130	16.8	8.3	12.5#


Manual Integrations
APPROVED


mohammad
2/27/2017 1:06:20 PM



#33
4-Chloro-3-methylphenol
Concen: 28.57 ng/ul
RT: 11.97 min Scan# 1510
Delta R.T. -0.01 min
Lab File: BM009031.D
Acq: 24 Feb 2017 23:58

Tgt Ion	Ratio	Lower	Upper
107	100		
144	23.4	14.4	21.6#
142	66.0	50.7	76.1









#44
Dimethylphthalate
Concen: 19.00 ng/ul
RT: 13.99 min Scan# 1854
Delta R.T. 0.00 min
Lab File: BM009031.D
Acq: 24 Feb 2017 23:58

Instrument :
BNA_M
ClientSampleId :
DABR2MSD

Tgt Ion	Ratio	Resp Lower	Resp Upper
163	100		
194	4.4	3.0	4.6
164	10.2	8.6	12.8




Manual Integrations
APPROVED


mohammad
2/27/2017 1:06:20 PM



#49
Acenaphthene
Concen: 32.76 ng/ul
RT: 14.60 min Scan# 1958
Delta R.T. 0.00 min
Lab File: BM009031.D
Acq: 24 Feb 2017 23:58

Tgt Ion	Ratio	Resp Lower	Resp Upper
153	100		
152	48.1	36.7	55.1
154	87.6	68.3	102.5









#52
4-Nitrophenol
Concen: 31.44 ng/ul
RT: 14.74 min Scan# 1981
Delta R.T. 0.00 min
Lab File: BM009031.D
Acq: 24 Feb 2017 23:58

Instrument :
BNA_M
ClientSampleId :
DABR2MSD

Tgt Ion	Ratio	Resp	Lower	Upper
109	100	212565		
139	78.7	33.9	50.9#	
65	124.4	92.2	138.2	




Manual Integrations
APPROVED


mohammad
2/27/2017 1:06:20 PM



#54
2,4-Dinitrotoluene
Concen: 34.78 ng/ul
RT: 14.90 min Scan# 2009
Delta R.T. 0.00 min
Lab File: BM009031.D
Acq: 24 Feb 2017 23:58

Tgt Ion	Ratio	Resp	Lower	Upper
165	100	296048		
63	63.7	75.7	113.5#	
182	3.4	1.7	2.5#	









#68
 Pentachlorophenol
 Concen: 25.73 ng/ul
 RT: 16.93 min Scan# 2353
 Delta R.T. 0.00 min
 Lab File: BM009031.D
 Acq: 24 Feb 2017 23:58

Instrument :
 BNA_M
 ClientSampleId :
 DABR2MSD

Tgt Ion	Ratio	Resp Lower	Resp Upper
266	100		
264	60.2	54.8	82.2
268	62.0	62.1	93.1#




Manual Integrations
 APPROVED


mohammad
 2/27/2017 1:06:20 PM



#77
 Pyrene
 Concen: 29.36 ng/ul
 RT: 19.70 min Scan# 2825
 Delta R.T. 0.00 min
 Lab File: BM009031.D
 Acq: 24 Feb 2017 23:58

Tgt Ion	Ratio	Resp Lower	Resp Upper
202	100		
101	10.3	6.2	9.4#
100	8.7	6.4	9.6





#81

Bis(2-ethylhexyl)phthalate

Concen: 3.50 ng/ul

RT: 21.35 min Scan# 3105

Delta R.T. 0.00 min

Lab File: BM009031.D


Acq: 24 Feb 2017 23:58

Instrument :

BNA_M

ClientSampleId :

DABR2MSD



Tgt	Ion	149	Resp	153110
	Ratio	100	Lower	Upper
	149	100		
	167	28.8	20.2	30.2
	279	4.8	4.0	6.0

Manual Integrations
APPROVED

mohammad
2/27/2017 1:06:20 PM

