

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM022421\
 Data File : BM028888.D
 Acq On : 24 Feb 2021 20:35
 Operator : CG/JU
 Sample : M1472-03 5X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 COMPOSITE-01(TP2-TP1)


Quant Time: Feb 25 00:12:58 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 23 16:39:41 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.804	152	21996	20.00	ng	0.00
21) Naphthalene-d8	10.616	136	91499	20.00	ng	# 0.00
39) Acenaphthene-d10	14.474	164	58901	20.00	ng	0.00
64) Phenanthrene-d10	17.221	188	100644	20.00	ng	# 0.00
76) Chrysene-d12	21.368	240	71449	20.00	ng	# 0.00
86) Perylene-d12	23.586	264	69666	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.357	112	26157	19.71	ng	0.00
7) Phenol-d6	6.993	99	34071	19.44	ng	0.00
23) Nitrobenzene-d5	8.987	82	23288	13.73	ng	0.00
42) 2,4,6-Tribromophenol	15.974	330	12168	17.43	ng	0.00
45) 2-Fluorobiphenyl	13.086	172	47358	10.70	ng	0.00
79) Terphenyl-d14	19.827	244	48017	12.41	ng	0.00
Target Compounds						Qvalue
9) Benzaldehyde	6.940	77	5689	5.95	ng	# 1
18) Hexachloroethane	8.916	117	93828	148.11	ng	# 1
19) n-Nitroso-di-n-propyla...	8.669	70	8534	8.28	ng	# 87
22) Acetophenone	8.604	105	160729	72.03	ng	# 62
24) Nitrobenzene	8.992	77	11818	6.85	ng	# 11
25) Isophorone	9.522	82	18018	6.04	ng	# 1
26) 2-Nitrophenol	9.722	139	2567	2.95	ng	# 1
27) 2,4-Dimethylphenol	9.810	122	2624	2.01	ng	# 18
29) 2,4-Dichlorophenol	10.269	162	3887	2.60	ng	# 48
31) Naphthalene	10.669	128	507448	100.59	ng	98
33) 4-Chloroaniline	10.722	127	5038	2.48	ng	# 1
35) Caprolactam	11.628	113	37481	91.62	ng	# 2
37) 2-Methylnaphthalene	12.298	142	743443	209.45	ng	97
38) 1-Methylnaphthalene	12.510	142	419795	124.87	ng	99
52) Acenaphthene	14.539	154	23628	6.51	ng	# 93
53) 3-Nitroaniline	14.369	138	2692	2.65	ng	# 35
55) Dibenzofuran	14.874	168	31352	5.50	ng	# 1
56) 4-Nitrophenol	14.769	139	4332	5.21	ng	# 44
57) 2,4-Dinitrotoluene	14.880	165	11653	8.57	ng	# 51
58) Fluorene	15.527	166	68524	14.99	ng	# 90
63) Azobenzene	15.810	77	9423	2.27	ng	# 1
66) n-Nitrosodiphenylamine	15.733	169	89661	26.04	ng	# 54
69) Atrazine	16.710	200	4013	3.75	ng	# 58
71) Phenanthrene	17.263	178	176443	29.44	ng	97
72) Anthracene	17.263	178	176443	29.72	ng	97
75) Fluoranthene	19.268	202	19119	2.90	ng	86
78) Pyrene	19.627	202	40229	7.66	ng	# 95
85) Di-n-octyl phthalate	22.050	149	12303	2.23	ng	# 90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Feb 25 00:12:58 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 23 16:39:41 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.804 min Scan# 819
Delta R.T. -0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:152 Resp: 21996
Ion Ratio Lower Upper
152 100
150 156.1 120.6 181.0
115 58.0 47.2 70.8



#5
2-Fluorophenol
Concen: 19.71 ng
RT: 5.357 min Scan# 403
Delta R.T. -0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:112 Resp: 26157
Ion Ratio Lower Upper
112 100
64 59.3 50.6 76.0
63 31.3 31.0 46.6









#7
Phenol-d6
Concen: 19.44 ng
RT: 6.993 min Scan# 681
Delta R.T. -0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion: 99 Resp: 34071
Ion Ratio Lower Upper
99 100
42 24.9 13.5 20.3#
71 39.2 39.4 59.0#



#9
Benzaldehyde
Concen: 5.95 ng
RT: 6.940 min Scan# 672
Delta R.T. -0.012 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion: 77 Resp: 5689
Ion Ratio Lower Upper
77 100
105 685.4 64.7 104.7#
106 61.9 57.5 97.5









#18
Hexachloroethane
Concen: 148.11 ng
RT: 8.916 min Scan# 1008
Delta R.T. 0.035 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:117 Resp: 93828
Ion Ratio Lower Upper
117 100
119 558.6 73.1 109.7#
201 0.0 88.7 133.1#



#19
n-Nitroso-di-n-propylamine
Concen: 8.28 ng
RT: 8.669 min Scan# 966
Delta R.T. 0.035 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion: 70 Resp: 8534
Ion Ratio Lower Upper
70 100
42 39.6 31.9 47.9
101 0.0 7.0 10.4#
130 0.0 13.4 20.0#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.616 min Scan# 1297
Delta R.T. 0.000 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:	136	Resp:	91499
Ion Ratio	Lower	Upper	
136	100		
137	12.2	8.6	12.8
54	11.8	4.6	7.0#
68	9.2	4.1	6.1#



#22
Acetophenone
Concen: 72.03 ng
RT: 8.604 min Scan# 955
Delta R.T. -0.047 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:	105	Resp:	160729
Ion Ratio	Lower	Upper	
105	100		
71	1.8	7.6	11.4#
51	4.7	18.6	28.0#
120	0.2	17.3	25.9#









#23
Nitrobenzene-d5
Concen: 13.73 ng
RT: 8.987 min Scan# 1020
Delta R.T. -0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion: 82 Resp: 23288
Ion Ratio Lower Upper
82 100
128 66.1 27.4 41.0#
54 61.7 31.4 47.0#



#24
Nitrobenzene
Concen: 6.85 ng
RT: 8.992 min Scan# 1021
Delta R.T. -0.041 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion: 77 Resp: 11818
Ion Ratio Lower Upper
77 100
123 8.0 29.1 43.7#
65 93.1 11.3 16.9#









#25
Isophorone
Concen: 6.04 ng
RT: 9.522 min Scan# 1111
Delta R.T. -0.035 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion: 82 Resp: 18018
Ion Ratio Lower Upper
82 100
95 173.7 6.8 10.2#
138 11.6 13.1 19.7#



#26
2-Nitrophenol
Concen: 2.95 ng
RT: 9.722 min Scan# 1145
Delta R.T. -0.018 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:139 Resp: 2567
Ion Ratio Lower Upper
139 100
109 161.2 33.8 50.8#
65 164.9 51.0 76.6#









#27
2,4-Dimethylphenol
Concen: 2.01 ng
RT: 9.810 min Scan# 1160
Delta R.T. 0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:122 Resp: 2624
Ion Ratio Lower Upper
122 100
107 226.1 106.6 159.8#
121 128.4 48.8 73.2#



#29
2,4-Dichlorophenol
Concen: 2.60 ng
RT: 10.269 min Scan# 1238
Delta R.T. -0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:162 Resp: 3887
Ion Ratio Lower Upper
162 100
164 0.0 43.2 83.2#
98 35.3 15.7 55.7









#31
Naphthalene
Concen: 100.59 ng
RT: 10.669 min Scan# 1306
Delta R.T. 0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:128 Resp: 507448
Ion Ratio Lower Upper
128 100
129 12.5 9.0 13.4
127 13.6 10.6 15.8



#33
4-Chloroaniline
Concen: 2.48 ng
RT: 10.722 min Scan# 1315
Delta R.T. -0.071 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:127 Resp: 5038
Ion Ratio Lower Upper
127 100
129 257.5 24.7 37.1#
65 120.0 30.2 45.4#
92 37.3 17.8 26.8#









#35
Caprolactam
Concen: 91.62 ng
RT: 11.628 min Scan# 1469
Delta R.T. 0.024 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:113 Resp: 37481
Ion Ratio Lower Upper
113 100
55 220.1 103.2 143.2#
56 219.6 84.2 124.2#



#37
2-Methylnaphthalene
Concen: 209.45 ng
RT: 12.298 min Scan# 1583
Delta R.T. 0.018 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:142 Resp: 743443
Ion Ratio Lower Upper
142 100
141 88.5 70.3 105.5
115 34.3 32.2 48.4









#38
1-Methylnaphthalene
Concen: 124.87 ng
RT: 12.510 min Scan# 1619
Delta R.T. 0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:142 Resp: 419795
Ion Ratio Lower Upper
142 100
141 91.7 73.8 110.6
116 4.3 3.5 5.3



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.474 min Scan# 1953
Delta R.T. 0.000 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:164 Resp: 58901
Ion Ratio Lower Upper
164 100
162 98.1 80.4 120.6
160 44.3 35.9 53.9









#42
2,4,6-Tribromophenol
Concen: 17.43 ng
RT: 15.974 min Scan# 2208
Delta R.T. 0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:330 Resp: 12168
Ion Ratio Lower Upper
330 100
332 95.9 77.8 116.8
141 48.1 28.4 42.6#



#45
2-Fluorobiphenyl
Concen: 10.70 ng
RT: 13.086 min Scan# 1717
Delta R.T. -0.000 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:172 Resp: 47358
Ion Ratio Lower Upper
172 100
171 34.1 27.8 41.8
170 23.0 18.6 27.8









#52
Acenaphthene
Concen: 6.51 ng
RT: 14.539 min Scan# 1964
Delta R.T. 0.000 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:154 Resp: 23628
Ion Ratio Lower Upper
154 100
153 113.4 88.3 132.5
152 63.3 41.4 62.2#



#53
3-Nitroaniline
Concen: 2.65 ng
RT: 14.369 min Scan# 1935
Delta R.T. -0.029 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:138 Resp: 2692
Ion Ratio Lower Upper
138 100
108 54.1 8.6 13.0#
92 57.3 102.1 153.1#









#55
Dibenzenofuran
Concen: 5.50 ng
RT: 14.874 min Scan# 2021
Delta R.T. -0.000 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:168 Resp: 31352
Ion Ratio Lower Upper
168 100
139 75.7 30.2 45.4#
169 135.4 10.6 16.0#



#56
4-Nitrophenol
Concen: 5.21 ng
RT: 14.769 min Scan# 2003
Delta R.T. 0.041 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:139 Resp: 4332
Ion Ratio Lower Upper
139 100
109 163.1 77.0 117.0#
65 69.5 103.4 143.4#









#57
2,4-Dinitrotoluene
Concen: 8.57 ng
RT: 14.880 min Scan# 2022
Delta R.T. 0.018 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:165 Resp: 11653
Ion Ratio Lower Upper
165 100
63 87.9 38.8 58.2#
89 39.7 62.6 94.0#
182 14.3 2.3 3.5#



#58
Fluorene
Concen: 14.99 ng
RT: 15.527 min Scan# 2132
Delta R.T. 0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:166 Resp: 68524
Ion Ratio Lower Upper
166 100
165 102.1 76.2 114.2
167 24.3 10.7 16.1#









#63
Azobenzene
Concen: 2.27 ng
RT: 15.810 min Scan# 2180
Delta R.T. -0.000 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion: 77	Resp: 9423
Ion Ratio	Lower Upper
77 100	
182 475.3	5.8 45.8#
105 105.9	0.0 37.2#
51 52.3	3.6 43.6#



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.221 min Scan# 2420
Delta R.T. 0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion: 188	Resp: 100644
Ion Ratio	Lower Upper
188 100	
94 10.2	6.2 9.4#
80 10.1	7.5 11.3









#66
n-Nitrosodiphenylamine
Concen: 26.04 ng
RT: 15.733 min Scan# 2167
Delta R.T. -0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:169 Resp: 89661
Ion Ratio Lower Upper
169 100
168 26.3 53.8 80.8#
167 13.8 29.0 43.4#



#69
Atrazine
Concen: 3.75 ng
RT: 16.710 min Scan# 2333
Delta R.T. 0.024 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:200 Resp: 4013
Ion Ratio Lower Upper
200 100
173 81.6 4.9 44.9#
215 53.4 29.0 69.0









#71
Phenanthrene
Concen: 29.44 ng
RT: 17.263 min Scan# 2427
Delta R.T. 0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:178 Resp: 176443
Ion Ratio Lower Upper
178 100
176 18.4 15.0 22.6
179 17.9 12.2 18.4



#72
Anthracene
Concen: 29.72 ng
RT: 17.263 min Scan# 2427
Delta R.T. -0.082 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:178 Resp: 176443
Ion Ratio Lower Upper
178 100
176 18.4 15.0 22.4
179 17.9 12.5 18.7









#75
Fluoranthene
Concen: 2.90 ng
RT: 19.268 min Scan# 2768
Delta R.T. 0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35




Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)


Tgt Ion:	202	Resp:	19119
Ion Ratio	Lower	Upper	
202	100		
101	12.2	0.0	28.5
203	23.9	0.0	37.3



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.368 min Scan# 3125
Delta R.T. -0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:	240	Resp:	71449
Ion Ratio	Lower	Upper	
240	100		
120	12.2	6.4	9.6#
236	25.1	20.1	30.1





#78

Pyrene

Concen: 7.66 ng

RT: 19.627 min Scan# 2829

Delta R.T. -0.000 min

Lab File: BM028888.D

Acq: 24 Feb 2021 20:35





Tgt Ion:	202	Resp:	40229
Ion Ratio	Lower	Upper	
202	100		
200	20.5	16.6	24.8
203	22.0	13.8	20.6#

Instrument :

BNA_M

ClientSampleId :

COMPOSITE-01(TP2-TP1)



#79

Terphenyl-d14

Concen: 12.41 ng




RT: 19.827 min Scan# 2863


Delta R.T. 0.000 min

Lab File: BM028888.D

Acq: 24 Feb 2021 20:35

Tgt Ion:	244	Resp:	48017
Ion Ratio	Lower	Upper	
244	100		
212	7.8	5.8	8.8
122	11.7	6.5	9.7#









#85
Di-n-octyl phthalate
Concen: 2.23 ng
RT: 22.050 min Scan# 3241
Delta R.T. -0.100 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Instrument :
BNA_M
ClientSampleId :
COMPOSITE-01(TP2-TP1)

Tgt Ion:149 Resp: 12303
Ion Ratio Lower Upper
149 100
167 0.0 1.3 1.9#
43 3.2 5.8 8.6#



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.586 min Scan# 3502
Delta R.T. -0.006 min
Lab File: BM028888.D
Acq: 24 Feb 2021 20:35

Tgt Ion:264 Resp: 69666
Ion Ratio Lower Upper
264 100
260 23.5 19.0 28.4
265 22.9 17.7 26.5

