

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM022516\
 Data File : BM004419.D
 Acq On : 26 Feb 2016 03:34
 Operator : SJ/UM
 Sample : H1572-19
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 0311-S58-0312

Quant Time: Feb 26 04:34:30 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM022216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Feb 26 03:49:40 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	26846	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	119827	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.28	164	67459	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.03	188	143403	20.00	ng/ul	0.00
78) Chrysene-d12	21.24	240	149087	20.00	ng/ul	0.00
86) Perylene-d12	23.46	264	145946	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.08	96	2431	4.77	ng/uL	0.00
5) Phenol-d5	6.80	99	54922	24.40	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.95	67	28701	25.07	ng/ul	0.00
9) 2-Chlorophenol-d4	7.15	132	49427	25.46	ng/ul	0.00
13) 4-Methylphenol-d8	8.34	113	45522	22.63	ng/ul	0.00
19) Nitrobenzene-d5	8.77	128	23736	26.04	ng/ul	0.00
22) 2-Nitrophenol-d4	9.49	143	27557	26.52	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.04	165	46963	25.00	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	62002	26.48	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	149635	25.86	ng/ul	0.00
47) Acenaphthylene-d8	13.97	160	186303	27.51	ng/ul	0.00
52) 4-Nitrophenol-d4	14.53	143	17999	19.36	ng/ul	0.00
58) Fluorene-d10	15.27	176	129295	26.28	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.43	200	17138	19.45	ng/ul	0.00
71) Anthracene-d10	17.13	188	193085	27.48	ng/ul	0.00
79) Pyrene-d10	19.44	212	212139	29.42	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.32	264	215662	28.16	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
45) Dimethylphthalate	13.74	163	67238	11.14	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM022516\
Data File : BM004419.D
Acq On : 26 Feb 2016 03:34
Operator : SJ/UM
Sample : H1572-19
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
0311-S58-0312

Quant Time: Feb 26 04:34:30 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM022216.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Feb 26 03:49:40 2016
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 11.14 ng/ul

RT: 13.74 min Scan# 1879

Delta R.T. -0.00 min

Lab File: BM004419.D


Acq: 26 Feb 2016 03:34

Instrument :

BNA_M

ClientSampleId :

0311-S58-0312



Tgt Ion:163 Resp: 67238

Ion Ratio Lower Upper

163 100

194 4.2 3.2 4.8

164 9.6 7.8 11.8

