

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM022522\
 Data File : BM034080.D
 Acq On : 25 Feb 2022 16:38
 Operator : CG/JU
 Sample : N1653-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SP-303-20220223E

Quant Time: Feb 26 04:01:52 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Feb 26 03:45:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.001	152	164069	20.000	ng	0.00
21) Naphthalene-d8	10.819	136	585034	20.000	ng	# 0.00
39) Acenaphthene-d10	14.636	164	374447	20.000	ng	0.00
64) Phenanthrene-d10	17.377	188	809921	20.000	ng	# 0.00
76) Chrysene-d12	21.547	240	903844	20.000	ng	# 0.00
86) Perylene-d12	24.000	264	943378	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.554	112	659454	71.650	ng	0.00
7) Phenol-d6	7.154	99	475805	39.368	ng	0.00
23) Nitrobenzene-d5	9.166	82	1087254	100.292	ng	0.00
42) 2,4,6-Tribromophenol	16.124	330	856489	188.464	ng	0.00
45) 2-Fluorobiphenyl	13.272	172	2920550	103.914	ng	0.00
79) Terphenyl-d14	19.995	244	4756872	91.645	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM022522\
Data File : BM034080.D
Acq On : 25 Feb 2022 16:38
Operator : CG/JU
Sample : N1653-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SP-303-20220223E


Quant Time: Feb 26 04:01:52 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Feb 26 03:45:21 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.001 min Scan# 814
Delta R.T. 0.000 min
Lab File: BM034080.D
Acq: 25 Feb 2022 16:38

Instrument :
BNA_M
ClientSampleId :
SP-303-20220223E







Tgt Ion:152 Resp: 164069
Ion Ratio Lower Upper
152 100
150 151.6 128.9 193.3
115 55.2 53.0 79.6



#5
2-Fluorophenol
Concen: 71.650 ng
RT: 5.554 min Scan# 394
Delta R.T. 0.006 min
Lab File: BM034080.D
Acq: 25 Feb 2022 16:38

Tgt Ion:112 Resp: 659454
Ion Ratio Lower Upper
112 100
64 54.0 55.5 83.3#
63 32.0 31.3 46.9









#7
Phenol-d6
Concen: 39.368 ng
RT: 7.154 min Scan# 666
Delta R.T. 0.000 min
Lab File: BM034080.D
Acq: 25 Feb 2022 16:38




Instrument :
BNA_M
ClientSampleId :
SP-303-20220223E


Tgt Ion: 99 Resp: 475805
Ion Ratio Lower Upper
99 100
42 20.8 20.3 30.5
71 40.5 34.5 51.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.819 min Scan# 1289
Delta R.T. 0.000 min
Lab File: BM034080.D
Acq: 25 Feb 2022 16:38

Tgt Ion: 136 Resp: 585034
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 6.1 8.3 12.5#
68 4.1 5.0 7.6#









#23
 Nitrobenzene-d5
 Concen: 100.292 ng
 RT: 9.166 min Scan# 1011
 Delta R.T. 0.000 min
 Lab File: BM034080.D
 Acq: 25 Feb 2022 16:38




Instrument :
 BNA_M
 ClientSampleId :
 SP-303-20220223E


Tgt Ion: 82 Resp: 1087254
 Ion Ratio Lower Upper
 82 100
 128 45.0 28.1 42.1#
 54 52.4 46.1 69.1



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.636 min Scan# 1938
 Delta R.T. -0.006 min
 Lab File: BM034080.D
 Acq: 25 Feb 2022 16:38

Tgt Ion:164 Resp: 374447
 Ion Ratio Lower Upper
 164 100
 162 102.5 79.7 119.5
 160 44.6 34.2 51.4









#42
2,4,6-Tribromophenol
Concen: 188.464 ng
RT: 16.124 min Scan# 2193
Delta R.T. 0.000 min
Lab File: BM034080.D
Acq: 25 Feb 2022 16:38




Instrument :
BNA_M
ClientSampleId :
SP-303-20220223E


Tgt Ion:330 Resp: 856489
Ion Ratio Lower Upper
330 100
332 96.2 76.5 114.7
141 35.2 35.9 53.9#



#45
2-Fluorobiphenyl
Concen: 103.914 ng
RT: 13.272 min Scan# 1706
Delta R.T. 0.000 min
Lab File: BM034080.D
Acq: 25 Feb 2022 16:38

Tgt Ion:172 Resp: 2920550
Ion Ratio Lower Upper
172 100
171 35.9 27.2 40.8
170 23.5 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.377 min Scan# 2404
Delta R.T. 0.000 min
Lab File: BM034080.D
Acq: 25 Feb 2022 16:38




Instrument :
BNA_M
ClientSampleId :
SP-303-20220223E


Tgt Ion:188 Resp: 809921
Ion Ratio Lower Upper
188 100
94 5.8 7.5 11.3#
80 6.1 8.9 13.3#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.547 min Scan# 3113
Delta R.T. -0.006 min
Lab File: BM034080.D
Acq: 25 Feb 2022 16:38

Tgt Ion:240 Resp: 903844
Ion Ratio Lower Upper
240 100
120 6.9 7.8 11.6#
236 25.3 20.3 30.5









#79
 Terphenyl-d14
 Concen: 91.645 ng
 RT: 19.995 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BM034080.D
 Acq: 25 Feb 2022 16:38

Instrument :
 BNA_M
 ClientSampleId :
 SP-303-20220223E

Tgt Ion:244 Resp: 4756872
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.9 8.9
 122 8.0 8.4 12.6#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.000 min Scan# 3530
 Delta R.T. 0.000 min
 Lab File: BM034080.D
 Acq: 25 Feb 2022 16:38

Tgt Ion:264 Resp: 943378
 Ion Ratio Lower Upper
 264 100
 260 23.4 17.7 26.5
 265 21.8 17.7 26.5

