

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM022522\
 Data File : BM034083.D
 Acq On : 25 Feb 2022 18:26
 Operator : CG/JU
 Sample : N1664-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-1

Quant Time: Feb 26 04:17:32 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Feb 26 03:45:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.001	152	120795	20.000	ng	0.00
21) Naphthalene-d8	10.819	136	427917	20.000	ng	# 0.00
39) Acenaphthene-d10	14.636	164	274256	20.000	ng	0.00
64) Phenanthrene-d10	17.377	188	594875	20.000	ng	# 0.00
76) Chrysene-d12	21.548	240	615732	20.000	ng	# 0.00
86) Perylene-d12	24.000	264	635287	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.555	112	902281	133.153	ng	0.00
7) Phenol-d6	7.154	99	985556	110.759	ng	0.00
23) Nitrobenzene-d5	9.166	82	749336	94.500	ng	0.00
42) 2,4,6-Tribromophenol	16.119	330	600559	180.425	ng	0.00
45) 2-Fluorobiphenyl	13.272	172	2025214	98.382	ng	0.00
79) Terphenyl-d14	19.995	244	3691483	104.398	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM022522\
Data File : BM034083.D
Acq On : 25 Feb 2022 18:26
Operator : CG/JU
Sample : N1664-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-1

Quant Time: Feb 26 04:17:32 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Feb 26 03:45:21 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.001 min Scan# 81
Delta R.T. 0.000 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26




Instrument :
BNA_M
ClientSampleId :
TP-1


Tgt Ion:152 Resp: 120795
Ion Ratio Lower Upper
152 100
150 152.7 128.9 193.3
115 56.6 53.0 79.6



#5
2-Fluorophenol
Concen: 133.153 ng
RT: 5.555 min Scan# 394
Delta R.T. 0.006 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26

Tgt Ion:112 Resp: 902281
Ion Ratio Lower Upper
112 100
64 53.6 55.5 83.3#
63 33.1 31.3 46.9









#7
Phenol-d6
Concen: 110.759 ng
RT: 7.154 min Scan# 60
Delta R.T. 0.000 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26




Instrument :
BNA_M
ClientSampleId :
TP-1


Tgt Ion: 99 Resp: 985556
Ion Ratio Lower Upper
99 100
42 22.4 20.3 30.5
71 42.1 34.5 51.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.819 min Scan# 1289
Delta R.T. 0.000 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26

Tgt Ion: 136 Resp: 427917
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 6.0 8.3 12.5#
68 4.0 5.0 7.6#









#23
Nitrobenzene-d5
Concen: 94.500 ng
RT: 9.166 min Scan# 1011
Delta R.T. 0.000 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26




Instrument :
BNA_M
ClientSampleId :
TP-1


Tgt Ion: 82 Resp: 749336
Ion Ratio Lower Upper
82 100
128 44.3 28.1 42.1#
54 53.4 46.1 69.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.636 min Scan# 1938
Delta R.T. -0.006 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26

Tgt Ion:164 Resp: 274256
Ion Ratio Lower Upper
164 100
162 100.9 79.7 119.5
160 45.1 34.2 51.4









#42
2,4,6-Tribromophenol
Concen: 180.425 ng
RT: 16.119 min Scan# 2193
Delta R.T. -0.006 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26




Instrument :
BNA_M
ClientSampleId :
TP-1


Tgt Ion:330 Resp: 600559
Ion Ratio Lower Upper
330 100
332 96.7 76.5 114.7
141 36.2 35.9 53.9



#45
2-Fluorobiphenyl
Concen: 98.382 ng
RT: 13.272 min Scan# 1706
Delta R.T. 0.000 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26

Tgt Ion:172 Resp: 2025214
Ion Ratio Lower Upper
172 100
171 35.9 27.2 40.8
170 23.5 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.377 min Scan# 24
Delta R.T. 0.000 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26




Instrument :
BNA_M
ClientSampleId :
TP-1


Tgt Ion:188 Resp: 594875
Ion Ratio Lower Upper
188 100
94 5.1 7.5 11.3#
80 5.5 8.9 13.3#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.548 min Scan# 3113
Delta R.T. -0.006 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26

Tgt Ion:240 Resp: 615732
Ion Ratio Lower Upper
240 100
120 6.0 7.8 11.6#
236 25.3 20.3 30.5









#79
Terphenyl-d14
Concen: 104.398 ng
RT: 19.995 min Scan# 21
Delta R.T. 0.000 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26

Instrument :
BNA_M
ClientSampleId :
TP-1

Tgt Ion:244 Resp: 3691483
Ion Ratio Lower Upper
244 100
212 7.4 5.9 8.9
122 7.1 8.4 12.6#



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.000 min Scan# 3530
Delta R.T. 0.000 min
Lab File: BM034083.D
Acq: 25 Feb 2022 18:26

Tgt Ion:264 Resp: 635287
Ion Ratio Lower Upper
264 100
260 23.9 17.7 26.5
265 21.4 17.7 26.5

