

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM022616\
 Data File : BM004437.D
 Acq On : 26 Feb 2016 21:52
 Operator : SJ/UM
 Sample : H1564-02
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9R27

Quant Time: Feb 27 00:48:41 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM022216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Feb 27 00:43:30 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	25312	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	108887	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.27	164	58855	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.03	188	120380	20.00	ng/ul	0.00
78) Chrysene-d12	21.24	240	126516	20.00	ng/ul	0.00
86) Perylene-d12	23.46	264	125993	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.08	96	1559	3.25	ng/uL	0.00
5) Phenol-d5	6.80	99	34946	16.47	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.95	67	18491	17.13	ng/ul	0.00
9) 2-Chlorophenol-d4	7.15	132	32213	17.60	ng/ul	0.00
13) 4-Methylphenol-d8	8.34	113	27251	14.37	ng/ul	0.00
19) Nitrobenzene-d5	8.77	128	14693	17.74	ng/ul	0.00
22) 2-Nitrophenol-d4	9.49	143	16482	17.45	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.04	165	28977	16.98	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	36248	17.04	ng/ul	0.00
44) Dimethylphthalate-d6	13.69	166	94266	18.68	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	116064	19.64	ng/ul	0.00
52) 4-Nitrophenol-d4	14.54	143	7307	9.01	ng/ul	0.02
58) Fluorene-d10	15.27	176	81582	19.01	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.42	200	8106	10.96	ng/ul	0.00
71) Anthracene-d10	17.13	188	118962	20.17	ng/ul	0.00
79) Pyrene-d10	19.44	212	130147	21.27	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.32	264	138978	21.02	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
45) Dimethylphthalate	13.73	163	32455	6.17	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM022616\
Data File : BM004437.D
Acq On : 26 Feb 2016 21:52
Operator : SJ/UM
Sample : H1564-02
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9R27

Quant Time: Feb 27 00:48:41 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM022216.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Feb 27 00:43:30 2016
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 6.17 ng/ul

RT: 13.73 min Scan# 1878

Delta R.T. -0.01 min

Lab File: BM004437.D

Acq: 26 Feb 2016 21:52

Instrument :

BNA_M

ClientSampleId :

D9R27

Tgt Ion:163 Resp: 32455

Ion Ratio Lower Upper

163 100

194 4.0 3.2 4.8

164 9.7 7.8 11.8

