

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030121\
 Data File : BM028964.D
 Acq On : 01 Mar 2021 14:40
 Operator : CG/JU
 Sample : M1482-09
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBG M9

Manual Integrations
 APPROVED

mohammad
 3/1/2021 4:33:32 PM

Quant Time: Mar 01 15:15:20 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM020521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 01 10:25:15 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.78	152	270	0.40	ng/ul	0.00
2) Naphthalene-d8	10.58	136	1092	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.44	164	640	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.18	188	1290m	0.40	ng/ul	0.00
16) Chrysene-d12	21.35	240	1026	0.40	ng/ul	0.00
20) Perylene-d12	23.54	264	1061	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.18	152	588	0.38	ng/ul	0.00
14) Fluoranthene-d10	19.20	212	1240	0.37	ng/ul	0.00
Target Compounds						
8) Acenaphthene	14.50	153	95	0.046	ng/ul#	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030121\
Data File : BM028964.D
Acq On : 01 Mar 2021 14:40
Operator : CG/JU
Sample : M1482-09
Misc :
ALS Vial : 10 Sample Multiplier: 1




Instrument :
BNA_M
ClientSampleId :
DBGM9

Quant Time: Mar 01 15:15:20 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM020521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 01 10:25:15 2021
Response via : Initial Calibration

Manual Integrations
APPROVED

mohammad
3/1/2021 4:33:32 PM





#8

Acenaphthene

Concen: 0.046 ng/ul

RT: 14.50 min Scan# 3036

Delta R.T. 0.01 min

Lab File: BM028964.D

Acq: 01 Mar 2021 14:40

Tot Ion:	153	Resp:	95
Ion Ratio	Lower	Upper	
153	100		
152	68.5	39.6	59.4#
154	96.3	70.3	105.5

Instrument :

BNA_M

ClientSampleId :

DBGM9

Manual Integrations
APPROVED

mohammad
3/1/2021 4:33:32 PM

