


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM030317\
Data File : BM009074.D
Acq On : 03 Mar 2017 18:49
Operator : SJ/MA
Sample : I2051-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AD9

Manual Integrations
APPROVED

mohammad
3/6/2017 3:16:49 PM

Quant Time: Mar 04 00:05:21 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM030317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 03 23:57:02 2017
Response via : Initial Calibration






Data Path : Z:\HPCHEM1\BNA_M\DATA\BM030317\
Data File : BM009074.D
Acq On : 03 Mar 2017 18:49
Operator : SJ/MA
Sample : I2051-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AD9

Manual Integrations
APPROVED

mohammad
3/6/2017 3:16:49 PM

Quant Time: Mar 03 23:59:39 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM030317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 03 23:57:02 2017
Response via : Initial Calibration



TIC: BM009074.D

(10) Phenanthrene-d10 (I)

17.365min (+0.086) 0.40ng/ul

response 72994

Ion	Exp%	Act%
188.00	100	100
94.00	11.00	10.96
80.00	11.80	12.44
0.00	0.00	0.00




Data Path : Z:\HPCHEM1\BNA_M\DATA\BM030317\
Data File : BM009074.D
Acq On : 03 Mar 2017 18:49
Operator : SJ/MA
Sample : I2051-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AD9

Manual Integrations
APPROVED

mohammad
3/6/2017 3:16:49 PM

Quant Time: Mar 03 23:59:39 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM030317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 03 23:57:02 2017
Response via : Initial Calibration



TIC: BM009074.D

(10) Phenanthrene-d10 (I)

17.279min (-0.000) 0.40ng/ul m

SJ 3/8/17

response 801

Ion	Exp%	Act%
188.00	100	100
94.00	11.00	13.93#
80.00	11.80	15.07#
0.00	0.00	0.00




Data Path : Z:\HPCHEM1\BNA_M\DATA\BM030317\
Data File : BM009074.D
Acq On : 03 Mar 2017 18:49
Operator : SJ/MA
Sample : I2051-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AD9

Manual Integrations
APPROVED

mohammad
3/6/2017 3:16:49 PM

Quant Time: Mar 03 23:59:39 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM030317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 03 23:57:02 2017
Response via : Initial Calibration



TIC: BM009074.D

(20) Perylene-d12 (I)

23.642min (-0.143) 0.40ng/ul

response 79566

Ion	Exp%	Act%
264.00	100	100
260.00	30.10	19.98#
265.00	103.50	22.03#
0.00	0.00	0.00




Data Path : Z:\HPCHEM1\BNA_M\DATA\BM030317\
Data File : BM009074.D
Acq On : 03 Mar 2017 18:49
Operator : SJ/MA
Sample : I2051-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AD9

Manual Integrations
APPROVED

mohammad
3/6/2017 3:16:49 PM

Quant Time: Mar 03 23:59:39 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM030317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 03 23:57:02 2017
Response via : Initial Calibration



TIC: BM009074.D

(20) Perylene-d12 (I)

23.788min (+0.003) 0.40ng/ul m

SJ 3/8/17

response 809

Ion	Exp%	Act%
264.00	100	100
260.00	30.10	31.39
265.00	103.50	68.19#
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM030317\
Data File : BM009074.D
Acq On : 03 Mar 2017 18:49
Operator : SJ/MA
Sample : I2051-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AD9

Manual Integrations
APPROVED

mohammad
3/6/2017 3:16:49 PM

Quant Time: Mar 04 00:05:21 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM030317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 03 23:57:02 2017
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.90	152	161	0.40	ng/ul	0.00
2) Naphthalene-d8	10.69	136	506	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.52	164	324	0.40	ng/ul	-0.02
10) Phenanthrene-d10	17.28	188	801m>	0.40	ng/ul	0.00
16) Chrysene-d12	21.44	240	931	0.40	ng/ul	0.00
20) Perylene-d12	23.79	264	809m>	0.40	ng/ul	0.00

} SJ 3/8/17

System Monitoring Compounds

4) 2-Methylnaphthalene-d10	12.28	152	269	0.32	ng/ul	0.00
14) Fluoranthene-d10	19.31	212	853	0.34	ng/ul	0.00

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed