

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030419\
 Data File : BM019007.D
 Acq On : 04 Mar 2019 13:40
 Operator : JU/SJ
 Sample : PB117551BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Mar 05 03:32:55 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 11 16:02:12 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	276285	20.00	ng	-0.04
21) Naphthalene-d8	10.47	136	1093613	20.00	ng	-0.04
39) Acenaphthene-d10	14.33	164	618551	20.00	ng	-0.03
64) Phenanthrene-d10	17.09	188	1297982	20.00	ng	-0.03
76) Chrysene-d12	21.29	240	939873	20.00	ng	-0.02
87) Perylene-d12	23.53	264	960366	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	1671465	99.12	ng	-0.03
7) Phenol-d6	6.86	99	2347250	98.81	ng	-0.03
23) Nitrobenzene-d5	8.85	82	1449473	61.28	ng	-0.04
42) 2,4,6-Tribromophenol	15.83	330	801847	89.93	ng	-0.03
45) 2-Fluorobiphenyl	12.95	172	3009344	64.58	ng	-0.04
79) Terphenyl-d14	19.72	244	3650391	80.12	ng	-0.02
Target Compounds						
9) Benzaldehyde	6.86	77	4460	Below Cal	Qvalue #	7


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030419\
Data File : BM019007.D
Acq On : 04 Mar 2019 13:40
Operator : JU/SJ
Sample : PB117551BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Mar 05 03:32:55 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 11 16:02:12 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.68 min Scan# 781
Delta R.T. -0.04 min
Lab File: BM019007.D
Acq: 04 Mar 2019 13:40

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.2	127.3	190.9
115	61.0	50.8	76.2






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 99.124 ng
RT: 5.27 min Scan# 372
Delta R.T. -0.03 min
Lab File: BM019007.D
Acq: 04 Mar 2019 13:40

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.5	50.6	75.8
63	32.7	25.7	38.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 98.811 ng

RT: 6.86 min Scan# 641

Delta R.T. -0.03 min

Lab File: BM019007.D

Acq: 04 Mar 2019 13:40


Instrument :

BNA_M

ClientSampleId :

Tot Ion: 99 Resp: 2347250

Ion	Ratio	Lower	Upper
99	100		
42	13.6	11.0	16.6
71	37.5	31.3	46.9






Abundance

Ion 99.00 (98.70 to 99.70): BM018755.D (-637) (-)

Ion 42.00 (41.70 to 42.70): BM018755.D (-637) (-)

Ion 71.00 (70.70 to 71.70): BM018755.D (-637) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.47 min Scan# 1255


Delta R.T. -0.04 min

Lab File: BM019007.D

Acq: 04 Mar 2019 13:40

Tgt Ion: 136 Resp: 1093613

Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.8	13.2
54	6.7	5.0	7.6
68	7.4	5.5	8.3





Abundance


Ion 136.00 (135.70 to 136.70): BM018755.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM018755.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM018755.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM018755.D (-1252) (-)









#23
 Nitrobenzene-d5
 Concen: 61.285 ng
 RT: 8.85 min Scan# 980
 Delta R.T. -0.04 min
 Lab File: BM019007.D
 Acq: 04 Mar 2019 13:40

Instrument :
 BNA_M
 ClientSampled :

Tot Ion: 82 Resp: 1449473




Ion	Ratio	Lower	Upper
82	100		
128	37.2	29.9	44.9
54	37.0	29.1	43.7




#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.33 min Scan# 1912
 Delta R.T. -0.03 min
 Lab File: BM019007.D
 Acq: 04 Mar 2019 13:40

Tgt Ion: 164 Resp: 618551

Ion	Ratio	Lower	Upper
164	100		
162	104.0	83.4	125.0
160	47.2	36.6	55.0









#42
 2,4,6-Tribromophenol
 Concen: 89.931 ng
 RT: 15.83 min Scan# 2167
 Delta R.T. -0.03 min
 Lab File: BM019007.D
 Acq: 04 Mar 2019 13:40

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion:330 Resp: 801847
 Ion Ratio Lower Upper
 330 100
 332 96.7 76.9 115.3
 141 34.4 28.7 43.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 64.584 ng
 RT: 12.95 min Scan# 1676
 Delta R.T. -0.04 min
 Lab File: BM019007.D
 Acq: 04 Mar 2019 13:40

Tgt Ion:172 Resp: 3009344
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.0 43.6
 170 23.6 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.09 min Scan# 2380
Delta R.T. -0.03 min
Lab File: BM019007.D
Acq: 04 Mar 2019 13:40




Instrument :
BNA_M
ClientSampleId :


Tot Ion:188 Resp: 1297982
Ion Ratio Lower Upper
188 100
94 9.9 8.2 12.2
80 12.2 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.29 min Scan# 3094
Delta R.T. -0.02 min
Lab File: BM019007.D
Acq: 04 Mar 2019 13:40

Tgt Ion:240 Resp: 939873
Ion Ratio Lower Upper
240 100
120 10.8 8.9 13.3
236 25.8 20.9 31.3





#79

Terphenyl-d14

Concen: 80.121 ng

RT: 19.72 min Scan# 2828

Delta R.T. -0.02 min

Lab File: BM019007.D

Acq: 04 Mar 2019 13:40

Instrument :

BNA_M

ClientSampleId :


Tot Ion:244 Resp: 3650391

Ion Ratio Lower Upper

244 100

212 6.7 5.6 8.4




122 11.7 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.53 min Scan# 3476

Delta R.T. -0.04 min

Lab File: BM019007.D

Acq: 04 Mar 2019 13:40


Tgt Ion:264 Resp: 960366

Ion Ratio Lower Upper

264 100

260 23.9 18.9 28.3

265 21.5 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

