

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030419\
 Data File : BM019012.D
 Acq On : 04 Mar 2019 16:41
 Operator : JU/SJ
 Sample : K1650-19
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TWP-6

Quant Time: Mar 05 04:01:11 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 05 03:36:13 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	256775	20.00	ng	0.00
21) Naphthalene-d8	10.47	136	1022887	20.00	ng	0.00
39) Acenaphthene-d10	14.33	164	588307	20.00	ng	0.00
64) Phenanthrene-d10	17.09	188	1245820	20.00	ng	0.00
76) Chrysene-d12	21.29	240	993909	20.00	ng	0.00
87) Perylene-d12	23.53	264	936476	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	1073341	68.49	ng	0.00
7) Phenol-d6	6.86	99	915054	41.45	ng	0.00
23) Nitrobenzene-d5	8.85	82	2124368	96.03	ng	0.00
42) 2,4,6-Tribromophenol	15.83	330	1236368	145.79	ng	0.00
45) 2-Fluorobiphenyl	12.94	172	4220660	95.24	ng	0.00
79) Terphenyl-d14	19.73	244	5888420	122.22	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030419\
Data File : BM019012.D
Acq On : 04 Mar 2019 16:41
Operator : JU/SJ
Sample : K1650-19
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TWP-6

Quant Time: Mar 05 04:01:11 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 05 03:36:13 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.68 min Scan# 781
Delta R.T. -0.00 min
Lab File: BM019012.D
Acq: 04 Mar 2019 16:41

Instrument :
BNA_M
ClientSampleId :
TWP-6

Tot Ion:152 Resp: 256775
Ion Ratio Lower Upper
152 100
150 153.4 127.3 190.9
115 61.2 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 68.490 ng
RT: 5.27 min Scan# 372
Delta R.T. -0.00 min
Lab File: BM019012.D
Acq: 04 Mar 2019 16:41

Tgt Ion:112 Resp: 1073341
Ion Ratio Lower Upper
112 100
64 63.0 50.6 75.8
63 32.6 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 41.448 ng

RT: 6.86 min Scan# 641

Delta R.T. -0.00 min

Lab File: BM019012.D

Acq: 04 Mar 2019 16:41

Instrument :

BNA_M

ClientSampleId :

TWP-6


Tot Ion: 99 Resp: 915054

Ion Ratio Lower Upper

99 100

42 14.1 11.0 16.6

71 38.0 31.3 46.9






Abundance

Ion 99.00 (98.70 to 99.70): BM018755.D (-637) (-)

Ion 42.00 (41.70 to 42.70): BM018755.D (-637) (-)

Ion 71.00 (70.70 to 71.70): BM018755.D (-637) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.47 min Scan# 1255

Delta R.T. -0.00 min

Lab File: BM019012.D

Acq: 04 Mar 2019 16:41

Tgt Ion: 136 Resp: 1022887


Ion Ratio Lower Upper

136 100

137 11.0 8.8 13.2

54 6.5 5.0 7.6

68 7.3 5.5 8.3





Abundance


Ion 136.00 (135.70 to 136.70): BM018755.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM018755.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM018755.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM018755.D (-1252) (-)









#23
Nitrobenzene-d5
Concen: 96.030 ng
RT: 8.85 min Scan# 980
Delta R.T. -0.00 min
Lab File: BM019012.D
Acq: 04 Mar 2019 16:41




Instrument :
BNA_M
ClientSampleId :
TWP-6


Tot Ion: 82 Resp: 2124368
Ion Ratio Lower Upper
82 100
128 37.5 29.9 44.9
54 37.2 29.1 43.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.33 min Scan# 1912
Delta R.T. -0.00 min
Lab File: BM019012.D
Acq: 04 Mar 2019 16:41

Tgt Ion:164 Resp: 588307
Ion Ratio Lower Upper
164 100
162 105.2 83.4 125.0
160 46.6 36.6 55.0






#42
 2,4,6-Tribromophenol
 Concen: 145.793 ng
 RT: 15.83 min Scan# 2167
 Delta R.T. -0.00 min
 Lab File: BM019012.D
 Acq: 04 Mar 2019 16:41




Instrument :
 BNA_M
 ClientSampleId :
 TWP-6

Tot Ion:330 Resp: 1236368

Ion	Ratio	Lower	Upper
330	100		
332	96.7	76.9	115.3
141	33.7	28.7	43.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 95.236 ng
 RT: 12.94 min Scan# 1676
 Delta R.T. -0.01 min
 Lab File: BM019012.D
 Acq: 04 Mar 2019 16:41


Tgt Ion:172 Resp: 4220660

Ion	Ratio	Lower	Upper
172	100		
171	35.8	29.0	43.6
170	23.3	18.6	28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.09 min Scan# 2380
Delta R.T. -0.00 min
Lab File: BM019012.D
Acq: 04 Mar 2019 16:41




Instrument :
BNA_M
ClientSampled :
TWP-6


Tot Ion:188 Resp: 1245820
Ion Ratio Lower Upper
188 100
94 10.2 8.2 12.2
80 12.4 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.29 min Scan# 3094
Delta R.T. -0.00 min
Lab File: BM019012.D
Acq: 04 Mar 2019 16:41

Tgt Ion:240 Resp: 993909
Ion Ratio Lower Upper
240 100
120 11.2 8.9 13.3
236 26.2 20.9 31.3





#79

Terphenyl-d14

Concen: 122.216 ng

RT: 19.73 min Scan# 2829

Delta R.T. -0.00 min

Lab File: BM019012.D

Acq: 04 Mar 2019 16:41

Instrument :

BNA_M

ClientSampleId :

TWP-6


Tot Ion:244 Resp: 5888420

Ion Ratio Lower Upper




244 100

212 6.8 5.6 8.4

122 10.6 9.3 13.9



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.53 min Scan# 3476

Delta R.T. -0.00 min

Lab File: BM019012.D

Acq: 04 Mar 2019 16:41


Tgt Ion:264 Resp: 936476

Ion Ratio Lower Upper

264 100

260 23.0 18.9 28.3

265 22.0 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

