

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030419\
 Data File : BM019031.D
 Acq On : 05 Mar 2019 04:41
 Operator : JU/SJ
 Sample : K1688-20
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JC-03-030119-J

Quant Time: Mar 05 07:08:38 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 05 03:36:13 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	210241	20.00	ng	0.00
21) Naphthalene-d8	10.46	136	827602	20.00	ng	0.00
39) Acenaphthene-d10	14.33	164	492490	20.00	ng	0.00
64) Phenanthrene-d10	17.09	188	1138205	20.00	ng	0.00
76) Chrysene-d12	21.28	240	1007198	20.00	ng	0.00
87) Perylene-d12	23.53	264	907799	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.27	112	1848678	144.07	ng	0.00
7) Phenol-d6	6.86	99	2322096	128.46	ng	0.00
23) Nitrobenzene-d5	8.85	82	1843753	103.01	ng	0.00
42) 2,4,6-Tribromophenol	15.83	330	1193231	168.08	ng	0.00
45) 2-Fluorobiphenyl	12.94	172	3681547	99.23	ng	0.00
79) Terphenyl-d14	19.72	244	6522760	133.60	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030419\
Data File : BM019031.D
Acq On : 05 Mar 2019 04:41
Operator : JU/SJ
Sample : K1688-20
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JC-03-030119-J

Quant Time: Mar 05 07:08:38 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM021119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 05 03:36:13 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.68 min Scan# 781
Delta R.T. -0.00 min
Lab File: BM019031.D
Acq: 05 Mar 2019 04:41

Instrument :
BNA_M
ClientSampleId :
JC-03-030119-J

Tot Ion:152 Resp: 210241
Ion Ratio Lower Upper
152 100
150 154.1 127.3 190.9
115 63.3 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 144.073 ng
RT: 5.27 min Scan# 372
Delta R.T. -0.00 min
Lab File: BM019031.D
Acq: 05 Mar 2019 04:41

Tgt Ion:112 Resp: 1848678
Ion Ratio Lower Upper
112 100
64 64.4 50.6 75.8
63 32.4 25.7 38.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 128.460 ng

RT: 6.86 min Scan# 641

Delta R.T. -0.00 min

Lab File: BM019031.D

Acq: 05 Mar 2019 04:41

Instrument :


BNA_M

ClientSampleId :

JC-03-030119-J

Tot Ion: 99 Resp: 2322096


Ion	Ratio	Lower	Upper
99	100		
42	14.1	11.0	16.6
71	38.4	31.3	46.9



Abundance Ion 99.00 (98.70 to 99.70): BM018755.D (-637) (-)

Ion 42.00 (41.70 to 42.70): BM018755.D (-637) (-)


Ion 71.00 (70.70 to 71.70): BM018755.D (-637) (-)



Abundance Ion 99.00 (98.70 to 99.70): BM019031.D (-624) (-)

Ion 42.00 (41.70 to 42.70): BM019031.D (-624) (-)

Ion 71.00 (70.70 to 71.70): BM019031.D (-624) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.46 min Scan# 1254


Delta R.T. -0.01 min

Lab File: BM019031.D

Acq: 05 Mar 2019 04:41

Tgt Ion: 136 Resp: 827602

Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.8	13.2
54	6.9	5.0	7.6
68	7.3	5.5	8.3




Abundance Ion 136.00 (135.70 to 136.70): BM018755.D (-1252) (-)

Ion 137.00 (136.70 to 137.70): BM018755.D (-1252) (-)

Ion 54.00 (53.70 to 54.70): BM018755.D (-1252) (-)

Ion 68.00 (67.70 to 68.70): BM018755.D (-1252) (-)



Abundance Ion 136.00 (135.70 to 136.70): BM019031.D (-1238) (-)

Ion 137.00 (136.70 to 137.70): BM019031.D (-1238) (-)

Ion 54.00 (53.70 to 54.70): BM019031.D (-1238) (-)





Ion 68.00 (67.70 to 68.70): BM019031.D (-1238) (-)



#23
 Nitrobenzene-d5
 Concen: 103.012 ng
 RT: 8.85 min Scan# 979
 Delta R.T. -0.01 min
 Lab File: BM019031.D
 Acq: 05 Mar 2019 04:41




Instrument :
 BNA_M
 ClientSampleId :
 JC-03-030119-J


Tot Ion: 82 Resp: 1843753
 Ion Ratio Lower Upper
 82 100
 128 36.5 29.9 44.9
 54 37.7 29.1 43.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.33 min Scan# 1912
 Delta R.T. -0.00 min
 Lab File: BM019031.D
 Acq: 05 Mar 2019 04:41

Tgt Ion: 164 Resp: 492490
 Ion Ratio Lower Upper
 164 100
 162 105.2 83.4 125.0
 160 46.0 36.6 55.0









#42
 2,4,6-Tribromophenol
 Concen: 168.082 ng
 RT: 15.83 min Scan# 2167
 Delta R.T. -0.00 min
 Lab File: BM019031.D
 Acq: 05 Mar 2019 04:41

Instrument :
 BNA_M
 ClientSampleId :
 JC-03-030119-J

Tot Ion:330 Resp: 1193231
 Ion Ratio Lower Upper
 330 100
 332 96.6 76.9 115.3
 141 34.0 28.7 43.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 99.234 ng
 RT: 12.94 min Scan# 1676
 Delta R.T. -0.01 min
 Lab File: BM019031.D
 Acq: 05 Mar 2019 04:41

Tgt Ion:172 Resp: 3681547
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.0 43.6
 170 23.4 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.09 min Scan# 2380

Delta R.T. -0.00 min

Lab File: BM019031.D

Acq: 05 Mar 2019 04:41

Instrument :

BNA_M

ClientSampleId :

JC-03-030119-J


Tot Ion:188 Resp: 1138205

Ion Ratio Lower Upper

188 100

94 9.9 8.2 12.2




80 12.2 9.7 14.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.28 min Scan# 3093

Delta R.T. -0.01 min

Lab File: BM019031.D

Acq: 05 Mar 2019 04:41


Tgt Ion:240 Resp: 1007198

Ion Ratio Lower Upper

240 100

120 11.0 8.9 13.3



236 25.8 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 133.596 ng

RT: 19.72 min Scan# 2828

Delta R.T. -0.01 min

Lab File: BM019031.D

Acq: 05 Mar 2019 04:41

Instrument :


BNA_M

ClientSampleId :

JC-03-030119-J

Tot Ion:244 Resp: 6522760

Ion	Ratio	Lower	Upper
244	100		
212	6.9	5.6	8.4
122	11.2	9.3	13.9






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.53 min Scan# 3475


Delta R.T. -0.01 min

Lab File: BM019031.D

Acq: 05 Mar 2019 04:41

Tgt Ion:264 Resp: 907799

Ion	Ratio	Lower	Upper
264	100		
260	22.9	18.9	28.3
265	22.1	17.3	25.9



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

