

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM030821\
 Data File : BM029025.D
 Acq On : 08 Mar 2021 18:55
 Operator : CG/JU
 Sample : M1575-04
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 IDW-GW806-AQ-030321

Quant Time: Mar 08 23:51:36 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 05 13:17:12 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.669	152	9644	20.00	ng	-0.01
21) Naphthalene-d8	10.463	136	36165	20.00	ng	#-0.01
39) Acenaphthene-d10	14.339	164	20738	20.00	ng	-0.01
64) Phenanthrene-d10	17.086	188	43434	20.00	ng	-0.01
76) Chrysene-d12	21.256	240	44832	20.00	ng	#-0.02
86) Perylene-d12	23.415	264	45110	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.246	112	32829	56.42	ng	0.00
7) Phenol-d6	6.869	99	24518	31.90	ng	0.00
23) Nitrobenzene-d5	8.845	82	52132	77.77	ng	-0.01
42) 2,4,6-Tribromophenol	15.839	330	31325	127.45	ng	0.00
45) 2-Fluorobiphenyl	12.951	172	120939	77.64	ng	-0.01
79) Terphenyl-d14	19.709	244	198559	81.78	ng	-0.01
Target Compounds						
10) Phenol	6.898	94	2412	3.16	ng	Qvalue 94
50) Dimethylphthalate	13.804	163	6016	3.83	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM030821\
Data File : BM029025.D
Acq On : 08 Mar 2021 18:55
Operator : CG/JU
Sample : M1575-04
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
IDW-GW806-AQ-030321

Quant Time: Mar 08 23:51:36 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 05 13:17:12 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.669 min Scan# 796
Delta R.T. -0.012 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55




Instrument :
BNA_M
ClientSampleId :
IDW-GW806-AQ-030321

Tgt Ion:152 Resp: 9644
Ion Ratio Lower Upper
152 100
150 153.3 120.6 181.0
115 58.5 47.2 70.8



#5
2-Fluorophenol
Concen: 56.42 ng
RT: 5.246 min Scan# 384
Delta R.T. -0.000 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55

Tgt Ion:112 Resp: 32829
Ion Ratio Lower Upper
112 100
64 59.8 50.6 76.0
63 37.7 31.0 46.6









#7
Phenol-d6
Concen: 31.90 ng
RT: 6.869 min Scan# 660
Delta R.T. -0.000 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55




Instrument :
BNA_M
ClientSampleId :
IDW-GW806-AQ-030321

Tgt Ion: 99 Resp: 24518
Ion Ratio Lower Upper
99 100
42 26.9 13.5 20.3#
71 40.9 39.4 59.0



#10
Phenol
Concen: 3.16 ng
RT: 6.898 min Scan# 665
Delta R.T. -0.000 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55


Tgt Ion: 94 Resp: 2412
Ion Ratio Lower Upper
94 100
65 32.5 16.4 56.4
66 46.5 30.2 70.2







#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.463 min Scan# 1271
Delta R.T. -0.012 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55

Instrument :
BNA_M
ClientSampleId :
IDW-GW806-AQ-030321







Tgt Ion:136 Resp: 36165
Ion Ratio Lower Upper
136 100
137 11.2 8.6 12.8
54 9.8 4.6 7.0#
68 4.0 4.1 6.1#



#23
Nitrobenzene-d5
Concen: 77.77 ng
RT: 8.845 min Scan# 996
Delta R.T. -0.012 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55

Tgt Ion: 82 Resp: 52132
Ion Ratio Lower Upper
82 100
128 42.3 27.4 41.0#
54 62.9 31.4 47.0#









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.339 min Scan# 1930
Delta R.T. -0.012 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55




Instrument :
BNA_M
ClientSampleId :
IDW-GW806-AQ-030321


Tgt Ion:164	Resp:	20738
Ion Ratio	Lower	Upper
164	100	
162	97.3	80.4 120.6
160	43.3	35.9 53.9



#42
2,4,6-Tribromophenol
Concen: 127.45 ng
RT: 15.839 min Scan# 2185
Delta R.T. -0.006 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55

Tgt Ion:330	Resp:	31325
Ion Ratio	Lower	Upper
330	100	
332	96.5	77.8 116.8
141	47.2	28.4 42.6#









#45
2-Fluorobiphenyl
Concen: 77.64 ng
RT: 12.951 min Scan# 1694
Delta R.T. -0.012 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55




Instrument :
BNA_M
ClientSampleId :
IDW-GW806-AQ-030321


Tgt Ion:	172	Resp:	120939
Ion Ratio	Lower	Upper	
172	100		
171	35.2	27.8	41.8
170	22.9	18.6	27.8



#50
Dimethylphthalate
Concen: 3.83 ng
RT: 13.804 min Scan# 1839
Delta R.T. -0.018 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55

Tgt Ion:	163	Resp:	6016
Ion Ratio	Lower	Upper	
163	100		
194	0.0	3.4	5.2#
164	9.2	8.1	12.1









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.086 min Scan# 2397
Delta R.T. -0.012 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55




Instrument :
BNA_M
ClientSampleId :
IDW-GW806-AQ-030321


Tgt Ion:188	Resp:	43434
Ion Ratio	Lower	Upper
188	100	
94	8.1	6.2 9.4
80	8.4	7.5 11.3



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.256 min Scan# 3106
Delta R.T. -0.018 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55

Tgt Ion:240	Resp:	44832
Ion Ratio	Lower	Upper
240	100	
120	10.3	6.4 9.6#
236	25.6	20.1 30.1









#79
Terphenyl-d14
Concen: 81.78 ng
RT: 19.709 min Scan# 2843
Delta R.T. -0.012 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55

Instrument :
BNA_M
ClientSampleId :
IDW-GW806-AQ-030321

Tgt Ion:244 Resp: 198559
Ion Ratio Lower Upper
244 100
212 7.5 5.8 8.8
122 11.4 6.5 9.7#



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.415 min Scan# 3473
Delta R.T. -0.024 min
Lab File: BM029025.D
Acq: 08 Mar 2021 18:55

Tgt Ion:264 Resp: 45110
Ion Ratio Lower Upper
264 100
260 23.9 19.0 28.4
265 21.9 17.7 26.5

