

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030920\
 Data File : BM025507.D
 Acq On : 12 Mar 2020 00:46
 Operator : CG/JU
 Sample : L1827-01
 Misc :
 ALS Vial : 100 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BFR31

Manual Integrations
 APPROVED

mohammad
 3/13/2020 8:50:06 AM

Quant Time: Mar 12 02:42:24 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM030920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 12 02:03:23 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	3376	0.40	ng/ul	0.00
2) Naphthalene-d8	10.42	136	14803	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.29	164	11180	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.03	188	25375m	0.40	ng/ul	0.00
16) Chrysene-d12	21.22	240	18913	0.40	ng/ul	0.00
20) Perylene-d12	23.40	264	18303	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.02	152	11646	0.44	ng/ul	0.00
14) Fluoranthene-d10	19.06	212	33703	0.48	ng/ul	0.00
Target Compounds				Ovalue		
3) Naphthalene	10.47	128	39352	0.898	ng/ul	100
7) Acenaphthylene	14.00	152	9516	0.208	ng/ul#	86
8) Acenaphthene	14.35	153	8594	0.215	ng/ul	99
9) Fluorene	15.33	166	2220	0.045	ng/ul#	10
11) Pentachlorophenol	16.69	266	146	0.025	ng/ul	93
12) Phenanthrene	17.07	178	4132	0.051	ng/ul#	28
13) Anthracene	17.16	178	16786	0.240	ng/ul#	89
15) Fluoranthene	19.09	202	2061	0.024	ng/ul	57

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM030920\
Data File : BM025507.D
Acq On : 12 Mar 2020 00:46
Operator : CG/JU
Sample : L1827-01
Misc :
ALS Vial : 100 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFR31

Manual Integrations
APPROVED

mohammad
3/13/2020 8:50:06 AM

Quant Time: Mar 12 02:42:24 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM030920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 12 02:03:23 2020
Response via : Initial Calibration

