

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM030921\
 Data File : BM029048.D
 Acq On : 09 Mar 2021 16:24
 Operator : CG/JU
 Sample : M1552-01
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 24368

Quant Time: Mar 09 17:01:18 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 09 10:08:02 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.669	152	9719	20.00	ng	0.00
21) Naphthalene-d8	10.463	136	36545	20.00	ng	# 0.00
39) Acenaphthene-d10	14.333	164	21726	20.00	ng	0.00
64) Phenanthrene-d10	17.080	188	47977	20.00	ng	0.00
76) Chrysene-d12	21.256	240	47742	20.00	ng	# 0.00
86) Perylene-d12	23.415	264	49314	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.245	112	76877	131.11	ng	0.00
7) Phenol-d6	6.869	99	84572	109.20	ng	0.00
23) Nitrobenzene-d5	8.845	82	60650	89.54	ng	0.00
42) 2,4,6-Tribromophenol	15.839	330	39943	155.12	ng	0.00
45) 2-Fluorobiphenyl	12.951	172	136259	83.49	ng	0.00
79) Terphenyl-d14	19.709	244	251130	97.13	ng	0.00
Target Compounds						
10) Phenol	6.898	94	1767	2.30	ng	Qvalue 92
50) Dimethylphthalate	13.804	163	7551	4.59	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM030921\
Data File : BM029048.D
Acq On : 09 Mar 2021 16:24
Operator : CG/JU
Sample : M1552-01
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
24368

Quant Time: Mar 09 17:01:18 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 09 10:08:02 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.669 min Scan# 796
Delta R.T. -0.000 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24




Instrument :
BNA_M
ClientSampled :
24368


Tgt Ion:152 Resp: 9719
Ion Ratio Lower Upper
152 100
150 151.4 120.6 181.0
115 59.7 47.2 70.8



#5
2-Fluorophenol
Concen: 131.11 ng
RT: 5.245 min Scan# 384
Delta R.T. -0.000 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24

Tgt Ion:112 Resp: 76877
Ion Ratio Lower Upper
112 100
64 61.8 50.6 76.0
63 36.3 31.0 46.6









#7
Phenol-d6
Concen: 109.20 ng
RT: 6.869 min Scan# 660
Delta R.T. -0.000 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24




Instrument :
BNA_M
ClientSampleId :
24368


Tgt Ion: 99 Resp: 84572
Ion Ratio Lower Upper
99 100
42 27.4 13.5 20.3#
71 39.9 39.4 59.0



#10
Phenol
Concen: 2.30 ng
RT: 6.898 min Scan# 665
Delta R.T. -0.000 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24

Tgt Ion: 94 Resp: 1767
Ion Ratio Lower Upper
94 100
65 37.5 16.4 56.4
66 58.8 30.2 70.2









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.463 min Scan# 1271
Delta R.T. -0.000 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24




Instrument :
BNA_M
ClientSampled :
24368


Tgt Ion:	136	Resp:	36545
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.6	12.8
54	9.9	4.6	7.0#
68	4.4	4.1	6.1



#23
Nitrobenzene-d5
Concen: 89.54 ng
RT: 8.845 min Scan# 996
Delta R.T. -0.000 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24

Tgt Ion:	82	Resp:	60650
Ion	Ratio	Lower	Upper
82	100		
128	43.7	27.4	41.0#
54	64.0	31.4	47.0#









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.333 min Scan# 1929
Delta R.T. -0.006 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24




Instrument :
BNA_M
ClientSampleId :
24368


Tgt Ion:164	Resp:	21726
Ion Ratio	Lower	Upper
164	100	
162	103.1	80.4 120.6
160	44.3	35.9 53.9



#42
2,4,6-Tribromophenol
Concen: 155.12 ng
RT: 15.839 min Scan# 2185
Delta R.T. -0.000 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24

Tgt Ion:330	Resp:	39943
Ion Ratio	Lower	Upper
330	100	
332	95.1	77.8 116.8
141	45.4	28.4 42.6#









#45
2-Fluorobiphenyl
Concen: 83.49 ng
RT: 12.951 min Scan# 1694
Delta R.T. -0.000 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24




Instrument :
BNA_M
ClientSampled :
24368


Tgt Ion:	172	Resp:	136259
Ion Ratio	Lower	Upper	
172	100		
171	36.8	27.8	41.8
170	22.8	18.6	27.8



#50
Dimethylphthalate
Concen: 4.59 ng
RT: 13.804 min Scan# 1839
Delta R.T. -0.006 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24

Tgt Ion:	163	Resp:	7551
Ion Ratio	Lower	Upper	
163	100		
194	3.8	3.4	5.2
164	10.2	8.1	12.1









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.080 min Scan# 2396
Delta R.T. -0.006 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24




Instrument :
BNA_M
ClientSampled :
24368


Tgt Ion:188 Resp: 47977
Ion Ratio Lower Upper
188 100
94 8.5 6.2 9.4
80 8.6 7.5 11.3



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.256 min Scan# 3106
Delta R.T. -0.006 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24

Tgt Ion:240 Resp: 47742
Ion Ratio Lower Upper
240 100
120 10.2 6.4 9.6#
236 25.5 20.1 30.1









#79
Terphenyl-d14
Concen: 97.13 ng
RT: 19.709 min Scan# 2843
Delta R.T. -0.000 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24

Instrument :
BNA_M
ClientSampled :
24368

Tgt Ion:244 Resp: 251130
Ion Ratio Lower Upper
244 100
212 7.1 5.8 8.8
122 11.1 6.5 9.7#



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.415 min Scan# 3473
Delta R.T. -0.006 min
Lab File: BM029048.D
Acq: 09 Mar 2021 16:24

Tgt Ion:264 Resp: 49314
Ion Ratio Lower Upper
264 100
260 22.8 19.0 28.4
265 22.6 17.7 26.5

