

Data Path : Z:\HPCHEM1\BNA\_M\Data\BM031117\  
 Data File : BM009205.D  
 Acq On : 11 Mar 2017 13:31  
 Operator : SJ/MA  
 Sample : I2107-07DL 10X  
 Misc :  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 C0AJ6DL

Quant Time: Mar 13 11:34:58 2017  
 Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM-EPA-SIM-BM030317.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Mon Mar 13 11:21:07 2017  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|---------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.88  | 152  | 257      | 0.40 | ng/ul | 0.00     |
| 2) Naphthalene-d8         | 10.68 | 136  | 861      | 0.40 | ng/ul | 0.00     |
| 6) Acenaphthene-d10       | 14.52 | 164  | 525      | 0.40 | ng/ul | 0.00     |
| 10) Phenanthrene-d10      | 17.26 | 188  | 1142     | 0.40 | ng/ul | 0.00     |
| 16) Chrysene-d12          | 21.44 | 240  | 1287     | 0.40 | ng/ul | 0.00     |
| 20) Perylene-d12          | 23.77 | 264  | 1236     | 0.40 | ng/ul | 0.00     |

|                             |       |     |    |      |       |      |
|-----------------------------|-------|-----|----|------|-------|------|
| System Monitoring Compounds |       |     |    |      |       |      |
| 4) 2-Methylnaphthalene-d10  | 12.27 | 152 | 30 | 0.02 | ng/ul | 0.00 |
| 14) Fluoranthene-d10        | 19.29 | 212 | 67 | 0.02 | ng/ul | 0.00 |

| Target Compounds           |       |     |      |      |        | Qvalue |
|----------------------------|-------|-----|------|------|--------|--------|
| 3) Naphthalene             | 10.73 | 128 | 2057 | 0.83 | ng/ul  | 99     |
| 5) 2-Methylnaphthalene     | 12.34 | 142 | 2085 | 1.17 | ng/ul  | 99     |
| 7) Acenaphthylene          | 14.23 | 152 | 343  | 0.13 | ng/ul# | 54     |
| 8) Acenaphthene            | 14.57 | 153 | 95   | 0.05 | ng/ul# | 81     |
| 9) Fluorene                | 15.56 | 166 | 139  | 0.06 | ng/ul# | 56     |
| 11) Pentachlorophenol      | 16.92 | 266 | 12   | 0.02 | ng/ul# | 42     |
| 12) Phenanthrene           | 17.30 | 178 | 2787 | 0.78 | ng/ul  | 99     |
| 13) Anthracene             | 17.30 | 178 | 2768 | 0.78 | ng/ul  | 97     |
| 15) Fluoranthene           | 19.33 | 202 | 4751 | 1.02 | ng/ul  | 93     |
| 17) Pyrene                 | 19.69 | 202 | 4455 | 1.01 | ng/ul  | 95     |
| 18) Benzo(a)anthracene     | 21.42 | 228 | 2733 | 0.64 | ng/ul  | 95     |
| 19) Chrysene               | 21.47 | 228 | 3482 | 0.86 | ng/ul  | 94     |
| 21) Benzo(b)fluoranthene   | 23.07 | 252 | 7313 | 1.51 | ng/ul  | 89     |
| 22) Benzo(k)fluoranthene   | 23.07 | 252 | 7313 | 1.70 | ng/ul# | 91     |
| 23) Benzo(a)pyrene         | 23.67 | 252 | 2945 | 0.67 | ng/ul# | 88     |
| 24) Indeno(1,2,3-cd)pyrene | 26.15 | 276 | 2433 | 0.44 | ng/ul# | 88     |
| 25) Dibenzo(a,h)anthracene | 26.16 | 278 | 612  | 0.13 | ng/ul# | 65     |
| 26) Benzo(g,h,i)perylene   | 26.88 | 276 | 2187 | 0.46 | ng/ul# | 91     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA\_M\Data\BM031117\  
Data File : BM009205.D  
Acq On : 11 Mar 2017 13:31  
Operator : SJ/MA  
Sample : I2107-07DL 10X  
Misc :  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
C0AJ6DL

Quant Time: Mar 13 11:34:58 2017  
Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM-EPA-SIM-BM030317.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Mon Mar 13 11:21:07 2017  
Response via : Initial Calibration

