

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM031122\
 Data File : BM034224.D
 Acq On : 11 Mar 2022 16:11
 Operator : CG/JU
 Sample : N1816-19
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBSE4

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 03/14/2022
 Supervised By :mohammad ahmed 03/14/2022

Quant Time: Mar 11 23:41:07 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM031022.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 11 02:00:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.954	152	134787	20.000	ng/u1	0.00
20) Naphthalene-d8	10.766	136	531604	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.589	164	359035	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.330	188	747972	20.000	ng/u1	0.00
79) Chrysene-d12	21.500	240	771645	20.000	ng/u1	0.00
88) Perylene-d12	23.924	264	851075	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.325	96	16495m	5.342	ng/uL	0.00
4) Pyridine-d5	3.743	84	184798	25.137	ng/u1	0.00
7) Phenol-d5	7.101	99	232159	25.738	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.272	67	150171	28.379	ng/u1	0.00
11) 2-Chlorophenol-d4	7.478	132	218974	28.090	ng/u1	0.00
15) 4-Methylphenol-d8	8.654	113	204819	26.550	ng/u1	0.00
21) Nitrobenzene-d5	9.113	128	107401	28.166	ng/u1	0.00
24) 2-Nitrophenol-d4	9.842	143	116525	27.558	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.383	165	227927	26.889	ng/u1	0.00
31) 4-Chloroaniline-d4	10.895	131	279249	26.490	ng/u1	0.00
46) Dimethylphthalate-d6	13.995	166	790852	30.273	ng/u1	0.00
49) Acenaphthylene-d8	14.283	160	957211	28.849	ng/u1	0.00
54) 4-Nitrophenol-d4	14.771	143	70587m	17.347	ng/u1	0.00
60) Fluorene-d10	15.583	176	681692	29.809	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.689	200	88916	18.789	ng/u1	0.00
73) Anthracene-d10	17.430	188	1054125	29.838	ng/u1	0.00
81) Pyrene-d10	19.718	212	1311270	31.214	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.765	264	1280747	30.503	ng/u1	0.00
Target Compounds						
					Qvalue	
8) Phenol	7.131	94	19176	2.155	ng/u1	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM031122\
Data File : BM034224.D
Acq On : 11 Mar 2022 16:11
Operator : CG/JU
Sample : N1816-19
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
DBSE4

Quant Time: Mar 11 23:41:07 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM031022.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 11 02:00:05 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 03/14/2022
Supervised By :mohammad ahmed 03/14/2022





#8
Phenol
Concen: 2.155 ng/ul
RT: 7.131 min Scan# 661
Delta R.T. 0.000 min
Lab File: BM034224.D
Acq: 11 Mar 2022 16:11

Instrument :
BNA_M
ClientSampleId :
DBSE4



Tgt Ion: 94 Resp: 19170
Ion Ratio Lower Upper
94 100
65 31.4 22.9 34.3
66 47.6 33.7 50.5

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 03/14/2022
Supervised By :mohammad ahmed 03/14/2022

