


Quantitation Report (QT Reviewed)

Data Path : Z:\HPCHEM1\BNA M\DATA\BM031218\
 Data File : BM014536.D
 Acq On : 13 Mar 2018 02:24
 Operator : SJ/JU
 Sample : J1835-08
 Misc :
 ALS Vial : 20 Sample Multiplier: 1


Quant Time: Mar 13 09:11:08 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM021418.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 13 02:49:59 2018
 Response via : Initial Calibration



Quantitation Report (Qedit)

Data Path : Z:\HPCHEM1\BNA M\DATA\BM031218\
 Data File : BM014536.D
 Acq On : 13 Mar 2018 02:24
 Operator : SJ/JU
 Sample : J1835-08
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Mar 13 09:02:22 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM021418.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 13 02:49:59 2018
 Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)
 14.439min (-0.024) 31.91ng/ul
 response 78001

3/13/2018 4:24:28 PM

Sohil

APPROVED

Manual Integrations

41.00 34.80 49.37#

66F41 1.33#

ClientSampled :




BNA_M

Instrument :

Quantitation Report (Qedit)

Data Path : Z:\HPCHEM1\BNA M\DATA\BM031218\
 Data File : BM014536.D
 Acq On : 13 Mar 2018 02:24
 Operator : SJ/JU
 Sample : J1835-08
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Mar 13 09:02:22 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM021418.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 13 02:49:59 2018
 Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)

14.439min (-0.024) 40.31ng/ul m

response 98526

JU 3/16/18

3/13/2018 4:24:28 PM

Sohil

APPROVED

Manual Integrations

49.37#

1.33#

ClientSampled :

BNA_M

Instrument :

Quantitation Report (QT Reviewed)

Data Path : Z:\HPCHEM1\BNA M\DATA\BM031218\
 Data File : BM014536.D
 Acq On : 13 Mar 2018 02:24
 Operator : SJ/JU
 Sample : J1835-08
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Mar 13 09:11:08 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM021418.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 13 02:49:59 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.47	152	80239	20.00	ng/ul	0.00
18) Naphthalene-d8	10.25	136	352588	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.14	164	214361	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.90	188	506188	20.00	ng/ul	0.00
75) Chrysene-d12	21.13	240	544401	20.00	ng/ul	0.00
83) Perylene-d12	23.29	264	531215	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.05	96	6412	3.42	ng/uL	0.00
5) Phenol-d5	6.69	99	214674	31.66	ng/ul	0.00
7) Bis-(2-Chloroethyl) ether-d	6.83	67	128704	31.35	ng/ul	0.00
9) 2-Chlorophenol-d4	7.02	132	169511	32.60	ng/ul	0.00
13) 4-Methylphenol-d8	8.21	113	199228	33.57	ng/ul	0.00
19) Nitrobenzene-d5	8.64	128	93489	35.88	ng/ul	0.00
22) 2-Nitrophenol-d4	9.35	143	108479	40.22	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.90	165	186511	33.39	ng/ul	0.00
29) 4-Chloroaniline-d4	10.41	131	222068	40.35	ng/ul	-0.01
43) Dimethylphthalate-d6	13.56	166	703213	39.72	ng/ul	0.00
46) Acenaphthylene-d8	13.83	160	825494	37.82	ng/ul	0.00
51) 4-Nitrophenol-d4	14.44	143	98526m	40.31	ng/ul	-0.02
57) Fluorene-d10	15.14	176	574242	36.21	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.32	200	83165	27.39	ng/ul	0.00
70) Anthracene-d10	17.00	188	913352	37.40	ng/ul	0.00
76) Pyrene-d10	19.32	212	1019936	36.32	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.16	264	987738	38.20	ng/ul	0.00

JU 3/16/18

Target Compounds

Ovalue

73) Di-n-butylphthalate	17.88	149	1177838	37.018	ng/ul#	97
81) Bis(2-ethylhexyl)phthalate	21.03	149	71187	3.323	ng/ul#	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

3/13/2018 4:24:28 PM

Sohil

Manual Integrations
APPROVEDInstrument : BNA_M
ClientSampled : F6F41