

Data Path : Z:\HPCHEM1\BNA M\DATA\BM031218\
 Data File : BM014527.D
 Acq On : 12 Mar 2018 20:58
 Operator : SJ/JU
 Sample : J1813-10
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F6F32

Manual Integrations
 APPROVED

Sohil
 3/13/2018 4:24:06 PM

Quant Time: Mar 13 04:30:24 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM021418.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 13 02:49:59 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.48	152	60670	20.00	ng/ul	0.00
18) Naphthalene-d8	10.25	136	262639	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.14	164	166185	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.90	188	422097m	20.00	ng/ul	0.00
75) Chrysene-d12	21.13	240	493193	20.00	ng/ul	0.00
83) Perylene-d12	23.29	264	490476	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.05	96	4629m	3.27	ng/uL	0.00
5) Phenol-d5	6.69	99	129399	25.24	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.83	67	77752	25.05	ng/ul	0.00
9) 2-Chlorophenol-d4	7.02	132	98909	25.16	ng/ul	0.00
13) 4-Methylphenol-d8	8.22	113	100427	22.38	ng/ul	0.00
19) Nitrobenzene-d5	8.64	128	52087	26.84	ng/ul	0.00
22) 2-Nitrophenol-d4	9.36	143	62215	30.97	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.90	165	114630m	27.55	ng/ul	0.00
29) 4-Chloroaniline-d4	10.42	131	104605	25.52	ng/ul	0.00
43) Dimethylphthalate-d6	13.57	166	437022	31.84	ng/ul	0.00
46) Acenaphthylene-d8	13.83	160	513482	30.34	ng/ul	0.00
51) 4-Nitrophenol-d4	14.46	143	50012m	26.39	ng/ul	0.00
57) Fluorene-d10	15.15	176	363692	29.58	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.33	200	54874m	21.67	ng/ul	0.00
70) Anthracene-d10	17.01	188	583220	28.64	ng/ul	0.00
76) Pyrene-d10	19.32	212	686001	26.97	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.16	264	707036	29.62	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.62	163	48848	3.610	ng/ul#	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM031218\
Data File : BM014527.D
Acq On : 12 Mar 2018 20:58
Operator : SJ/JU
Sample : J1813-10
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
F6F32

Quant Time: Mar 13 04:30:24 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM021418.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Mar 13 02:49:59 2018
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
3/13/2018 4:24:06 PM





#44
 Dimethylphthalate
 Concen: 3.610 ng/ul
 RT: 13.62 min Scan# 1824
 Delta R.T. 0.00 min
 Lab File: BM014527.D
 Acq: 12 Mar 2018 20:58

Instrument :
 BNA_M
 ClientSampleId :
 F6F32

Tot Ion	Ratio	Resp	Lower	Upper
163	100	48848		
194	2.7		3.5	5.3#
164	11.8		8.2	12.4

Manual Integrations
 APPROVED

Sohil
 3/13/2018 4:24:06 PM

