

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM031219\
 Data File : BM019138.D
 Acq On : 13 Mar 2019 08:28
 Operator : JU/SJ
 Sample : K1824-11
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-29

Quant Time: Mar 13 14:15:35 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM031119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 11 17:30:46 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	195890	20.00	ng	0.00
21) Naphthalene-d8	10.45	136	803556	20.00	ng	0.00
39) Acenaphthene-d10	14.32	164	539679	20.00	ng	0.00
64) Phenanthrene-d10	17.07	188	1324477	20.00	ng	0.00
76) Chrysene-d12	21.27	240	1345094	20.00	ng	0.00
87) Perylene-d12	23.50	264	1196250	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	1669054	137.99	ng	0.00
7) Phenol-d6	6.85	99	2500873	141.35	ng	0.00
23) Nitrobenzene-d5	8.83	82	1468437	86.38	ng	0.00
42) 2,4,6-Tribromophenol	15.82	330	1213040	152.24	ng	0.00
45) 2-Fluorobiphenyl	12.93	172	3262377	78.63	ng	0.00
79) Terphenyl-d14	19.71	244	5884794	86.85	ng	0.00
Target Compounds						
10) Phenol	6.87	94	137229	7.197	ng	94
50) Dimethylphthalate	13.78	163	276171	5.982	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM031219\
Data File : BM019138.D
Acq On : 13 Mar 2019 08:28
Operator : JU/SJ
Sample : K1824-11
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-29

Quant Time: Mar 13 14:15:35 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM031119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 11 17:30:46 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.66 min Scan# 777
Delta R.T. -0.01 min
Lab File: BM019138.D
Acq: 13 Mar 2019 08:28

Instrument :
BNA_M
ClientSampleId :
TP-29

Tot Ion	152	Resp	195890
Ion Ratio	Lower	Upper	
152	100		
150	159.6	125.3	187.9
115	64.5	49.4	74.0





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 137.985 ng
RT: 5.26 min Scan# 370
Delta R.T. 0.01 min
Lab File: BM019138.D
Acq: 13 Mar 2019 08:28

Tgt Ion	112	Resp	1669054
Ion Ratio	Lower	Upper	
112	100		
64	62.6	51.4	77.0
63	31.6	26.6	40.0





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 141.350 ng

RT: 6.85 min Scan# 639

Delta R.T. -0.00 min

Lab File: BM019138.D

Acq: 13 Mar 2019 08:28

Instrument :

BNA_M

ClientSampleId :

TP-29


Tot Ion: 99 Resp: 2500873

Ion Ratio Lower Upper

99 100

42 13.7 10.9 16.3




71 37.3 30.3 45.5



Abundance Ion 99.00 (98.70 to 99.70): BM019138.D (-622) (-)

Ion 42.00 (41.70 to 42.70): BM019138.D (-622) (-)

Ion 71.00 (70.70 to 71.70): BM019138.D (-622) (-)



#10

Phenol

Concen: 7.197 ng

RT: 6.87 min Scan# 643

Delta R.T. -0.00 min

Lab File: BM019138.D

Acq: 13 Mar 2019 08:28


Tgt Ion: 94 Resp: 137229

Ion Ratio Lower Upper

94 100

65 31.3 9.7 49.7



66 44.3 19.2 59.2




Abundance Ion 94.00 (93.70 to 94.70): BM019138.D (-626) (-)

Ion 65.00 (64.70 to 65.70): BM019138.D (-626) (-)

Ion 66.00 (65.70 to 66.70): BM019138.D (-626) (-)









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.45 min Scan# 1251
Delta R.T. -0.01 min
Lab File: BM019138.D
Acq: 13 Mar 2019 08:28

Instrument :
BNA_M
ClientSampleId :
TP-29

Tot Ion:136	Resp: 803556
Ion Ratio	Lower Upper
136 100	
137 10.6	8.6 13.0
54 6.8	5.2 7.8
68 7.1	5.8 8.8




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BM
Ion 68.00 (67.70 to 68.70): BM






#23
Nitrobenzene-d5
Concen: 86.383 ng
RT: 8.83 min Scan# 976
Delta R.T. -0.01 min
Lab File: BM019138.D
Acq: 13 Mar 2019 08:28

Tgt Ion: 82	Resp: 1468437
Ion Ratio	Lower Upper
82 100	
128 36.2	29.4 44.2
54 38.0	29.9 44.9



Abundance Ion 82.00 (81.70 to 82.70): BM
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BM









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.32 min Scan# 1909
Delta R.T. -0.01 min
Lab File: BM019138.D
Acq: 13 Mar 2019 08:28




Instrument :
BNA_M
ClientSampled :
TP-29

Tot Ion:164 Resp: 539679
Ion Ratio Lower Upper
164 100
162 105.3 83.5 125.3
160 46.5 36.3 54.5



#42
2,4,6-Tribromophenol
Concen: 152.236 ng
RT: 15.82 min Scan# 2164
Delta R.T. -0.01 min
Lab File: BM019138.D
Acq: 13 Mar 2019 08:28

Tgt Ion:330 Resp: 1213040
Ion Ratio Lower Upper
330 100
332 96.7 76.8 115.2
141 33.7 27.0 40.4









#45
2-Fluorobiphenyl
Concen: 78.631 ng
RT: 12.93 min Scan# 1673
Delta R.T. -0.01 min
Lab File: BM019138.D
Acq: 13 Mar 2019 08:28

Instrument :
BNA_M
ClientSampleId :
TP-29

Tot Ion:172 Resp: 3262377
Ion Ratio Lower Upper
172 100
171 35.8 28.6 42.8
170 23.7 18.6 28.0




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 5.982 ng
RT: 13.78 min Scan# 1818
Delta R.T. -0.01 min
Lab File: BM019138.D
Acq: 13 Mar 2019 08:28

Tgt Ion:163 Resp: 276171
Ion Ratio Lower Upper
163 100
194 3.6 3.3 4.9
164 10.1 7.7 11.5



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.07 min Scan# 2377

Delta R.T. -0.01 min

Lab File: BM019138.D

Acq: 13 Mar 2019 08:28

Instrument :

BNA_M

ClientSampleId :

TP-29





Tot Ion:188 Resp: 1324477

Ion Ratio Lower Upper

188 100

94 9.8 8.1 12.1

80 12.9 9.7 14.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.27 min Scan# 3091

Delta R.T. -0.01 min

Lab File: BM019138.D

Acq: 13 Mar 2019 08:28




Tgt Ion:240 Resp: 1345094

Ion Ratio Lower Upper

240 100

120 10.8 8.9 13.3

236 25.8 21.0 31.4





#79

Terphenyl-d14

Concen: 86.853 ng

RT: 19.71 min Scan# 2826

Delta R.T. -0.00 min

Lab File: BM019138.D

Acq: 13 Mar 2019 08:28

Instrument :

BNA_M

ClientSampleId :

TP-29


Tot Ion:244 Resp: 5884794

Ion Ratio Lower Upper

244 100

212 6.8 5.4 8.2




122 10.7 9.4 14.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.50 min Scan# 3471

Delta R.T. -0.01 min

Lab File: BM019138.D

Acq: 13 Mar 2019 08:28


Tgt Ion:264 Resp: 1196250

Ion Ratio Lower Upper

264 100

260 24.0 18.6 28.0

265 22.3 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

